# APPENDIX B INDR WATER WELL LOGS

Reference **Driving Direction to Well Date Completed** Number

602 S LYON, FROM HOLT AVE GO W ON WASHINGTON ST, US 40, TO 978

LYON AVE, GO S ON LYON AVE TO 602

2/4/1992

(000)241-2571

Owner-Name Address **Telephone** Contractor Owner JEAN HENDERSON 602 S LYON INDPLS IN Not available

ROBERT D SCHELLENBERG License: 36 Operator

HAMILTON BROS INC

**Construction Details** 

Driller

Well Use: Home **Drilling Method: Rotary** Pump Type: Submersible **Depth**: 59.0 Pump Setting Depth: 40.0 Water Quality: CLEAR

Material: PVC Casing Length: 55.0 Diameter: 4.0 Screen Length: 4.0 Material: PVC Diameter: 4.0

Slot Size: .060

**Well Capacity** 

Type of Test: Bailing Test Rate: 10.0 gpm for 1.0 hrs. Bail Test Rate: Not available Test

> Drawdown: 15.0 ft. Static Water Level: 25.0 ft. Bailer Drawdown: Not available

4025 ROCKVILLE RD INDPLS IN

Grouting Material: ENVIRO PLUG **Depth:** From 10.0 To 35.0 Information

Installation Method: TREMIE Number of Bags Used: 3.0

Well

Sealing Material: Not available **Depth:** From (not available) To (not available) **Abandonment** 

Installation Method: Not available Number of Bags Used: Not available

Administrative Township: 15N County: MARION

> Range: 3E Section: NW of the SW of the NE of Section 8

Topo Map: INDIANAPOLIS WEST Grant: Not available

Field Located By: Not available Field Located On: Not available

Courthouse Location By: Not available Courthouse Location On: Not available

Location Accepted w/o Verification By: Not Location Accepted w/o Verification On: Not

available available

Subdivision Name: Not available Lot Number: Not available Ft W of EL: Not available Ft N of SL: Not available Ft E of WL: Not available Ft S of NL: Not available

Ground Elevation: Not available Depth of Bedrock: Not available Bedrock Elevation: Not available Aquifer Elevation: Not available **UTM Northing:** Not available **UTM Easting:** Not available

Well Log

Тор	Bottom	Formation
0.0	35.0	TOP SOIL & CLAY
35.0	59.0	GRAVEL

### Comments

Reference **Driving Direction to Well Date Completed** Number

7662 3125 S LOCKBURN INDPLS IN 46241 3/3/1992

Owner-Name Address Telephone Contractor

Owner ROBERT PHILLIPS 3125 S LOCKBURN INDPLS IN (000)241-2026 Driller WATER WELLS INC 4320 KESSLER BLVD NO DR INDPLS IN(317)257-2393

Operator DAN WILHITE License: 844

**Construction Details** 

Well Use: Home **Drilling Method:** Rotary Pump Type: Submersible **Depth**: 89.0 Pump Setting Depth: 60.0 Water Quality: CLEAR

Length: 85.0 Material: PVC Diameter: 4.0 Casing Screen Length: 4.0 Material: PVC Diameter: 4.0

Slot Size: .050

**Well Capacity** 

Type of Test: Air Test Rate: 20.0 gpm Bail Test Rate: Not available Test

> Drawdown: 20.0 ft. Static Water Level: 30.0 ft. Bailer Drawdown: Not available

Grouting

Material: ENVIRO PLUG **Depth:** From 0.0 To 40.0 Information

> Installation Method: PUMP Number of Bags Used: 3.0

Well

Sealing Material: Not available **Depth:** From (not available) To (not available) **Abandonment** 

Installation Method: Not available Number of Bags Used: Not available

Administrative **County: MARION** Township: 15N

> Range: 3E Section: NE of the NW of Section 5

Topo Map: INDIANAPOLIS WEST Grant: Not available

Field Located By: Not available Field Located On: Not available

Courthouse Location By: Not available Courthouse Location On: Not available Location Accepted w/o Verification By: Not Location Accepted w/o Verification On: Not

available available

Subdivision Name: Not available Lot Number: Not available Ft N of SL: Not available

Ft W of EL: Not available Ft E of WL: Not available Ft S of NL: Not available

Ground Elevation: Not available **Depth of Bedrock:** Not available Bedrock Elevation: Not available Aguifer Elevation: Not available UTM Easting: Not available **UTM Northing:** Not available

#### Well Log

Тор	Bottom	Formation
0.0	26.0	GRAVEL
26.0	48.0	CLAY
48.0	50.0	GRAVEL
50.0	84.0	GRAVEL
84.0	89.0	GRAVEL

#### Comments



Reference **Driving Direction to Well Date Completed** Number

20056 21 S EDGEHILL 5/24/1993

Owner-Name Address Telephone Contractor

21 S EDGEHILL INDPLS IN Owner **GARY FITZGERALD** (000)247-1560 Driller HAMILTON BROS INC 4025 ROCKVILLE RD INDPLS IN (000)241-2571

Operator ROBERT D SCHELLENBERG License: 36

**Construction Details** 

Well Use: Home **Drilling Method:** Rotary Pump Type: Submersible **Depth:** 80.0 Pump Setting Depth: 50.0 Water Quality: CLEAR

Length: 76.0 Material: PVC Diameter: 4.0 Casing Screen Length: 4.0 Material: PVC Diameter: 4.0

Slot Size: .060

**Well Capacity** Type of Test: Bailing

Test Drawdown: 25.0 ft. Static Water Level: 25.0 ft. Bailer Drawdown: Not available

Test Rate: 10.0 gpm for 1.0 hrs. Bail Test Rate: Not available

Grouting Material: ENVIRO PLUG **Depth:** From 15.0 To 40.0 Information

> Installation Method: TREMIE Number of Bags Used: 4.0

Well

Sealing Material: Not available **Depth:** From (not available) To (not available) **Abandonment** 

Installation Method: Not available Number of Bags Used: Not available

Administrative **County: MARION** Township: 15N

> Range: 3E Section: NE of Section 7 Topo Map: INDIANAPOLIS WEST Grant: Not available

Field Located By: Not available Field Located On: Not available Courthouse Location By: Not available Courthouse Location On: Not available

Location Accepted w/o Verification By: Not Location Accepted w/o Verification On: Not

available available

Subdivision Name: Not available Lot Number: Not available Ft W of EL: Not available Ft N of SL: Not available Ft E of WL: Not available Ft S of NL: Not available

Ground Elevation: Not available **Depth of Bedrock:** Not available Bedrock Elevation: Not available Aguifer Elevation: Not available UTM Easting: Not available **UTM Northing:** Not available

Тор	Bottom	Formation
0.0	40.0	TOP SOIL & CLAY
40.0	46.0	GRAVEL
46.0	66.0	CLAY
66.0	67.0	GRAVEL
67.0	78.0	CLAY
78.0	79.0	GRAVEL

79.0	80.0	CLAY
7 3.0	00.0	O = 1

**Comments** SKETCH MAP

Reference **Driving Direction to Well Date Completed** Number

N OF MICHIGAN ST ON CONCORD TO ARNOLDS E AND N TO 519 N 54023

**ARNOLDS** 

7/30/1980

Not available

Owner-Name Address **Telephone** Contractor

519 N ARNOLDS INDIANAPOLIS, Owner **RONALD GRIPPEN** Not available

MILLS PUMP & WELL DRILLING

2508 W MICHIGAN ST INDIANAPOLIS,

INC INDIANA

**RUSSELL MILLS** License Not available

**Construction Details** 

Driller

Test

Operator

Well Use: Home **Drilling Method:** Rotary Pump Type: Not available

> Pump Setting Depth: Not **Depth:** 79.0 Water Quality: Not available

available

Material: Not available Diameter: 4.0 Length: 76.0 Casing Screen Length: 3.0 Material: Not available Diameter: 4.0

Slot Size: 30

**Well Capacity** Bail Test Rate: 5.0 gpm for 2.0

Type of Test: Not available Test Rate: Not available

> Drawdown: Not available Static Water Level: 30.0 ft. Bailer Drawdown: 45.0 ft.

Grouting Material: Not available **Depth:** From (not available) To (not available) Information

Installation Method: Not available Number of Bags Used: Not available

Well

Sealing Material: Not available **Depth:** From (not available) To (not available) **Abandonment** 

Installation Method: Not available Number of Bags Used: Not available

Administrative County: MARION Township: 15N

> Range: 3E Section: NW of the SE of the NW of Section 4

Topo Map: INDIANAPOLIS WEST Grant: Not available

Field Located By: MCBH Field Located On: 1/1/1992

Courthouse Location By: Not available Courthouse Location On: Not available Location Accepted w/o Verification By: Location Accepted w/o Verification On:

**BRUNS** 10/16/1980

Subdivision Name: Not available Lot Number: Not available Ft W of EL: Not available Ft N of SL: Not available Ft E of WL: Not available Ft S of NL: Not available

Ground Elevation: 717 0 Depth of Bedrock: Not available

Bedrock Elevation: Not available Aquifer Elevation: 638.0 **UTM Northing:** 4402885

**UTM Easting:** 567685

Тор	Bottom	Formation
0.0	1.0	BLANK
1.0	31.0	CLAY GRAY

31.0	65.0	CLAY BLUE
65.0	79.0	SAND BLUE

### Comments MC 638

Reference
Number

Driving Direction to Well

Date Completed

54024 525 N ARNOLDA 4/19/1979

OwnerContractor

Name
Address
Telephone

Owner Not available Not available Not available

Driller HAMILTON BROS INC PO BOX 24181,4025 ROCKVILLE ROAD,INDIANAPOLIS,IND Not available

Operator DESTER HARNESS License Not available

**Construction Details** 

Well Use: Home Drilling Method: Rotary Pump Type: Not available

Depth: 47.0 Pump Setting Depth: Not Water Quality: Not available

available

Casing Length: 45.0 Material: Not available Diameter: 4.0 Screen Length: 3.0 Material: Not available Diameter: 4.0

Slot Size: 60

**Well Capacity** 

Test Rate: 10.0 gpm for 1.0 hrs.Bail Test Rate: Not available

Drawdown: 5.0 ft. Static Water Level: 35.0 ft. Bailer Drawdown: Not available

Grouting

Information Material: Not available Depth: From (not available) To (not available)

Installation Method: Not available Number of Bags Used: Not available

Well

Abandonment Sealing Material: Not available Depth: From (not available) To (not available)

Installation Method: Not available Number of Bags Used: Not available

Administrative County: MARION Township: 15N

Range: 3E Section: NW of the SE of the NW of Section 4

Topo Map: INDIANAPOLIS WEST Grant: Not available

Field Located By: MCBH Field Located On: 1/1/1992

Courthouse Location By: Not available Courthouse Location On: Not available

Location Accepted w/o Verification By: SLP Location Accepted w/o Verification On: Not

SAW 6/14/79 available

Subdivision Name: Not availableLot Number: Not availableFt W of EL: Not availableFt N of SL: Not availableFt E of WL: Not availableFt S of NL: Not available

Ground Elevation: 716.0 Depth of Bedrock: Not available

Bedrock Elevation: Not available Aquifer Elevation: 669.0

**UTM Easting:** 567700 **UTM Northing:** 4402915

Well Log

Тор	Bottom	Formation
0.0	47.0	S & G

Comments

Reference
Number

Driving Direction to Well

Date Completed

54025 SEE MAP Not available

OwnerContractor

Name
Address
Telephone

Owner NIBLACK 530 N ARNOLDA INDPLS. (000)635-5673
Driller WATER WELLS BY WILHITE 7453 W DOBSON (317)257-2393

Operator CHARLIE SULLIVAN License: 843

**Construction Details** 

Well Use: Home Drilling Method: Rotary Pump Type: Not available

Depth: 44.0 Pump Setting Depth: Not Water Quality: CLEAR

available water quality. CLLA

Casing Length: 44.0 Material: PVC Diameter: 4.0 Screen Length: 5.0 Material: PVC Diameter: 4.0

Slot Size: .050

Well Capacity

Test Rate: 30.0 gpm for 2.0 hrs.Bail Test Rate: Not available

Drawdown: Not available Static Water Level: 24.0 ft. Bailer Drawdown: Not available

Grouting Information Material: Not available Depth: From (not available) To (not available)

**Installation Method:** Not available **Number of Bags Used:** Not available

Well

Abandonment Sealing Material: Not available Depth: From (not available) To (not available)

Installation Method: Not available Number of Bags Used: Not available

Administrative County: MARION Township: 15N

Range: 3E Section: NW of the SE of the NW of Section 4

Topo Map: INDIANAPOLIS WEST Grant: Not available

Field Located By: Not available Field Located On: Not available

Courthouse Location By: Not available Courthouse Location On: Not available

Location Accepted w/o Verification By: Not Location Accepted w/o Verification On: Not

available available

Subdivision Name: Not availableLot Number: Not availableFt W of EL: Not availableFt N of SL: Not availableFt E of WL: Not availableFt S of NL: Not available

Ground Elevation: 718.0 Depth of Bedrock: Not available

Bedrock Elevation: Not available Aquifer Elevation: 674.0

**UTM Easting**: 567635 **UTM Northing**: 4402910

Well Log

Тор	Bottom	Formation
0.0	4.0	SAND
4.0	44.0	S&G

Comments

Reference **Driving Direction to Well Date Completed** Number

54026 APPROX 1 BLOCK EAST OF TIBBS & 10TH ST. 2/7/1990

Owner-Name Address Telephone Contractor 3337 W. 10TH ST INDPLS Owner WILLIAMS BAIT & TACKLE (317)632-5881 Driller DEAN WELL DRILLING, INC 841 W. SUMNER AVE INDPLS (317)787-4146

Operator JOHN AUFDERHEIDE License: 231

**Construction Details** 

Well Use: Other **Drilling Method:** Rotary Pump Type: Submersible **Depth**: 69.0 Pump Setting Depth: 40.0 Water Quality: CLEAR

Length: 66.0 Material: PVC Diameter: 5.0 Casing Length: 3.0 Material: SS Screen Diameter: 5.0

Slot Size: .030

**Well Capacity** 

Type of Test: Air Test Rate: 30.0 gpm for 2.0 hrs. Bail Test Rate: Not available Test

> Drawdown: 16.0 ft. Static Water Level: 24.0 ft. Bailer Drawdown: Not available

Grouting

Material: BENTONITE **Depth:** From 0.0 To 38.0 Information

> Installation Method: TREMMIE Number of Bags Used: 4.0

Well

Depth: From 0 To 46 Sealing Material: BENTONITE **Abandonment** 

> Installation Method: TREMMIE Number of Bags Used: 1.0

Administrative **County: MARION** Township: 15N

> Range: 3E Section: NW of the NW of the NW of Section 4

Topo Map: INDIANAPOLIS WEST Grant: Not available

Field Located By: MCBH Field Located On: 1/1/1992

Courthouse Location By: Not available Courthouse Location On: Not available Location Accepted w/o Verification By: Not Location Accepted w/o Verification On: Not

available available

Subdivision Name: Not available Lot Number: Not available Ft W of EL: Not available Ft N of SL: Not available Ft E of WL: Not available Ft S of NL: Not available

**Ground Elevation: 718.0 Depth of Bedrock:** Not available

Bedrock Elevation: Not available Aguifer Elevation: 640.0

**UTM Easting:** 567160 **UTM Northing:** 4403460

Тор	Bottom	Formation
0.0	5.0	BROWN CLAY
5.0	35.0	FINE SAND
35.0	46.0	BROWN CLAY
46.0	47.0	SAND & GRAVEL
47.0	66.0	SANDY BROWN CLAY
66.0	78.0	SAND & GRAVEL

### Comments

MC 640; ABANDONED EXISTING 4" STEEL CASING WELL 0-46 WHERE PUMP IS LODGED.

Reference Number Driving Direction to Well Date Completed

FROM INDIANAPOLIS, W ON MICHIGAN RD FROM HOLT RD TO

54027 GASOLINE ALLEY, S GO STRAIGHT TO VERMONT E TO 4120 DO NOT 9/1/1989

**CROSS RIVER** 

Owner-ContractorNameAddressTelephoneOwnerMR. & MRS. FRED MUELLER4120 W VERMONT (400N4100W) INDPLS, IN(317)244-7590DrillerJOSEPH HUSER SERVICES INC.5728 S EMERSON INDPLS, IN(317)784-4264

Operator SHAWN R. COREY License: 436

**Construction Details** 

Well Use: Home Drilling Method: Rotary Pump Type: Submersible

Depth: 50.0 Pump Setting Depth: 45.0 Water Quality: OK Casing Length: 48.0 Material: PVC Diameter: 5.0 Screen Length: 3.0 Material: SS Diameter: 4.0

Slot Size: .035

Well Capacity

Test Rate: 20.0 gpm for 1.0 hrs.Bail Test Rate: Not available

Drawdown: Not available Static Water Level: 18.0 ft. Bailer Drawdown: Not available

Grouting Information

Material: BENTONITE Depth: From 4.0 To 40.0

Installation Method: PUMP Number of Bags Used: 1.5

Well

Abandonment Sealing Material: Not available Depth: From (not available) To (not available)

Installation Method: Not available Number of Bags Used: Not available

Administrative County: MARION Township: 15N

Range: 3E Section: NE of the NW of the SW of Section 5

Topo Map: INDIANAPOLIS WEST Grant: Not available

Field Located By: MCBN Field Located On: 1/1/1992

Courthouse Location By: Not available Courthouse Location On: Not available

Location Accepted w/o Verification By: Not Location Accepted w/o Verification On: Not

able availa

Subdivision Name: Not availableLot Number: Not availableFt W of EL: Not availableFt N of SL: Not availableFt E of WL: Not availableFt S of NL: Not available

Ground Elevation: 716.0 Depth of Bedrock: Not available

Bedrock Elevation: Not available Aquifer Elevation: 666.0

**UTM Easting:** 565841.8 **UTM Northing:** 4402515.5

Тор	Bottom	Formation
0.0	7.0	BR CLAY
7.0	11.0	SANDY CLAY
11.0	39.0	S&G

39.0	45.0	GREY CLAY
45.0	50.0	S&G

### Comments MC666

Reference **Driving Direction to Well Date Completed** Number

54028 Not available 11/7/1970

Owner-Name Address Telephone Contractor 4024 COSSELL RD Owner ROBERT NORMAN Not available

Driller HAMILTON BROS INC. Not available Not available Operator TERRY HAMILTON License Not available

**Construction Details** 

Well Use: Home **Drilling Method:** Rotary Pump Type: Not available

Pump Setting Depth: Not **Depth:** 59.0 Water Quality: Not available

available

Casing Length: 57.0 Material: Not available Diameter: 4.0 Screen Length: 2.0 Material: Not available Diameter: 3.0

Slot Size: #6

**Well Capacity** 

Type of Test: Pumping Test Rate: 10.0 gpm for 2.0 hrs. Bail Test Rate: Not available Test

> Static Water Level: Not Drawdown: Not available Bailer Drawdown: Not available

available

Grouting Material: Not available **Depth:** From (not available) To (not available) Information

Installation Method: Not available Number of Bags Used: Not available

Well

Sealing Material: Not available **Depth:** From (not available) To (not available) **Abandonment** 

Installation Method: Not available Number of Bags Used: Not available

Administrative **County: MARION** Township: 15N

> Range: 3E Section: SE of the SW of the NW of Section 5

Topo Map: INDIANAPOLIS WEST Grant: Not available

Field Located By: MCBN Field Located On: 1/1/1992

Courthouse Location By: Not available Courthouse Location On: Not available

Location Accepted w/o Verification By: Not Location Accepted w/o Verification On: Not

available available

Subdivision Name: Not available Lot Number: Not available Ft W of EL: Not available Ft N of SL: Not available Ft E of WL: Not available Ft S of NL: Not available

**Ground Elevation: 718.0** Depth of Bedrock: Not available

Bedrock Elevation: Not available Aguifer Elevation: 658.0 **UTM Easting:** 565960 **UTM Northing**: 4402625

Тор	Bottom	Formation
0.0	30.0	CLAY
30.0	40.0	SAND
40.0	57.0	CLAY
57.0	60.0	SAND

### Comments

Reference **Driving Direction to Well Date Completed** Number

GO W ON MICHIGAN ST FROM HOLT RD TO GASOLINE ALLEY 500N 6100

GO S AND STRAIGHT DO NOT CROSS RIVER TO VERMONT THEN E TO 10/1/1989 54029

4110

Owner-**Telephone** Name Address Contractor Owner M/M KEN BOGER 4110 W VERMONT INDPLS, IN (317)244-4727

JOSEPH HUSER SERVICES INC. 5728 S EMERSON INDPLS, IN (317)789-4244 Driller

Operator SHAWN R. COREY License: 436

**Construction Details** 

Well Use: Home Pump Type: Submersible **Drilling Method:** Rotary

Pump Setting Depth: 34.0 Water Quality: OK **Depth:** 38.0 **Length: 36.0** Material: PVC Diameter: 5.0 Casing Screen Length: 3.0 Material: SS Diameter: 4.0

Slot Size: .035

**Well Capacity** 

Type of Test: Air Test Rate: 20.0 gpm for 1.0 hrs. Bail Test Rate: Not available Test

> Drawdown: Not available Static Water Level: 13.0 ft. Bailer Drawdown: Not available

Grouting

Material: BENTONITE **Depth:** From 4.0 To 30.0 Information

> Installation Method: PUMP Number of Bags Used: 1.5

Well

Sealing Material: Not available **Depth:** From (not available) To (not available) **Abandonment** 

Installation Method: Not available Number of Bags Used: Not available

Administrative **County: MARION** Township: 15N

> Range: 3E Section: NE of the NW of the SW of Section 5

Topo Map: INDIANAPOLIS WEST Grant: Not available

Field Located By: MCBN Field Located On: 1/1/1992

Courthouse Location By: Not available Courthouse Location On: Not available

Location Accepted w/o Verification By: Not Location Accepted w/o Verification On: Not

available available

Subdivision Name: Not available Lot Number: Not available Ft W of EL: Not available Ft N of SL: Not available Ft E of WL: Not available Ft S of NL: Not available

**Ground Elevation: 716.0** Depth of Bedrock: Not available

Bedrock Elevation: Not available Aguifer Elevation: 678.0 **UTM Easting:** Not available **UTM Northing:** Not available

Well Log

Тор	Bottom	Formation
0.0	15.0	CLAY
15.0	38.0	S&G

### Comments

Reference **Driving Direction to Well Date Completed** Number

54030 Not available 11/28/1973

Owner-Name Address Telephone Contractor

4110 W VERMONT Owner KEN BOGER Not available Driller HAMILTON BROS INC. 4025 ROCKVILLE RD Not available

Operator WARREN HARNESS License Not available

**Construction Details** 

Well Use: Home **Drilling Method:** Rotary Pump Type: Not available

Pump Setting Depth: Not **Depth:** 60.0 Water Quality: Not available

available Length: Not available Material: Not available Diameter: 4.0

Screen Length: 2.0 Material: Not available Diameter: 4.0

Slot Size: .060

**Well Capacity** 

Casing

Type of Test: Pumping Test Rate: 15.0 gpm for 1.0 hrs. Bail Test Rate: Not available Test

> Static Water Level: Not Drawdown: Not available Bailer Drawdown: Not available

available

Grouting Material: Not available **Depth:** From (not available) To (not available) Information

Installation Method: Not available Number of Bags Used: Not available

Well

Sealing Material: Not available **Depth:** From (not available) To (not available) **Abandonment** 

Installation Method: Not available Number of Bags Used: Not available

Administrative **County: MARION** Township: 15N

> Range: 3E Section: SW of the NW of Section 5

Topo Map: INDIANAPOLIS WEST Grant: Not available

Field Located By: Not available Field Located On: Not available

Courthouse Location By: Not available Courthouse Location On: Not available

Location Accepted w/o Verification On: Not Location Accepted w/o Verification By: SL

available

Subdivision Name: Not available Lot Number: Not available Ft W of EL: Not available Ft N of SL: Not available Ft E of WL: Not available Ft S of NL: Not available

Ground Elevation: Not available Depth of Bedrock: Not available Aguifer Elevation: Not available Bedrock Elevation: Not available UTM Easting: Not available **UTM Northing:** Not available

Well Log

Тор	Bottom	Formation
0.0	7.0	CLAY
7.0	44.0	S&G
44.0	60.0	CLAY

#### Comments



Reference **Driving Direction to Well Date Completed** Number

54032 AT MAUSOLEUM, FLORAL PARK CEMETARY, COSSEL DR. 8/1/1961

Owner-Name Address Telephone Contractor

Owner FLORAL PARK CEMETARY COSSEL DR Not available Driller HARLAN MILLER WELL & PUMP 1726 HAMBLEN W DR, INDPLS 31 IN Not available

Operator JOHN WINKLER License Not available

**Construction Details** 

Well Use: Home **Drilling Method:** Cable Tool Pump Type: Not available

Pump Setting Depth: Not **Depth:** 53.0 Water Quality: Not available available

Casing Length: 50.0 Material: Not available Diameter: 4.0 Screen Length: 6.0 Material: Not available Diameter: 3.0

Slot Size: #6

**Well Capacity** Bail Test Rate: 20.0 gpm for 1.0 Type of Test: Not available Test Rate: Not available

Drawdown: Not available Static Water Level: 14.0 ft. Bailer Drawdown: 21.0 ft.

Grouting Material: Not available **Depth:** From (not available) To (not available) Information

Installation Method: Not available Number of Bags Used: Not available

Well

Test

Sealing Material: Not available **Depth:** From (not available) To (not available) **Abandonment** 

Installation Method: Not available Number of Bags Used: Not available

Administrative Township: 15N County: MARION

> Range: 3E Section: SW of the NW of the SE of Section 5

Topo Map: INDIANAPOLIS WEST Grant: Not available

Field Located By: MCBN Field Located On: 1/1/1992

Courthouse Location By: Not available Courthouse Location On: Not available

Location Accepted w/o Verification By: Not Location Accepted w/o Verification On: Not

available available

Subdivision Name: Not available Lot Number: Not available Ft W of EL: Not available Ft N of SL: Not available Ft E of WL: Not available Ft S of NL: Not available

**Ground Elevation:** 711.0 Depth of Bedrock: Not available

Bedrock Elevation: Not available Aquifer Elevation: 658.0

**UTM Northing:** 4402215 **UTM Easting:** 566490

Well Log

Тор	Bottom	Formation
0.0	33.0	CLAY
33.0	53.0	GRAV & WATER

Comments MC 658;

Reference
Number

Driving Direction to Well

Date Completed

54033 3659 W COSSELL RD 300N 7/23/1970

OwnerContractor

Address
Telephone

Owner FLORAL PARK CEMETERY 3659 COSSELL RD Not available

Driller HAMILTON BROS INC Not available Not available

Operator JOE STOVALL License Not available

Construction Details

Well Use: Other Drilling Method: Cable Tool Pu

Use: Other Drilling Method: Cable Tool Pump Type: Not available Pump Setting Depth: Not Water Quality: Not available

Depth: 46.0 Water Quality: Not available

Casing Length: 43.0 Material: Not available Diameter: 4.0 Screen Length: 5.0 Material: Not available Diameter: 3.0

Slot Size: 40

Well Capacity
Test
Type of Test: Not available
Test Rate: 10.0 gpm for 2.0 hrs.Bail Test Rate: Not available

Drawdown: Not available

Static Water Level: Not
Bailer Drawdown: Not available

available

Grouting
Information

Material: Not available

Depth: From (not available) To (not available)

Installation Method: Not available Number of Bags Used: Not available

Installation Method: Not available Number of Bags Used: Not available

Well

Abandonment Sealing Material: Not available Depth: From (not available) To (not available)

Administrative County: MARION Township: 15N

Range: 3E Section: SE of the NW of the SE of Section 5

Topo Map: INDIANAPOLIS WEST Grant: Not available

Field Located By: MCBH Field Located On: 1/1/1992

Courthouse Location By: Not available Courthouse Location On: Not available

Location Accepted w/o Verification By: Not Location Accepted w/o Verification On: Not

available available

Subdivision Name:Not availableFt W of EL:Not availableFt E of WL:Not availableFt S of NL:Not available

Ground Elevation: 710.0 Depth of Bedrock: Not available Bedrock Elevation: Not available Aquifer Elevation: 664.0

UTM Easting: 566615 UTM Northing: 4402385

Тор	Bottom	Formation
0.0	5.0	CLAY
5.0	15.0	SAND
15.0	30.0	CLAY
30.0	46.0	SAND

### Comments

MC 664

Reference
Number

Driving Direction to Well

Date Completed

54034 4017 COSSELL RD 3/23/1977

OwnerContractor

Name
Address
Telephone

Owner ALBERT SOLEMAN Not available Not available

Driller HAMILTON BROS INC PO BOX 24181 INDPLS, IND 46224 Not available

Operator WOODIE BURKHART License Not available

Construction Details

Well Use: Home Drilling Method: Cable Tool Pump Type: Not available

Depth: 54.0 Pump Setting Depth: Not available Water Quality: Not available

Casing Length: Not available Material: Not available Diameter: 4.0

Screen Length: Not available Material: Not available Diameter: 3.0

Slot Size: Not available

Well Capacity

Test Type of Test: Not available Test Rate: 10.0 gpm for 1.0 hrs.Bail Test Rate: Not available

Drawdown: Not available

Static Water Level: Not
Bailer Drawdown: Not available

available

Grouting Information Material: Not available Depth: From (not available) To (not available)

Installation Method: Not available Number of Bags Used: Not available

Well

Abandonment Sealing Material: Not available Depth: From (not available) To (not available)

Installation Method: Not available Number of Bags Used: Not available

Administrative County: MARION Township: 15N

Range: 3E Section: NW of the NE of the SW of Section 5

Topo Map: INDIANAPOLIS WEST Grant: Not available

Field Located By: MCBH Field Located On: 1/1/1992

Courthouse Location By: Not available Courthouse Location On: Not available Location Accepted w/o Verification On:

7/7/1977

Location Accepted w/o Verification By: WH

Subdivision Name:Not availableFt W of EL:Not availableFt E of WL:Not availableFt S of NL:Not available

Ground Elevation: 717.0 Depth of Bedrock: Not available

Bedrock Elevation: Not available Aquifer Elevation: 663.0

UTM Easting: 566060 UTM Northing: 4402550

Well Log

Тор	Bottom	Formation
0.0	35.0	TOPSOIL & CLAY
35.0	54.0	S & G

Comments

Reference **Driving Direction to Well Date Completed** Number

54035 S OF MICHIGAN ST ON ROENA TO VERMONT. E TO 4044 W VERMONT. 1/29/1981

Owner-Name Address Telephone Contractor

Owner ALBERT RAY 4044 W VERMONT, INDPLS IN Not available

MILLS PUMP & WELL DRILLING Driller 2508 W MICHIGAN ST, INDPLS IN Not available INC

**RUSSELL MILLS** License Not available Operator

**Construction Details** 

Well Use: Home **Drilling Method: Rotary** Pump Type: Not available

> Pump Setting Depth: Not **Depth:** 75.0 Water Quality: Not available

available

Material: Not available Casing Length: 72.0 Diameter: 4.0 Screen Length: 3.0 Material: Not available Diameter: 4.0

Slot Size: 40

**Well Capacity** Bail Test Rate: 10.0 gpm for 1.0

Type of Test: Not available Test Rate: Not available

Drawdown: Not available Static Water Level: 20.0 ft. Bailer Drawdown: 10.0 ft.

Grouting

Test

Material: Not available **Depth:** From (not available) To (not available) Information

Installation Method: Not available Number of Bags Used: Not available

Well

Sealing Material: Not available **Depth:** From (not available) To (not available) **Abandonment** 

Installation Method: Not available Number of Bags Used: Not available

Administrative **County: MARION** Township: 15N

> Range: 3E Section: NW of the NE of the SW of Section 5

Topo Map: INDIANAPOLIS WEST Grant: Not available

Field Located By: MCBN Field Located On: 1/1/1992

Courthouse Location By: Not available Courthouse Location On: Not available Location Accepted w/o Verification By: **Location Accepted w/o Verification On:** 

**BRUNS** 12/21/1982

Subdivision Name: Not available Lot Number: Not available Ft W of EL: Not available Ft N of SL: Not available Ft E of WL: Not available Ft S of NL: Not available

**Ground Elevation: 717.0** Depth of Bedrock: Not available

Bedrock Elevation: Not available Aguifer Elevation: 642.0 **UTM Easting:** 566010 **UTM Northing:** 4402525

Тор	Bottom	Formation
0.0	1.0	BLANK
1.0	21.0	CLAY GRAY
21.0	70.0	CLAY BLUE
70.0	75.0	SAND BLUE

### Comments

Reference
Number

Driving Direction to Well

Date Completed

54036 4012 COSSELL RD. 1/13/1977

OwnerContractor

Name
Address
Telephone

Owner LEON PEDIGO Not available Not available Driller HAMILTON BROS INC. PO BOX 24181, INDPLS IN Not available

Operator ED RANDOLPH License Not available

**Construction Details** 

Well Use: Home Drilling Method: Cable Tool Pump Type: Not available

Depth: 62.0 Pump Setting Depth: Not Water Quality: Not available

available available

Casing Length: 59.0 Material: Not available Diameter: 4.0 Screen Length: 3.0 Material: Not available Diameter: 4.0

Slot Size: .060

Well Capacity
Test

Type of Test: Pumping

Test Rate: 10.0 gpm for 1.0 hrs.Bail Test Rate: Not available

Drawdown: Not available

Static Water Level: Not
Bailer Drawdown: Not available

available

Grouting
Information

Material: Not available
Depth: From (not available) To (not available)

Installation Method: Not available Number of Bags Used: Not available

Abandonment Sealing Material: Not available Depth: From (not available) To (not available)

Installation Method: Not available Number of Bags Used: Not available

Administrative County: MARION Township: 15N

Range: 3E Section: SW of the SE of the NW of Section 5

Topo Map: INDIANAPOLIS WEST Grant: Not available

Field Located By: MCBN Field Located On: 1/1/1992

Courthouse Location By: Not available Courthouse Location On: Not available Location Accepted w/o Verification On:

Location Accepted w/o Verification By: WH 7/7/1977

Subdivision Name: Not availableLot Number: Not availableFt W of EL: Not availableFt N of SL: Not availableFt E of WL: Not availableFt S of NL: Not available

Ground Elevation: 717.0 Depth of Bedrock: Not available

Bedrock Elevation: Not available Aquifer Elevation: 655.0

UTM Easting: 566060 UTM Northing: 4402600

### Well Log

Well

Тор	Bottom	Formation
0.0	1.0	TOPSOIL & CLAY
1.0	35.0	S&G
35.0	62.0	BR CLAY

#### Comments



Reference **Driving Direction to Well Date Completed** Number

54037 3908 W COSSELL RD. 300W. 11/10/1977

Owner-Name Address Telephone Contractor

Owner FRED STRAIT Not available Not available Driller HAMILTON BROS INC. PO BOX 24181, INDPLS IN Not available

Operator HENRY ARTHUR License Not available

**Construction Details** 

Well Use: Home **Drilling Method:** Rotary Pump Type: Not available

Pump Setting Depth: Not **Depth:** 50.0 Water Quality: Not available

available

Casing Length: 47.0 Material: Not available Diameter: 4.0 Screen Length: 3.0 Material: Not available Diameter: 4.0

Slot Size: Not available

**Well Capacity** 

Type of Test: Pumping Test Rate: 10.0 gpm for 1.0 hrs. Bail Test Rate: Not available Test

> Static Water Level: Not Drawdown: Not available Bailer Drawdown: Not available

available

Grouting Material: Not available **Depth:** From (not available) To (not available) Information

Installation Method: Not available Number of Bags Used: Not available

Well

Sealing Material: Not available **Depth:** From (not available) To (not available) **Abandonment** 

Installation Method: Not available Number of Bags Used: Not available

Administrative **County: MARION** Township: 15N

> Range: 3E Section: NE of the NE of the SW of Section 5

Topo Map: INDIANAPOLIS WEST Grant: Not available

Field Located By: MCBN Field Located On: 1/1/1992

Courthouse Location By: Not available Courthouse Location On: Not available Location Accepted w/o Verification By: **Location Accepted w/o Verification On:** 

**BRUNS** 2/17/1978

Subdivision Name: Not available Lot Number: Not available Ft W of EL: Not available Ft N of SL: Not available Ft E of WL: Not available Ft S of NL: Not available

**Ground Elevation: 715.0** Depth of Bedrock: Not available

Bedrock Elevation: Not available Aguifer Elevation: 665.0 **UTM Easting:** 566215 **UTM Northing:** 4402560

Well Log

Тор	Bottom	Formation
0.0	10.0	TOPSOIL & CLAY
10.0	38.0	GRAV
38.0	50.0	CLAY

#### Comments



Reference
Number

Driving Direction to Well

Date Completed

54038 3445 W 10TH ST. 7/27/1969

OwnerContractor

Name
Address
Telephone

Owner WILLIAM H. WALKER 2738 HICHORYWOOD CT Not available

Driller EARL H. MERRITT WELL 2998 WESTLANE RD Not available

DRILLING 2990 WESTLANE NO

DON KENNEDY

Construction Details

Well Use: Industry Drilling Method: Cable Tool Pump Type: Not available

Depth: 59.0 Pump Setting Depth: Not Water Quality: Not available

License Not available

available available

Casing Length: 56.0 Material: Not available Diameter: 4.0 Screen Length: 4.0 Material: Not available Diameter: 3.0

Slot Size: #8

Operator

Well Capacity
Test
Type of Test: Pumping
Test Rate: 30.0 gpm for 2.0 hrs.Bail Test Rate: Not available

Drawdown: 5.0 ft. Static Water Level: 25.0 ft. Bailer Drawdown: Not available

Grouting
Information

Material: Not available
Depth: From (not available) To (not available)

Installation Method: Not available Number of Bags Used: Not available

Well

Sealing Material: Not available

Depth: From (not available) To (not available)

Abandonment Installation Method: Not available Number of Bags Used: Not available

Administrative County: MARION Township: 15N

Range: 3E Section: NE of the NE of the NE of Section 5

Topo Map: INDIANAPOLIS WEST Grant: Not available

Field Located By: MCBN Field Located On: 1/1/1992

Courthouse Location By: Not available Courthouse Location On: Not available

Location Accepted w/o Verification By: Not Location Accepted w/o Verification On: Not

available available

Subdivision Name:Not availableFt W of EL:Not availableFt E of WL:Not availableFt S of NL:Not available

Ground Elevation: 719.0 Depth of Bedrock: Not available

Bedrock Elevation: Not available Aquifer Elevation: 660.0 UTM Easting: 566975 UTM Northing: 4403450

Тор	Bottom	Formation
0.0	6.0	TOPSOIL & CLAY
6.0	21.0	BR GRAV
21.0	40.0	YEL GRAV
40.0	43.0	GRAY GRAVELY CLAY

43.0	47.0	GRAY DIRTY GRAV LITTLE WATER
47.0	59.0	YEL S&G

# Comments MC 660;

Reference **Driving Direction to Well Date Completed** Number

54044 Not available 11/26/1968

Owner-Name Address Telephone Contractor

4625 W. VERMONT Owner INDPLS. PARK DEPT. Not available 4025 ROCKVILLE RD. Driller HAMILTON BROS, INC. Not available

Operator WOODY BURKHART License Not available

**Construction Details** 

Well Use: Home **Drilling Method:** Cable Tool Pump Type: Not available

Pump Setting Depth: Not **Depth:** 54.0 Water Quality: Not available

available

Casing Length: 51.0 Material: Not available Diameter: 4.0 Screen Length: 5.0 Material: Not available Diameter: 3.0

Slot Size: 40

**Well Capacity** 

Type of Test: Pumping Test Rate: 10.0 gpm for 2.0 hrs. Bail Test Rate: Not available Test

> Static Water Level: Not Drawdown: Not available Bailer Drawdown: Not available

available

Grouting Material: Not available **Depth:** From (not available) To (not available) Information

Installation Method: Not available Number of Bags Used: Not available

Well

Sealing Material: Not available **Depth:** From (not available) To (not available) **Abandonment** 

Installation Method: Not available Number of Bags Used: Not available

Administrative **County: MARION** Township: 15N

> Range: 3E Section: NE of the NW of the SE of Section 6

Topo Map: INDIANAPOLIS WEST Grant: Not available

Field Located By: MCBH Field Located On: 1/1/1992

Courthouse Location By: Not available Courthouse Location On: Not available

Location Accepted w/o Verification By: Not Location Accepted w/o Verification On: Not

available available

Subdivision Name: Not available Lot Number: Not available

**Ft W of EL:** 1.400.0 **Ft N of SL:** 2.500.0 Ft E of WL: Not available Ft S of NL: Not available

**Ground Elevation: 714.0** Depth of Bedrock: Not available

Bedrock Elevation: Not available Aguifer Elevation: 660.0 **UTM Easting:** 565115 **UTM Northing:** 4402475

Тор	Bottom	Formation
0.0	17.0	CLAY
17.0	30.0	SAND
30.0	42.0	CLAY
42.0	54.0	S & G

# Comments MC 660;

Reference
Number

Driving Direction to Well

Date Completed

54046 EAST OF LYNDHURST; N 400 - 8800 W 5/13/1985

OwnerContractor

Name
Address
Telephone

Owner MOOSE LODGE 500 4917 W. VERMONT Not available
Driller MATLOCK WELL DRILLING 4701 W MORRIS Not available

Operator JERRY OAKLEY License Not available

**Construction Details** 

**Abandonment** 

Well Use: Not available Drilling Method: Rotary Pump Type: Submersible Pump Setting Depth: 65.0 Water Quality: Not available

Casing Length: 84.0 Material: Not available Diameter: 4.0 Screen Length: 4.0 Material: Not available Diameter: 4.0

Slot Size: #6

Well Capacity
Test

Type of Test: Bailing

Test Rate: 10.0 gpm for 1.0 hrs.Bail Test Rate: Not available

Drawdown: Not available Static Water Level: 40.0 ft. Bailer Drawdown: Not available

Grouting Information Material: Not available Depth: From (not available) To (not available)

Installation Method: Not available Number of Bags Used: Not available

Well

Sealing Material: Not available Depth: From (not available) To (not available)

Installation Method: Not available Number of Bags Used: Not available

Administrative County: MARION Township: 15N

Range: 3E Section: NE of the NE of the SW of Section 6

**Topo Map:** INDIANAPOLIS WEST **Grant:** Not available

Field Located By: MCBH Field Located On: 1/1/1992

Courthouse Location By: Not available

Location Accepted w/o Verification By: Not

Location Accepted w/o Verification On: Not

available available

Subdivision Name:Not availableFt W of EL:Not availableFt E of WL:Not availableFt S of NL:Not available

Ground Elevation: 735.0 Depth of Bedrock: Not available

Bedrock Elevation: Not available Aquifer Elevation: 651.0

UTM Easting: 564665 UTM Northing: 4402500

#### Well Log

Тор	Bottom	Formation
0.0	3.0	TOPSOIL
3.0	65.0	CLAY
65.0	68.0	GRAVEL
68.0	74.0	CLAY
74.0	84.0	GRAVEL

#### Comments

Reference **Driving Direction to Well Date Completed** Number

54048 318 N AUBURN 3/3/1980

Owner-Name Address Telephone Contractor

Owner ARLIE PICKARD Not available Not available

PO BOX24181,4025 ROCKVILLE Driller HAMILTON BROS INC Not available ROAD, INDIANAPOLIS, IND

**DESTER HARNESS** License Not available Operator

**Construction Details** 

Well Use: Home **Drilling Method: Rotary** Pump Type: Not available

> Pump Setting Depth: Not **Depth:** 86.0 Water Quality: Not available available

Material: Not available Length: 83.0 Diameter: 4.0

Casing Screen Length: 3.0 Material: Not available Diameter: 4.0

Slot Size: 60

Well Capacity

Type of Test: Not available Test Rate: 10.0 gpm for 1.0 hrs. Bail Test Rate: Not available Test

> Drawdown: 25.0 ft. Static Water Level: 40.0 ft. Bailer Drawdown: Not available

Grouting

Material: Not available **Depth:** From (not available) To (not available) Information

Installation Method: Not available Number of Bags Used: Not available

Well

Sealing Material: Not available **Depth:** From (not available) To (not available) **Abandonment** 

Installation Method: Not available Number of Bags Used: Not available

Administrative **County: MARION** Township: 15N

> Range: 3E Section: SE of the NE of the SW of Section 6

Topo Map: INDIANAPOLIS WEST Grant: Not available

Field Located By: MCBH Field Located On: 1/1/1992

Courthouse Location By: Not available Courthouse Location On: Not available

Location Accepted w/o Verification By: TMB Location Accepted w/o Verification On: Not

7/11/80 available

Subdivision Name: Not available Lot Number: Not available Ft W of EL: Not available Ft N of SL: Not available Ft E of WL: Not available Ft S of NL: Not available

**Ground Elevation: 742.0** Depth of Bedrock: Not available

Bedrock Elevation: Not available Aguifer Elevation: 656.0 **UTM Northing:** 4402350

**UTM Easting:** 564675

### Well Log

Тор	Bottom	Formation
0.0	70.0	TOPSOIL & CLAY
70.0	86.0	GRAV

Comments PERMIT 0337

Reference
Number

Driving Direction to Well

Date Completed

54049 4504 W. OHIO 9/23/1982

OwnerContractor

Name
Address
Telephone

Owner Not available Not available Not available Driller HAMILTON BROS,INC. Not available 4025 ROCKVILLE RD. INDPLS,IN. Not available

Operator DESTER HARNESS License Not available

**Construction Details** 

Well Use: Home Drilling Method: Rotary Pump Type: Not available

Depth: 65.0 Pump Setting Depth: Not Water Quality: Not available

available available

Casing Length: 61.0 Material: Not available Diameter: 4.0 Screen Length: 4.0 Material: Not available Diameter: 4.0

Slot Size: 60

Well Capacity

Test Rate: 10.0 gpm for 1.0 hrs.Bail Test Rate: Not available

Drawdown: 15.0 ft. Static Water Level: 35.0 ft. Bailer Drawdown: Not available

Grouting Information Material: Not available Depth: From (not available) To (not available)

**Installation Method:** Not available **Number of Bags Used:** Not available

Well

Abandonment Sealing Material: Not available Depth: From (not available) To (not available)

Installation Method: Not available Number of Bags Used: Not available

Administrative County: MARION Township: 15N

Range: 3E Section: NW of the SE of the SE of Section 6

Topo Map: INDIANAPOLIS WEST Grant: Not available

Field Located By: MCBH Field Located On: 1/1/1992

Courthouse Location By: Not available Courthouse Location On: Not available

Location Accepted w/o Verification By: Location Accepted w/o Verification On: Not

BRUNS 12-21-82 available

Subdivision Name:Not availableFt W of EL:Not availableFt E of WL:Not availableFt S of NL:Not available

Ground Elevation: 720.0 Depth of Bedrock: Not available

**Bedrock Elevation:** Not available **Aquifer Elevation:** 655.0

UTM Easting: 565250 UTM Northing: 4402125

Well Log

Тор	Bottom	Formation
0.0	55.0	TOPSOIL & CLAY
55.0	65.0	GRAV

Comments

Reference
Number

Driving Direction to Well

Date Completed

54050 OFF OF VERMONT; W 4500 400 N 8/27/1985

OwnerContractor

Name
Address
Telephone

Owner BARB PADGETT 340 N. VINE Not available
Driller MATLOCK 4701 W. MORRIS Not available

Operator JERRY OAKLEY License Not available

**Construction Details** 

Well Use: Home Drilling Method: Rotary Pump Type: Submersible

Depth: Not available Pump Setting Depth: Not Water Quality: Not available

available available

Casing Length: 89.0 Material: Not available Diameter: 4.0 Screen Length: 5.0 Material: Not available Diameter: 4.0

Slot Size: #6

Well Capacity

Test Type of Test: Bailing Test Rate: 10.0 gpm for 1.0 hrs.Bail Test Rate: Not available

Drawdown: Not available Static Water Level: 10.0 ft. Bailer Drawdown: Not available

Grouting Information Material: Not available Depth: From (not available) To (not available)

**Installation Method:** Not available **Number of Bags Used:** Not available

Well

Abandonment Sealing Material: Not available Depth: From (not available) To (not available)

Installation Method: Not available Number of Bags Used: Not available

Administrative County: MARION Township: 15N

Range: 3E Section: NW of the NE of the SE of Section 6

Topo Map: INDIANAPOLIS WEST Grant: Not available

Field Located By: MCBN Field Located On: 1/1/1992

Courthouse Location By: Not available Courthouse Location On: Not available

Location Accepted w/o Verification By: Not Location Accepted w/o Verification On: Not

available available

Subdivision Name:Not availableFt W of EL:Not availableFt E of WL:Not availableFt S of NL:Not available

Ft E of WL: Not available

Ground Elevation: 710.0

Ft S of NL: Not available

Depth of Bedrock: Not available

Detailed the state of the state

Bedrock Elevation: Not available Aquifer Elevation: 621.0 UTM Easting: 565250 UTM Northing: 4402430

Well Log

Тор	Bottom	Formation
0.0	3.0	TOP SOIL
3.0	18.0	CLAY
18.0	30.0	GRAVEL
30.0	89.0	CLAY



Reference
Number

Driving Direction to Well

Date Completed

54051 Not available 7/21/1982

OwnerContractor

Name
Address
Telephone

Owner WILLARD VITITOE 4512 W OHIO Not available
Driller MATLOCK 4701 W MORRIS STREET Not available

Operator JERRY OAKLEY License Not available

**Construction Details** 

Well Use: Home Drilling Method: Rotary Pump Type: Not available

Depth: 99.0 Pump Setting Depth: Not Water Quality: Not available

available

Casing Length: Not available Material: Not available Diameter: 4.0

Screen Length: 5.0 Material: Not available Diameter: 4.0 Slot Size: 6

Well Capacity

Test Type of Test: Not available Test Rate: 10.0 gpm Bail Test Rate: Not available

Drawdown: Not available Static Water Level: 60.0 ft. Bailer Drawdown: Not available

Grouting Information

Material: Not available Depth: From (not available) To (not available)

Installation Method: Not available Number of Bags Used: Not available

Well

Abandonment Sealing Material: Not available Depth: From (not available) To (not available)

Installation Method: Not available Number of Bags Used: Not available

Administrative County: MARION Township: 15N

Range: 3E Section: NW of the SE of the SE of Section 6

Topo Map: INDIANAPOLIS WEST Grant: Not available

Field Located By: MCBH Field Located On: 1/1/1992

Courthouse Location By: Not available

Location Accepted w/o Verification By:

Courthouse Location On: Not available

Location Accepted w/o Verification On:

BRUNS 12/29/1982

Subdivision Name: Not availableLot Number: Not availableFt W of EL: Not availableFt N of SL: Not availableFt E of WL: Not availableFt S of NL: Not available

Ground Elevation: 720.0 Depth of Bedrock: Not available

Bedrock Elevation: Not available Aquifer Elevation: 621.0

UTM Easting: 565185 UTM Northing: 4402130

#### Well Log

Тор	Bottom	Formation
0.0	46.0	CLAY
46.0	56.0	GRAV
56.0	93.0	CLAY
93.0	99.0	GRAV

Reference **Driving Direction to Well Date Completed** Number

54053 Not available 3/4/1981

Owner-Name Address Telephone

Contractor Owner WILLIAM CARROLL 336 N. FLEMING Not available Driller ALLEN MATLOCK WELL DRILLING4701 W. MORRIS ST. Not available

Operator ALLEN MATLOCK License Not available

**Construction Details** 

Well Use: Home **Drilling Method:** Rotary Pump Type: Not available

Pump Setting Depth: Not **Depth:** 65.0 Water Quality: Not available

available

Casing Length: 65.0 Material: Not available Diameter: 4.0 Screen Length: 5.0 Material: Not available Diameter: 4.0

Slot Size: 6

**Well Capacity** Bail Test Rate: 15.0 gpm for 1.0 Type of Test: Not available Test Rate: Not available

Drawdown: Not available Static Water Level: 20.0 ft. Bailer Drawdown: Not available

Grouting Material: Not available **Depth:** From (not available) To (not available) Information

Installation Method: Not available Number of Bags Used: Not available

Well

Test

Sealing Material: Not available **Depth:** From (not available) To (not available) **Abandonment** 

Installation Method: Not available Number of Bags Used: Not available

Administrative Township: 15N County: MARION

> Range: 3E Section: NW of the NE of the SE of Section 6

Topo Map: INDIANAPOLIS WEST Grant: Not available

Field Located By: Not available Field Located On: Not available

Courthouse Location By: Not available Courthouse Location On: Not available Location Accepted w/o Verification On:

Location Accepted w/o Verification By: FFM 5/11/1981

Subdivision Name: Not available Lot Number: Not available Ft W of EL: Not available Ft N of SL: Not available Ft E of WL: Not available Ft S of NL: Not available

**Ground Elevation:** 711.0 Depth of Bedrock: Not available

Bedrock Elevation: Not available Aquifer Elevation: 646.0

**UTM Northing:** 4402410 **UTM Easting:** 565350

#### Well Log

Тор	Bottom	Formation
0.0	3.0	TOP SOIL
3.0	50.0	CLAY
50.0	54.0	GRAV
54.0	65.0	CLAY



Reference **Driving Direction to Well Date Completed** Number

54062 4201 W JACKSON 150S 12/16/1982

Owner-Name Address Telephone Contractor

Owner JOHN PHILLIPS Not available Not available

PO BOX24181,4025 ROCKVILLE Driller Not available HAMILTON BROS INC ROAD, INDIANAPOLIS, IND

**DESTER HARNESS** License Not available Operator

**Construction Details** 

Well Use: Home **Drilling Method: Rotary** Pump Type: Not available

> Pump Setting Depth: Not **Depth:** 47.0 Water Quality: Not available

available

Material: Not available Casing Length: 43.0 Diameter: 4.0 Screen Length: 4.0 Material: Not available Diameter: 4.0

Slot Size: 60

Well Capacity

Type of Test: Not available Test Rate: 10.0 gpm for 1.0 hrs. Bail Test Rate: Not available Test

> Drawdown: 5.0 ft. Static Water Level: 30.0 ft. Bailer Drawdown: Not available

Grouting

Material: Not available **Depth:** From (not available) To (not available) Information

Installation Method: Not available Number of Bags Used: Not available

Well

Sealing Material: Not available **Depth:** From (not available) To (not available) **Abandonment** 

Installation Method: Not available Number of Bags Used: Not available

Administrative **County: MARION** Township: 15N

> Range: 3E Section: SE of the NE of the NE of Section 7

Topo Map: INDIANAPOLIS WEST Grant: Not available

Field Located By: MCBH Field Located On: 1/1/1992

Courthouse Location By: Not available Courthouse Location On: Not available

Location Accepted w/o Verification By: Location Accepted w/o Verification On: Not

BRUNS 3/23/83 available

Subdivision Name: Not available Lot Number: Not available Ft W of EL: Not available Ft N of SL: Not available Ft E of WL: Not available Ft S of NL: Not available

**Ground Elevation: 715.0** Depth of Bedrock: Not available

Bedrock Elevation: Not available Aguifer Elevation: 668.0

**UTM Easting:** 565547.9 **UTM Northing:** 4401455.5

Well Log

Тор	Bottom	Formation
0.0	20.0	SAND
20.0	38.0	CLAY
38.0	47.0	SAND

Reference
Number

Driving Direction to Well

Date Completed

54063 Not available 7/7/1972

OwnerContractor

Name
Address
Telephone

Owner DAN FILIMON 4324 W BERTHA Not available
Driller Not available Not available
Not available

Operator RASH License Not available

**Construction Details** 

Well Use: Home Drilling Method: Cable Tool Pump Type: Not available

Depth: 51.0 Pump Setting Depth: Not Water Quality: Not available

available available

Casing Length: 48.0 Material: Not available Diameter: 4.0 Screen Length: 5.0 Material: Not available Diameter: 3.0

Slot Size: Not available

Well Capacity
Type of Test: Not available
Test Rate: Not available
Test Rate: 5.0 gpm for 0.5

hrs.

Drawdown: Not available

Static Water Level: Not
Bailer Drawdown: Not available

available

Grouting Information Material: Not available Depth: From (not available) To (not available)

Installation Method: Not available Number of Bags Used: Not available

Well

Test

Abandonment Sealing Material: Not available Depth: From (not available) To (not available)

Installation Method: Not available Number of Bags Used: Not available

Administrative County: MARION Township: 15N

Range: 3E Section: SE of the NE of Section 7

Topo Map: INDIANAPOLIS WEST Grant: Not available

Field Located By: MCBN Field Located On: 1/1/1992

Courthouse Location By: Not available Courthouse Location On: Not available

Location Accepted w/o Verification By: Not Location Accepted w/o Verification On: Not

available available

Subdivision Name:Not availableFt W of EL:Not availableFt E of WL:Not availableFt S of NL:Not available

Ground Elevation: 718.0 Depth of Bedrock: Not available

**Bedrock Elevation:** Not available **Aquifer Elevation:** 667.0 **UTM Easting:** 565415 **UTM Northing:** 4401350

Well Log

Тор	Bottom	Formation
0.0	36.0	TOPSOIL & CLAY
36.0	51.0	SAND

Comments None

Reference **Driving Direction to Well Date Completed** Number

54065 4442 W BERTHA 10/9/1975

Owner-Name Address Telephone Contractor

Owner VELMER CORNETT Not available Not available Driller HAMILTON BROS INC. PO BOX 24181, INDPLS IN Not available

Operator DALE HADLEY License Not available

**Construction Details** 

Well Use: Home **Drilling Method:** Rotary Pump Type: Not available

Pump Setting Depth: Not **Depth:** 51.0 Water Quality: Not available

available

Casing Length: 49.0 Material: Not available Diameter: 4.0 Screen Length: 2.0 Material: Not available Diameter: 4.0

Slot Size: .060

**Well Capacity** 

Type of Test: Pumping Test Rate: 10.0 gpm for 1.0 hrs. Bail Test Rate: Not available Test

> Static Water Level: Not Drawdown: Not available Bailer Drawdown: Not available

available

Grouting Material: Not available **Depth:** From (not available) To (not available) Information

Installation Method: Not available Number of Bags Used: Not available

Well

Sealing Material: Not available **Depth:** From (not available) To (not available) **Abandonment** 

Installation Method: Not available Number of Bags Used: Not available

Administrative **County: MARION** Township: 15N

> Range: 3E Section: SW of the NE of the NE of Section 7

Topo Map: INDIANAPOLIS WEST **Grant:** Not available

Field Located By: Not available Field Located On: Not available

Courthouse Location By: Not available Courthouse Location On: Not available Location Accepted w/o Verification By: **Location Accepted w/o Verification On:** 

**BRUNS** 2/3/1976

Subdivision Name: Not available Lot Number: Not available Ft W of EL: Not available Ft N of SL: Not available Ft E of WL: Not available Ft S of NL: Not available

**Ground Elevation: 720.0** Depth of Bedrock: Not available

Bedrock Elevation: Not available Aguifer Elevation: 669.0 UTM Easting: 565335 **UTM Northing:** 4401360

### Well Log

Тор	Bottom	Formation
0.0	43.0	TOPSOIL & CLAY
43.0	51.0	GRAV

# Comments

MC 664;

Reference **Driving Direction to Well Date Completed** Number

54066 Not available 4/15/1974

Owner-Name Address Telephone Contractor

15 S ENGLISH Owner CARL CHITWOOD Not available Driller HAMILTON BROS INC. 4025 ROCKVILLE RD Not available

Operator ED RASH License Not available

**Construction Details** 

Test

Well Use: Home **Drilling Method:** Cable Tool Pump Type: Not available

Pump Setting Depth: Not **Depth: 44.0** Water Quality: Not available available

Material: Not available Diameter: 4.0

Casing Length: 40.0 Screen Length: 5.0 Material: Not available Diameter: 3.0

Slot Size: Not available

**Well Capacity** Bail Test Rate: 10.0 gpm for 0.5 Test Rate: Not available Type of Test: Not available

hrs

Static Water Level: Not Drawdown: Not available Bailer Drawdown: Not available

available

Grouting Material: Not available **Depth:** From (not available) To (not available) Information

Installation Method: Not available Number of Bags Used: Not available

Well

Sealing Material: Not available **Depth:** From (not available) To (not available) **Abandonment** 

Installation Method: Not available Number of Bags Used: Not available

Administrative **County: MARION** Township: 15N

> Range: 3E Section: NW of the NE of the NE of Section 7

Topo Map: INDIANAPOLIS WEST Grant: Not available

Field Located By: Not available Field Located On: Not available

Courthouse Location By: Not available Courthouse Location On: Not available

Location Accepted w/o Verification On: Not Location Accepted w/o Verification By: SL

available

Subdivision Name: Not available Lot Number: Not available Ft W of EL: Not available Ft N of SL: Not available Ft E of WL: Not available Ft S of NL: Not available

**Ground Elevation: 723.0** Depth of Bedrock: Not available

Aguifer Elevation: 679.0 Bedrock Elevation: Not available **UTM Easting:** 565200 **UTM Northing**: 4401625

Тор	Bottom	Formation
0.0	24.0	TOPSOIL & CLAY
24.0	25.0	SAND
25.0	36.0	CLAY
36.0	44.0	SAND

## Comments

MC 679;

Reference **Driving Direction to Well Date Completed** Number

54067 Not available 10/24/1972

Owner-Name Address Telephone Contractor

**SPURGEON** 27 S EDGEHILL Owner Not available Driller Not available Not available Not available

Operator RASH License Not available

**Construction Details** 

Test

Well Use: Home **Drilling Method:** Cable Tool Pump Type: Not available

Pump Setting Depth: Not **Depth:** 65.0 Water Quality: Not available available

Length: 62.0 Material: Not available Diameter: 4.0

Casing Screen Length: 5.0 Material: Not available Diameter: 3.0

Slot Size: #6

**Well Capacity** Bail Test Rate: 10.0 gpm for 0.5 Test Rate: Not available Type of Test: Not available

hrs

Static Water Level: Not Drawdown: Not available Bailer Drawdown: Not available available

Grouting Material: Not available **Depth:** From (not available) To (not available) Information

Installation Method: Not available Number of Bags Used: Not available

Well

Sealing Material: Not available **Depth:** From (not available) To (not available) **Abandonment** 

Installation Method: Not available Number of Bags Used: Not available

Administrative **County: MARION** Township: 15N

> Range: 3E Section: NW of the NE of the NE of Section 7

Topo Map: INDIANAPOLIS WEST Grant: Not available

Field Located By: MCBN Field Located On: 1/1/1992

Courthouse Location By: Not available Courthouse Location On: Not available Location Accepted w/o Verification By: **Location Accepted w/o Verification On:** 

**BRUNS** 3/1/1976

Subdivision Name: Not available Lot Number: Not available Ft W of EL: Not available Ft N of SL: Not available Ft E of WL: Not available Ft S of NL: Not available

**Ground Elevation: 722.0** Depth of Bedrock: Not available

Aguifer Elevation: 657.0 Bedrock Elevation: Not available

**UTM Easting:** 565200 **UTM Northing:** 4401550

Тор	Bottom	Formation
0.0	35.0	TOPSOIL & CLAY
35.0	46.0	SAND
46.0	51.0	CLAY
51.0	65.0	SAND

## Comments

Reference
Number

Driving Direction to Well

Date Completed

54069 Not available 3/26/1966

OwnerContractor

Name
Address
Telephone

Owner C & B BUILDERS 3508 ROCKVILLE RD Not available
Driller HAMILTON BROS 4025 ROCKVILLE RD Not available

Operator Not available License Not available

**Construction Details** 

Well Use: Other Drilling Method: Cable Tool Pump Type: Not available

Depth: 305.0 Pump Setting Depth: Not Water Quality: Not available

available

Casing Length: 52.0 Material: Not available Diameter: 6.0

Screen Length: Not available Material: Not available Diameter: Not available

Slot Size: Not available

Well Capacity

Test Rate: 60.0 gpm for 5.0 hrs.Bail Test Rate: Not available

Drawdown: Not available Static Water Level: 25.0 ft. Bailer Drawdown: Not available

Grouting Information Material: Not available Depth: From (not available) To (not available)

Installation Method: Not available Number of Bags Used: Not available

Well

Abandonment Sealing Material: Not available Depth: From (not available) To (not available)

Installation Method: Not available Number of Bags Used: Not available

Administrative County: MARION Township: 15N

Range: 3E Section: NW of the NE of the NE of Section 8

Topo Map: INDIANAPOLIS WEST Grant: Not available

Field Located By: MCBH Field Located On: 1/1/1992

Courthouse Location By: Not available Courthouse Location On: Not available Location Accepted w/o Verification On:

Location Accepted w/o Verification By: HCK

4/1/1966

Subdivision Name: Not available Lot Number: Not available

Ft W of EL: Not available

Ft E of WL: Not available

Ft S of NL: Not available

Ground Elevation: 703.0

Ft N of SL: Not available

Ft S of NL: Not available

Depth of Bedrock: 51.0

Bedrock Elevation: 652.0 Aquifer Elevation: Not available

**UTM Easting:** 566825 **UTM Northing:** 4401525

Тор	Bottom	Formation
0.0	10.0	CLAY
10.0	35.0	SAND
35.0	40.0	CLAY
40.0	51.0	S & G
51.0	77.0	SHALE

S
---

**Comments** MC 652

Reference
Number

Driving Direction to Well

Date Completed

54070 C & B HOME OFFICE AND MODEL HOMES Not available

OwnerContractor

Name
Address
Telephone

Owner C & B BUILDERS 3508 ROCKVILLE RD Not available

Driller HAMILTON BROS INC 4025 ROCKVILLE ROAD, PO BOX
Not available

24181, INDIANAPOLIS, IND

Operator Not available License Not available

**Construction Details** 

Well Use: Not available Drilling Method: Not available Pump Type: Not available

Depth: 115.0 Pump Setting Depth: Not Water Quality: Not available

available

Casing Length: Not available Material: Not available Diameter: Not available Screen Material: Not available Diameter: Not available Diameter: Not available

Slot Size: Not available

**Well Capacity** 

Test Type of Test: Not available Test Rate: 10.0 gpm Bail Test Rate: Not available

Drawdown: Not available

Static Water Level: Not

Bailer Drawdown: Not available

available

Grouting Information Material: Not available Depth: From (not available) To (not available)

Installation Method: Not available Number of Bags Used: Not available

Well

Abandonment Sealing Material: Not available Depth: From (not available) To (not available)

Installation Method: Not available Number of Bags Used: Not available

Administrative County: MARION Township: 15N

Range: 3E Section: NE of the NE of Section 8

Topo Map: INDIANAPOLIS WEST Grant: Not available

Field Located By: Not available Field Located On: Not available

Courthouse Location By: Not available

Courthouse Location On: Not available

Location Accepted w/o Verification By: U

Location Accepted w/o Verification On:

7/1/1964

Subdivision Name: Not availableLot Number: Not availableFt W of EL: Not availableFt N of SL: Not availableFt E of WL: Not availableFt S of NL: Not available

Ground Elevation: 705.0 Depth of Bedrock: 40.0

Bedrock Elevation: 665.0 Aquifer Elevation: Not available UTM Easting: Not available UTM Northing: Not available

Тор	Bottom	Formation
0.0	15.0	SAND
15.0	38.0	GRAV
38.0	40.0	CLAY

## Comments

Reference **Driving Direction to Well** Number

54072 Not available 10/15/1958

Owner-

Name Address Telephone Contractor C&B CONST CO INC 3508 ROCKVILLE RD Owner Not available Driller Not available Not available Not available

Operator RASH License Not available

**Construction Details** 

Well Use: Home **Drilling Method:** Cable Tool Pump Type: Not available

Pump Setting Depth: Not **Depth:** 40.0 Water Quality: Not available

**Date Completed** 

available

Casing Length: 37.0 Material: Not available Diameter: 4.0

Screen Length: Not available Material: Not available Diameter: Not available

Slot Size: Not available

**Well Capacity** 

Type of Test: Pumping Test Rate: 10.0 gpm for 0.5 hrs. Bail Test Rate: 10.0 gpm Test

> Static Water Level: Not Drawdown: Not available Bailer Drawdown: Not available

available

Grouting

Material: Not available **Depth:** From (not available) To (not available) Information

Installation Method: Not available Number of Bags Used: Not available

Well

Sealing Material: Not available **Depth:** From (not available) To (not available) **Abandonment** 

Installation Method: Not available Number of Bags Used: Not available

Administrative **County: MARION** Township: 15N

> Range: 3E Section: NW of the NE of the NE of Section 8

Topo Map: INDIANAPOLIS WEST Grant: Not available

Field Located By: Not available Field Located On: Not available

Courthouse Location By: Not available Courthouse Location On: Not available

Location Accepted w/o Verification By: Not Location Accepted w/o Verification On: Not

available available

Subdivision Name: Not available Lot Number: Not available Ft W of EL: Not available Ft N of SL: Not available Ft E of WL: Not available Ft S of NL: Not available

**Ground Elevation: 705.0** Depth of Bedrock: Not available

Bedrock Elevation: Not available Aguifer Elevation: 665.0

**UTM Easting:** 566825 **UTM Northing**: 4401525

Well Log

Тор	Bottom	Formation
0.0	14.0	TOPSOIL & CLAY
14.0	40.0	SAND

## Comments

Reference
Number

Driving Direction to Well

Date Completed

54076 4200 ROCKVILLE RD 8/18/1982

OwnerContractor

Name
Address
Telephone

Owner VIRGINIA LIESKE Not available Not available

Driller HAMILTON BROS INC 4025 ROCKVILLE ROAD, PO BOX
Not available

Operator DESTER HARNESS License Not available

**Construction Details** 

Well Use: Other Drilling Method: Rotary Pump Type: Not available

Depth: 48.0 Pump Setting Depth: Not Water Quality: Not available

available

Casing Length: 45.0 Material: Not available Diameter: 4.0 Screen Length: 3.0 Material: Not available Diameter: 4.0

Slot Size: 60

**Well Capacity** 

Test Rate: 10.0 gpm for 1.0 hrs.Bail Test Rate: Not available

Drawdown: 10.0 ft. Static Water Level: 25.0 ft. Bailer Drawdown: Not available

Grouting

Information Material: Not available Depth: From (not available) To (not available)

Installation Method: Not available Number of Bags Used: Not available

Well

Abandonment Sealing Material: Not available Depth: From (not available) To (not available)

Installation Method: Not available Number of Bags Used: Not available

Administrative County: MARION Township: 15N

Range: 3E Section: NW of the NW of Section 8

**Topo Map:** INDIANAPOLIS WEST **Grant:** Not available

Field Located By: MCBH Field Located On: 1/1/1992

Courthouse Location By: Not available Courthouse Location On: Not available

Location Accepted w/o Verification By: Location Accepted w/o Verification On: Not

BRUNS 12/21/82 available

Subdivision Name: Not availableLot Number: Not availableFt W of EL: Not availableFt N of SL: Not availableFt E of WL: Not availableFt S of NL: Not available

Ground Elevation: 710.0 Depth of Bedrock: Not available

Bedrock Elevation: Not available Aquifer Elevation: 662.0

UTM Easting: 565630 UTM Northing: 4401615

Well Log

Тор	Bottom	Formation
0.0	40.0	TOPSOIL & CLAY
40.0	48.0	S & G

Comments MC 662

Reference **Driving Direction to Well Date Completed** Number

54082 301 S LOCKBURN 3860 W 7/1/1975

Owner-Name Address Telephone Contractor

D & R TIRE Owner Not available Not available Driller HAMILTON BROS 4025 Rockville Rd. Indpls., IN 46224 Not available

Operator WOODROW BURKHART License Not available

**Construction Details** 

Well Use: Home **Drilling Method:** Cable Tool Pump Type: Not available

> Pump Setting Depth: Not **Depth:** 70.0 Water Quality: Not available

available

Casing Length: 68.0 Material: Not available Diameter: 4.0 Screen Length: 2.0 Material: Not available Diameter: 4.0

Slot Size: .060

**Well Capacity** 

Type of Test: Not available Test Rate: 10.0 gpm for 1.0 hrs. Bail Test Rate: Not available Test

> Static Water Level: Not Drawdown: Not available Bailer Drawdown: Not available

available

Grouting Material: Not available **Depth:** From (not available) To (not available) Information

Installation Method: Not available Number of Bags Used: Not available

Well

Sealing Material: Not available **Depth:** From (not available) To (not available) **Abandonment** 

Installation Method: Not available Number of Bags Used: Not available

Administrative **County: MARION** Township: 15N

> Range: 3E Section: SW of the NE of the NW of Section 8

Topo Map: INDIANAPOLIS WEST **Grant:** Not available

Field Located By: MCBH Field Located On: 1/1/1992

Courthouse Location By: Not available Courthouse Location On: Not available Location Accepted w/o Verification On:

9/3/1975

Location Accepted w/o Verification By: TMB

Subdivision Name: Not available Lot Number: Not available Ft W of EL: Not available Ft N of SL: Not available Ft E of WL: Not available Ft S of NL: Not available

**Ground Elevation: 709.0** Depth of Bedrock: 42.0

Aguifer Elevation: Not available **Bedrock Elevation:** 667.0

**UTM Easting:** 566125 **UTM Northing**: 4401335

Well Log

Тор	Bottom	Formation
0.0	27.0	SOIL & CLAY
27.0	42.0	S & G
42.0	70.0	SHALE

Reference **Driving Direction to Well** 

**Date Completed** Number

54084 Not available Not available

Owner-

Name Address Telephone Contractor 3444 W WASHINGTON Owner W MCMANNIS Not available Driller ROBERT EDWARDS Not available Not available

Operator Not available License Not available

**Construction Details** 

Well Use: Home **Drilling Method:** Cable Tool Pump Type: Not available

Pump Setting Depth: Not **Depth:** 30.0 Water Quality: Not available

available

Casing Length: Not available Material: Not available Diameter: 6.0

Screen Length: 5.0 Material: Not available Diameter: Not available

Slot Size: Not available

**Well Capacity** 

Type of Test: Pumping Test Rate: 30.0 gpm Bail Test Rate: Not available Test

> Static Water Level: Not Drawdown: 25.0 ft. Bailer Drawdown: Not available

available

Grouting

Material: Not available **Depth:** From (not available) To (not available) Information

Installation Method: Not available Number of Bags Used: Not available

Well

Sealing Material: Not available **Depth:** From (not available) To (not available) **Abandonment** 

Installation Method: Not available Number of Bags Used: Not available

Administrative **County: MARION** Township: 15N

> Range: 3E Section: NE of the NE of the NE of Section 8

Topo Map: INDIANAPOLIS WEST Grant: Not available

Field Located By: MCBN Field Located On: 1/1/1992

Courthouse Location By: Not available Courthouse Location On: Not available

Location Accepted w/o Verification By: Not Location Accepted w/o Verification On: Not

available available

Subdivision Name: Not available Lot Number: Not available Ft W of EL: Not available Ft N of SL: Not available Ft E of WL: Not available Ft S of NL: Not available

**Ground Elevation: 704.0** Depth of Bedrock: Not available

Bedrock Elevation: Not available Aguifer Elevation: 674.0 **UTM Northing:** 4401680

UTM Easting: 567000

### Well Log

То	р	Bottom	Formation
0.0	)	24.0	SANDY CLAY
24.	.0	30.0	SANDY GRAV

### Comments MC 674

Reference
Number

Driving Direction to Well

Date Completed

54087 3602 W. WASHINGTON ST. 5/24/1982

OwnerContractor

Name
Address
Telephone

Owner Not available Not available Not available Driller HAMILTON BROS,INC. 4025 ROCKVILLE RD.,INDPLS,IN. Not available

Operator LESTER HARNESS License Not available

**Construction Details** 

Well Use: Other Drilling Method: Rotary Pump Type: Not available

Depth: 42.0 Pump Setting Depth: Not Water Quality: Not available

available

Casing Length: 32.0 Material: Not available Diameter: 6.0 Screen Length: 10.0 Material: Not available Diameter: 6.0

Slot Size: 60

Well Capacity

Test Type of Test: Pumping Test Rate: 70.0 gpm for 1.0 hrs.Bail Test Rate: Not available

Drawdown: 25.0 ft. Static Water Level: 15.0 ft. Bailer Drawdown: Not available

Grouting Information

Material: Not available Depth: From (not available) To (not available)

Installation Method: Not available Number of Bags Used: Not available

Well

Abandonment Sealing Material: Not available Depth: From (not available) To (not available)

Installation Method: Not available Number of Bags Used: Not available

Administrative County: MARION Township: 15N

Range: 3E Section: SE of the NW of the NE of Section 8

Topo Map: INDIANAPOLIS WEST Grant: Not available

Field Located By: Not available Field Located On: Not available

Courthouse Location By: Not available Courthouse Location On: Not available

Location Accepted w/o Verification By: Not Location Accepted w/o Verification On: Not

available available

Subdivision Name:Not availableLot Number:Not availableFt W of EL:Not availableFt N of SL:Not available

Ft W of EL: Not available

Ft N of SL: Not available

Ft S of NL: Not available

Ground Elevation: Not available

Depth of Bedrock: Not available

Bedrock Elevation: Not available

UTM Easting: Not available

UTM Northing: Not available

UTM Northing: Not available

Well Log

Тор	Bottom	Formation
0.0	20.0	TOPSOIL & CLAY
20.0	42.0	GRAV

## Comments

Reference **Driving Direction to Well Date Completed** Number

.5 MI W OF GASOLINE ALLEY ON COSSELL RD ON S SIDE (WHERE 56682 10/5/1993

COSSELL RD DEAD ENDS AT HOLT RD) (4017 COSSELL RD)

Owner-Name Address **Telephone** Contractor

Owner CARL EDWARDS 4017 COSSELL INDPLS IN (000)241-6027 Driller PERRY WELL DRILLING 4946 SR 32 W ANDERSON IN (000)642-7105

Operator JEFF FLEMING License: 1074

**Construction Details** 

Well Use: Home **Drilling Method: Rotary** Pump Type: Submersible

> Pump Setting Depth: Not **Depth: 260.0** Water Quality: Not available available

Material: PVC Length: 139.0 Diameter: 5.0 Casing

Length: Not available Screen Material: Not available Diameter: Not available

Slot Size: Not available

**Well Capacity** 

Type of Test: Air Test Rate: 15.0 gpm for 1.0 hrs. Bail Test Rate: Not available Test

> Drawdown: Not available Static Water Level: 71.0 ft. Bailer Drawdown: Not available

Grouting

Material: BNSL **Depth:** From 25.0 To 80.0 Information

> Installation Method: TREM Number of Bags Used: 2.3

Well

Sealing Material: Not available Depth: From (not available) To \ **Abandonment** 

Installation Method: Not available Number of Bags Used: Not available

Administrative **County: MARION** Township: 15N

> Range: 3E Section: NW of Section 5 Topo Map: INDIANAPOLIS WEST Grant: Not available

Field Located By: Not available Field Located On: Not available

Courthouse Location By: Not available Courthouse Location On: Not available

Location Accepted w/o Verification By: Not Location Accepted w/o Verification On: Not

available available

Subdivision Name: Not available Lot Number: Not available Ft W of EL: Not available Ft N of SL: Not available Ft E of WL: Not available Ft S of NL: Not available

Ground Elevation: Not available Depth of Bedrock: Not available Bedrock Elevation: Not available Aguifer Elevation: Not available UTM Easting: Not available **UTM Northing:** Not available

Тор	Bottom	Formation
0.0	3.0	TOP SOIL
3.0	37.0	S & G
37.0	44.0	GRAY CLAY
44.0	49.0	S & G

49.0	67.0	GRAY CLAY
67.0	70.0	S & G
70.0	78.0	GRAY CLAY
78.0	136.0	BLK SHALE
136.0	260.0	STONE

# Comments

Reference **Driving Direction to Well Date Completed** Number

63778 1304 OLIN AVENUE 2/11/1981

Owner-Name Address Telephone Contractor

Owner MARATHON OIL Not available Not available Driller HAMILTON BROS., INC. P.O. BOX 24181, INDIANAPOLIS IN Not available

Operator **DESTER HARNESS** License Not available

**Construction Details** 

Well Use: Industry **Drilling Method:** Rotary Pump Type: Not available

> Pump Setting Depth: Not **Depth:** 110.0 Water Quality: Not available

available

Casing **Length:** 107.0 Material: Not available Diameter: 4.0 Screen Length: 3.0 Material: Not available Diameter: 4.0

Slot Size: 60

**Well Capacity** 

Type of Test: Not available Test Rate: 10.0 gpm for 1.0 hrs. Bail Test Rate: Not available Test

> Drawdown: 20.0 ft. Static Water Level: 20.0 ft. Bailer Drawdown: Not available

Grouting

Material: Not available **Depth:** From (not available) To (not available) Information

Installation Method: Not available Number of Bags Used: Not available

Well

Sealing Material: Not available **Depth:** From (not available) To (not available) **Abandonment** 

Installation Method: Not available Number of Bags Used: Not available

Administrative Township: 16N County: MARION

> Range: 3E Section: NE of the SW of Section 32

Topo Map: INDIANAPOLIS WEST Grant: Not available

Field Located By: Not available Field Located On: Not available

Courthouse Location By: Not available Courthouse Location On: Not available

Location Accepted w/o Verification On: Not

Location Accepted w/o Verification By: HM available

Subdivision Name: Not available Lot Number: Not available Ft W of EL: Not available Ft N of SL: Not available Ft E of WL: Not available Ft S of NL: Not available

Ground Elevation: Not available Depth of Bedrock: Not available Bedrock Elevation: Not available Aquifer Elevation: Not available

**UTM Northing:** Not available **UTM Easting:** Not available

Тор	Bottom	Formation
0.0	10.0	TOP SOIL & CLAY
10.0	40.0	GRAVEL
40.0	90.0	CLAY
90.0	96.0	GRAVEL
96.0	110.0	CLAY

## Comments

Reference
Number

Driving Direction to Well

Date Completed

63779 Not available Not available

OwnerContractor

Name
Address
Telephone

Owner HARDING 10 Not available Driller HAMILTON BROS., INC. 4025 ROCKVILLE ROAD, INDIANAPOLIS Not available

Operator JOHN License Not available

**Construction Details** 

Well Use: Home Drilling Method: Cable Tool Pump Type: Not available

Depth: 58.0 Pump Setting Depth: Not Water Quality: Not available

available available

Casing Length: 55.0 Material: Not available Diameter: 4.0 Screen Length: 5.0 Material: Not available Diameter: 3.0

Slot Size: Not available

Well Capacity

Test Type of Test: Not available Test Rate: 10.0 gpm Bail Test Rate: Not available

Drawdown: 1.0 ft. Static Water Level: Not Bailer Drawdown: Not available

available

Grouting Information Material: Not available Depth: From (not available) To (not available)

Installation Method: Not available Number of Bags Used: Not available

Well

Abandonment Sealing Material: Not available Depth: From (not available) To (not available)

Installation Method: Not available Number of Bags Used: Not available

Administrative County: MARION Township: 16N

Range: 3E Section: SW of the SW of the SE of Section 32

Topo Map: INDIANAPOLIS WESTGrant: Not available

Field Located By: Not available Field Located On: Not available

Courthouse Location By: Not available Courthouse Location On: Not available

Location Accepted w/o Verification By: Not Location Accepted w/o Verification On: Not

available available

Subdivision Name: Not availableLot Number: Not availableFt W of EL: Not availableFt N of SL: Not availableFt E of WL: Not availableFt S of NL: Not available

Ground Elevation: Not available

Bedrock Elevation: Not available

UTM Easting: Not available

UTM Northing: Not available

UTM Northing: Not available

Well Log

Тор	Bottom	Formation
0.0	10.0	FILL
10.0	58.0	GRAVEL

## Comments

Reference **Driving Direction to Well Date Completed** Number

63781 3800W 6/21/1973

Owner-Name Address Telephone Contractor JAMES NALL 1107 N OLIN AVE Owner Not available

Driller HAMILTON BROS Not available Not available

Operator CLYDE MOWELL License Not available

**Construction Details** 

Information

Well Use: Home **Drilling Method:** Cable Tool Pump Type: Not available

Pump Setting Depth: Not **Depth:** 71.0 Water Quality: Not available available

Casing Length: 68.0 Material: Not available Diameter: 4.0

Screen Length: 5.0 Material: Not available Diameter: 3.0

Slot Size: 40

**Well Capacity** Type of Test: Pumping Test Rate: 10.0 gpm for 2.0 hrs. Bail Test Rate: Not available Test

Static Water Level: Not Bailer Drawdown: Not available

Drawdown: Not available available

Grouting Material: Not available **Depth:** From (not available) To (not available)

Installation Method: Not available Number of Bags Used: Not available

Well Sealing Material: Not available **Depth:** From (not available) To (not available) **Abandonment** 

Installation Method: Not available Number of Bags Used: Not available

Administrative **County: MARION** Township: 16N

> Range: 3E Section: NE of the SE of the SW of Section 32

Topo Map: INDIANAPOLIS WEST Grant: Not available

Field Located By: Not available Field Located On: Not available

Courthouse Location By: Not available Courthouse Location On: Not available

Location Accepted w/o Verification By: Not Location Accepted w/o Verification On: Not

available available

Subdivision Name: Not available Lot Number: Not available

**Ft W of EL:** 2.700.0 Ft N of SL: 900.0 Ft E of WL: Not available Ft S of NL: Not available

**Ground Elevation: 728.0** Depth of Bedrock: Not available

Aguifer Elevation: 663.0 Bedrock Elevation: Not available **UTM Easting:** 566372 **UTM Northing:** 4403738

Тор	Bottom	Formation	
0.0	21.0	CLAY	
21.0	30.0	SAND	
30.0	65.0	CLAY	
65.0	71.0	SAND	

## Comments

Reference **Driving Direction to Well Date Completed** Number

67030 6030 N. MICHIGAN 8/10/1972

Owner-Name Address Telephone Contractor

Owner FITHER & REILLY 209 N. DELENAY Not available Driller MALCOLM M. NEWLIN 611 1ST AVE., N.W. CARMEL IND Not available

Operator MALCOLM M. NEWLIN License Not available

**Construction Details** 

Well Use: Home **Drilling Method:** Cable Tool Pump Type: Not available

Pump Setting Depth: Not **Depth:** 50.0 Water Quality: Not available

available

Casing Length: 48.0 Material: Not available Diameter: 4.0 Screen Length: 3.4 Material: Not available Diameter: 4.0

Slot Size: 40

**Well Capacity** Bail Test Rate: 20.0 gpm for 2.0 Type of Test: Not available Test Rate: Not available

Drawdown: Not available Static Water Level: 18.0 ft. Bailer Drawdown: 3.0 ft.

Grouting Material: Not available **Depth:** From (not available) To (not available) Information

Installation Method: Not available Number of Bags Used: Not available

Well

Test

Sealing Material: Not available **Depth:** From (not available) To (not available) **Abandonment** 

Installation Method: Not available Number of Bags Used: Not available

Administrative Township: 16N County: MARION

> Range: 3E Section: SE of Section 32 Topo Map: INDIANAPOLIS WEST Grant: Not available

Field Located By: Not available Field Located On: Not available

Courthouse Location By: Not available Courthouse Location On: Not available

Location Accepted w/o Verification By: Not Location Accepted w/o Verification On: Not

available available

Subdivision Name: Not available Lot Number: Not available Ft W of EL: Not available Ft N of SL: Not available

Ft E of WL: Not available Ft S of NL: Not available Ground Elevation: Not available Depth of Bedrock: Not available

Bedrock Elevation: Not available Aquifer Elevation: Not available **UTM Northing:** Not available **UTM Easting:** Not available

Well Log

Тор	Bottom	Formation
0.0	1.0	BLANK
1.0	40.0	CLAYS
40.0	50.0	GRAVEL

#### Comments

Reference **Driving Direction to Well Date Completed** Number

67032 ELECTRIC STEEL CASTING CO. SPEEDWAY. 12/19/1944

Owner-Name Address Telephone Contractor

**SPEEDWAY** Owner **ELECTRIC STEEL CASTING** Not available Driller R.L. CLARK **INDPLS** Not available

Operator Not available License Not available

**Construction Details** 

Well Use: Industry **Drilling Method:** Cable Tool Pump Type: Not available

Pump Setting Depth: Not **Depth:** 124.0 Water Quality: Not available available

Length: Not available Material: Not available Diameter: 6.0

Screen Length: Not available Material: Not available Diameter: Not available

Slot Size: Not available

**Well Capacity** 

Casing

Test Rate: Not available Bail Test Rate: Not available Type of Test: Not available Test

> Static Water Level: Not Drawdown: Not available Bailer Drawdown: Not available

available

Grouting Material: Not available **Depth:** From (not available) To (not available) Information

Installation Method: Not available Number of Bags Used: Not available

Well

Sealing Material: Not available **Depth:** From (not available) To (not available) **Abandonment** 

Installation Method: Not available Number of Bags Used: Not available

Administrative **County: MARION** Township: 16N

> Range: 3E Section: SW of the SE of Section 31

Topo Map: INDIANAPOLIS WEST Grant: Not available

Field Located By: Not available Field Located On: Not available

Courthouse Location By: Not available Courthouse Location On: Not available

Location Accepted w/o Verification By: Not Location Accepted w/o Verification On: Not

available available

Subdivision Name: Not available Lot Number: Not available Ft W of EL: Not available Ft N of SL: Not available Ft E of WL: Not available Ft S of NL: Not available

Ground Elevation: Not available Depth of Bedrock: Not available Bedrock Elevation: Not available Aguifer Elevation: Not available **UTM Easting:** Not available **UTM Northing:** Not available

Тор	Bottom	Formation
0.0	2.0	FILL
2.0	4.5	CLAY YEL
4.5	17.0	CLAY MORE GRAV YEL
17.0	29.0	CLAY YEL TO GRAV

29.0	30.5	ROCKS 6"+
30.5	47.5	CLAY GRAY
47.5	50.5	GRAV DRY
50.5	52.0	CLAY DARK GRAY HARD
52.0	64.0	GRAV DRY ADD WATER TO DRILL
64.0	73.0	CLAY GRAY
73.0	77.0	GRAV 60 SLOT SIZE WATER
77.0	110.5	CLAY GRAY
110.5	114.0	GRAV
114.0	117.0	CLAY BR TOUGH
117.0	123.0	GRAV

# **Comments**None

Reference **Driving Direction to Well Date Completed** Number

67033 TEST WELL #1. 9/1/1944

Owner-Name Address Telephone Contractor

**ELECTRIC STEEL CASTING SPEEDWAY** Owner Not available Driller Not available Not available Not available

Operator Not available License Not available

**Construction Details** 

Well Use: Test **Drilling Method:** Cable Tool Pump Type: Not available

Pump Setting Depth: Not **Depth:** 475.0 Water Quality: Not available

available

Casing **Length: 154.0** Material: Not available Diameter: 8.0

Screen Length: Not available Material: Not available Diameter: Not available

Slot Size: Not available

**Well Capacity** 

Test Rate: Not available Bail Test Rate: Not available Type of Test: Not available Test

> Static Water Level: Not Drawdown: Not available Bailer Drawdown: Not available

available

Grouting Material: Not available **Depth:** From (not available) To (not available) Information

Installation Method: Not available Number of Bags Used: Not available

Well

Sealing Material: Not available **Depth:** From (not available) To (not available) **Abandonment** 

Installation Method: Not available Number of Bags Used: Not available

Administrative **County: MARION** Township: 16N

> Range: 3E Section: SW of the SE of Section 31

Topo Map: INDIANAPOLIS WEST Grant: Not available

Field Located By: Not available Field Located On: Not available

Courthouse Location By: Not available Courthouse Location On: Not available

Location Accepted w/o Verification By: Not Location Accepted w/o Verification On: Not

available available

Subdivision Name: Not available Lot Number: Not available Ft W of EL: Not available Ft N of SL: Not available Ft E of WL: Not available Ft S of NL: Not available **Ground Elevation: 725.0** Depth of Bedrock: 125.0 **Bedrock Elevation:** 600.0 Aguifer Elevation: 600.0

UTM Easting: Not available **UTM Northing:** Not available

Тор	Bottom	Formation
0.0	8.0	CLAY YEL
8.0	25.0	S&G MUDDY
25.0	28.0	GRAV COBBLES
28.0	45.0	GRAV MUDDY NO WATER

45.0	65.0	GRAV MUDDY WATER
65.0	125.0	CLAY GRAY
125.0	172.0	SHALE SLATE
172.0	310.0	LSBR,BLUE,WH, SHALE BREAKS
310.0	400.0	BLUE ROCK HARD
400.0	430.0	SHALE
430.0	475.0	LS HARD WH

TEST #1;

Reference **Driving Direction to Well Date Completed** Number

67034 PLANT 2, TEST 3. NW CORNER OF PROPERTY, MAIN ST & Not available

Owner-Name Address Telephone

Contractor ALLISONG ENG CO. **SPEEDWAY** Owner Not available Driller LAYNE NORTHERN CO Not available Not available

Operator Not available License Not available

**Construction Details** 

Well Use: Industry **Drilling Method:** Not available **Pump Type:** Not available

> Pump Setting Depth: Not **Depth:** 123.0 Water Quality: Not available

available

Casing Length: Not available Material: Not available Diameter: Not available Screen Length: Not available Material: Not available Diameter: Not available

Slot Size: Not available

**Well Capacity** 

Type of Test: Not available Bail Test Rate: Not available Test Rate: Not available Test

> Drawdown: Not available Static Water Level: 33.0 ft. Bailer Drawdown: Not available

Grouting

Material: Not available **Depth:** From (not available) To (not available) Information

Installation Method: Not available Number of Bags Used: Not available

Well

Sealing Material: Not available **Depth:** From (not available) To (not available) **Abandonment** 

Installation Method: Not available Number of Bags Used: Not available

Administrative Township: 16N **County: MARION** 

> Range: 3E Section: SE of Section 31 Topo Map: INDIANAPOLIS WEST Grant: Not available

Field Located By: Not available Field Located On: Not available

Courthouse Location By: Not available Courthouse Location On: Not available

Location Accepted w/o Verification By: Not Location Accepted w/o Verification On: Not

available available

Subdivision Name: Not available Lot Number: Not available Ft W of EL: Not available Ft N of SL: Not available Ft E of WL: Not available Ft S of NL: Not available

**Ground Elevation:** 715.0 Depth of Bedrock: 122.0 **Bedrock Elevation: 593.0** Aquifer Elevation: Not available **UTM Northing:** Not available **UTM Easting:** Not available

Тор	Bottom	Formation
0.0	6.0	FILL & CLAY
6.0	10.0	GRAV
10.0	14.0	HARDPAN
14.0	31.0	GRAV
31.0	43.0	CLAY

43.0	45.0	GRAV
45.0	52.0	TOUGH CLAY
52.0	61.0	FN GRAV
61.0	105.0	TOUGH CLAY
105.0	109.0	SAND
109.0	122.0	CRS S&G
122.0	123.0	BLUE SHALE

TEST 3; LAYNE 1940;

Reference
Number

Driving Direction to Well

Date Completed

67035 PLANT 2, TEST #2. NE CORNER OF GROUNDS. 8/28/1940

OwnerContractor

Name
Address
Telephone

Owner ALLISON ENG CO. SPEEDWAY CITY Not available
Driller LAYNE NORTHERN Not available
Not available

Operator Not available License Not available

**Construction Details** 

Well Use: Industry Drilling Method: Cable Tool Pump Type: Not available

Depth: 115.0 Pump Setting Depth: Not Water Quality: Not available

available water quanty.

Casing Length: Not available Material: Not available Diameter: Not available Screen Length: Not available Material: Not available Diameter: Not available

Slot Size: Not available

Well Capacity
Test
Type of Test: Not available
Test Rate: Not available
Test Rate: Not available

Drawdown: Not available Static Water Level: 25.5 ft. Bailer Drawdown: Not available

Grouting Information Material: Not available Depth: From (not available) To (not available)

**Installation Method:** Not available **Number of Bags Used:** Not available

Well

Abandonment Sealing Material: Not available Depth: From (not available) To (not available)

Installation Method: Not available Number of Bags Used: Not available

Administrative County: MARION Township: 16N

Range: 3E Section: SE of Section 31
Topo Map: INDIANAPOLIS WEST Grant: Not available

Field Located By: Not available Field Located On: Not available

Courthouse Location By: Not available Courthouse Location On: Not available

Location Accepted w/o Verification By: Not Location Accepted w/o Verification On: Not

available available

Subdivision Name: Not availableLot Number: Not availableFt W of EL: Not availableFt N of SL: Not availableFt E of WL: Not availableFt S of NL: Not availableGround Elevation: 715.0Depth of Bedrock: 114.0

Bedrock Elevation: 601.0 Aquifer Elevation: Not available UTM Easting: Not available UTM Northing: Not available

Тор	Bottom	Formation
0.0	8.0	FILL & CLAY
8.0	14.0	GRAV
14.0	18.0	HARDPAN
18.0	30.0	GRAV SL 18'
30.0	34.0	BOULDERS

34.0	52.0	HARD CLAY
52.0	59.0	CLAY & GRAV MIXED
59.0	77.0	TOUGH CLAY
77.0	99.0	HARD CLAY
99.0	105.0	TOUGH CLAY
105.0	108.0	MD SAND
108.0	114.0	FN GRAV
114.0	115.0	BLK SHALE

# Comments TEST 2;

Reference **Driving Direction to Well Date Completed** Number

PLANT 2, TEST 4. ON MAIN ST, 10' E OF FENCE; 10' N FROM 67036 1/1/1940

PAVEMENT. IN SW CORNER OF PARKING LOT.

Owner-Name Address **Telephone** Contractor Owner ALLISON ENG CO. **SPEEDWAY** Not available Driller LAYNE NORTHERN CO. Not available Not available

Not available License Not available Operator

**Construction Details** 

Use: Test Well Drilling Method: Cable Tool Pump Type: Not available

> Pump Setting Depth: Not **Depth:** 123.0 Water Quality: Not available

available

Material: Not available Diameter: Not available Casing Length: Not available Screen Length: Not available Material: Not available Diameter: Not available

Slot Size: Not available

**Well Capacity** 

Type of Test: Not available Test Rate: Not available Bail Test Rate: Not available Test

> Static Water Level: 27.0 ft. Drawdown: Not available Bailer Drawdown: Not available

Grouting Material: Not available

**Depth:** From (not available) To (not available) Information

Installation Method: Not available Number of Bags Used: Not available

Well

Sealing Material: Not available **Depth:** From (not available) To (not available) **Abandonment** 

Installation Method: Not available Number of Bags Used: Not available

Administrative **County: MARION** Township: 16N

> Range: 3E Section: SE of Section 31 Topo Map: INDIANAPOLIS WEST Grant: Not available

Field Located By: Not available Field Located On: Not available

Courthouse Location By: Not available Courthouse Location On: Not available

Location Accepted w/o Verification By: Not Location Accepted w/o Verification On: Not

available available

Subdivision Name: Not available Lot Number: Not available Ft W of EL: Not available Ft N of SL: Not available Ft E of WL: Not available Ft S of NL: Not available **Ground Elevation: 715.0** Depth of Bedrock: 122.0

**Bedrock Elevation:** 593.0 Aguifer Elevation: Not available **UTM Easting:** Not available **UTM Northing:** Not available

Тор	Bottom	Formation
0.0	20.0	FILL GRAV CLAY
20.0	35.0	MD GRAV
35.0	54.0	TOUGH CLAY
54.0	59.0	GRAV

59.0	103.0	TOUGH CLAY
103.0	113.0	FN SAND
113.0	122.0	MUDDY S&G
122.0	123.0	BLK SHALE

TEST 4;

Reference
Number

Driving Direction to Well

Date Completed

67037 PLANT #2, TEST #1. 9/20/1940

OwnerContractor

Name
Address
Telephone

Owner ALLISON ENG CO. SPEEDWAY CITY Not available
Driller LAYNE NORTHERN CO. Not available
Not available

Operator Not available License Not available

Construction Details

Well Use: Test Drilling Method: Cable Tool Pump Type: Not available

Depth: 117.0 Pump Setting Depth: Not Water Quality: Not available

**Depth:** From (not available) To (not available)

available available

Casing Length: Not available Material: Not available Diameter: Not available Screen Length: Not available Material: Not available Diameter: Not available

Slot Size: Not available

Material: Not available

Well Capacity
Test

Type of Test: Not available

Test Rate: Not available

Bail Test Rate: Not available

Drawdown: Not available

Static Water Level: Not
Bailer Drawdown: Not available

available

Installation Method: Not available Number of Bags Used: Not available

Abandonment Sealing Material: Not available Depth: From (not available) To (not available)

Installation Method: Not available Number of Bags Used: Not available

Administrative County: MARION Township: 16N

Range: 3E Section: SE of Section 31
Topo Map: INDIANAPOLIS WEST Grant: Not available

Field Located By: Not available Field Located On: Not available

Courthouse Location By: Not available Courthouse Location On: Not available

Location Accepted w/o Verification By: Not Location Accepted w/o Verification On: Not

available available

Subdivision Name: Not availableLot Number: Not availableFt W of EL: Not availableFt N of SL: Not availableFt E of WL: Not availableFt S of NL: Not available

Ground Elevation: 725.0

Bedrock Elevation: 611.0

Aquifer Elevation: Not available

Aquifer Elevation: Not available

UTM Easting: Not available

UTM Northing: Not available

UTM Northing: Not available

### Well Log

Grouting

Well

Тор	Bottom	Formation
0.0	8.0	FILL
8.0	30.0	GRAV
30.0	35.0	BOULDERS
35.0	40.0	GRAV

40.0	52.0	CLAY
52.0	56.0	GRAV
56.0	106.0	CLAY
106.0	108.0	GRAV MD
108.0	114.0	FN GRAV
114.0	117.0	BLK SHALE

TEST #1;

Reference **Driving Direction to Well Date Completed** Number

SW 1/4 SEC 5; SW CORNER OF AREA S OF EAGLE CREEK, 150' E OF 67069 2/22/1942

ROENA ST; TEST #22

Address Name **Telephone** Contractor Owner SPEEDWAY WATER CO Not available Not available Driller **NESS** Not available Not available

Not available License Not available Operator

**Construction Details** 

Owner-

Well Use: Not available Drilling Method: Not available Pump Type: Not available

> Pump Setting Depth: Not **Depth:** 88.0 Water Quality: Not available

available

Material: Not available Diameter: Not available Casing Length: Not available Screen Length: Not available Material: Not available Diameter: Not available

Slot Size: Not available

**Well Capacity** 

Type of Test: Not available Test Rate: Not available Bail Test Rate: Not available Test

> Static Water Level: 10.0 ft. Drawdown: Not available Bailer Drawdown: Not available

Grouting

Material: Not available **Depth:** From (not available) To (not available) Information

Installation Method: Not available Number of Bags Used: Not available

Well

Sealing Material: Not available **Depth:** From (not available) To (not available) **Abandonment** 

Installation Method: Not available Number of Bags Used: Not available

Administrative **County: MARION** Township: 15N

> Range: 3E Section: SW of the SW of Section 5

Topo Map: INDIANAPOLIS WEST Grant: Not available

Field Located By: JMH Field Located On: 3/1/1961

Courthouse Location By: Not available Courthouse Location On: Not available

Location Accepted w/o Verification By: Not Location Accepted w/o Verification On: Not

available available

Subdivision Name: Not available Lot Number: Not available Ft W of EL: Not available Ft N of SL: Not available Ft E of WL: Not available Ft S of NL: Not available **Ground Elevation: 708.0** Depth of Bedrock: 88.0

**Bedrock Elevation:** 620.0 Aguifer Elevation: Not available **UTM Easting:** Not available **UTM Northing:** Not available

Тор	Bottom	Formation
0.0	6.0	SOIL CLAY
6.0	9.0	GRAV
9.0	28.0	HARDPAN
28.0	32.0	FINE GRAV
		T

32.0	38.0	HARDPAN
38.0	47.0	GRAV
47.0	57.0	GRAV
57.0	63.0	HARDPAN
63.0	64.0	GRAV
64.0	88.0	HARDPAN
88.0		SH

Reference
Number

Driving Direction to Well

Date Completed

67071 MT JACKSON CEMETERY ON TIBBS JUST N OF HWY 40. 10/9/1968

OwnerContractor

Name
Address
Telephone

Owner OLIVER BORES 5707 W MORRIS Not available
Driller CLAUDE ROYSTER RR 2 BOX 125 GREENWOOD Not available

Operator CLAUDE ROYSTER License Not available

**Construction Details** 

Well Use: Not available Drilling Method: Jet Pump Type: Not available

Depth: 45.0 Pump Setting Depth: Not available Water Quality: Not available

Casing Length: 41.0 Material: Not available Diameter: 2.0

Screen Length: 30.0 Material: Not available Diameter: 2.0

Material: Not available Diameter: 1.3

Slot Size: 60

Well Capacity

Test Type of Test: Not available Test Rate: 10.0 gpm for 1.0 hrs.Bail Test Rate: Not available

Drawdown: Not available Static Water Level: 25.0 ft. Bailer Drawdown: Not available

Grouting Information Material: Not available Depth: From (not available) To (not available)

Installation Method: Not available Number of Bags Used: Not available

Well

Abandonment Sealing Material: Not available Depth: From (not available) To (not available)

Installation Method: Not available Number of Bags Used: Not available

Administrative County: MARION Township: 15N

Range: 3E Section: SE of Section 5
Topo Map: INDIANAPOLIS WEST Grant: Not available

Field Located By: Not available Field Located On: Not available

Courthouse Location By: Not available

Location Accepted w/o Verification By:

Courthouse Location On: Not available

Location Accepted w/o Verification On:

BRUNS 6/27/1976

Subdivision Name: Not availableLot Number: Not availableFt W of EL: Not availableFt N of SL: Not availableFt E of WL: Not availableFt S of NL: Not available

Ground Elevation: Not available

Bedrock Elevation: Not available

UTM Easting: Not available

Depth of Bedrock: Not available

Aquifer Elevation: Not available

UTM Northing: Not available

Well Log Comments

Reference
Number

Driving Direction to Well

Date Completed

67072 MT JACKSON CEMETARY ON TIBBS JUST N OF HI WAY 40 10/1/1967

Owner-<br/>ContractorNameAddressTelephoneOwnerWAYNE TOWNSHIP TRUSTEENot availableNot available

Driller CLAUDE ROYSTA RR 2 BOX 125 GREENWOOD Not available
Operator CLAUDE ROYSTA License Not available

Construction Details

Well Use: Not available Drilling Method: Jet Pump Type: Not available

Depth: 54.0 Pump Setting Depth: Not available Water Quality: Not available

Casing Length: 51.0 Material: Not available Diameter: 2.0 Screen Length: 30.0 Material: Not available Diameter: 1.3

Slot Size: 60

Well Capacity
Test

Type of Test: Not available

Test Rate: 10.0 gpm for 1.0 hrs.Bail Test Rate: Not available

Drawdown: Not available Static Water Level: 25.0 ft. Bailer Drawdown: Not available

Grouting Information Material: Not available Depth: From (not available) To (not available)

**Installation Method:** Not available **Number of Bags Used:** Not available

Well

Sealing Material: Not available

Depth: From (not available) To (not available)

Installation Method: Not available Number of Bags Used: Not available

Administrative County: MARION Township: 15N

Range: 3E Section: SE of Section 5
Topo Map: INDIANAPOLIS WEST Grant: Not available

Field Located By: Not available Field Located On: Not available

Courthouse Location By: Not available Courthouse Location On: Not available

Location Accepted w/o Verification By: Not Location Accepted w/o Verification On: Not

available available

Subdivision Name: Not availableLot Number: Not availableFt W of EL: Not availableFt N of SL: Not availableFt E of WL: Not availableFt S of NL: Not available

Ground Elevation: Not available

Bedrock Elevation: Not available

UTM Easting: Not available

UTM Northing: Not available

UTM Northing: Not available

Well Log Comments ALL GRAVEL

**Abandonment** 

Reference **Driving Direction to Well** Number

67073 Not available 4/17/1963

Owner-

Name Address Telephone Contractor Owner EAGLE CREEK GOLF COURSE **VERMONT & POENA** Not available Driller HAMILTON BROS, INC. 4025 ROCKVILLE RD. Not available

Operator JOHN GALLADAY

**Construction Details** 

Well Use: Home **Drilling Method:** Cable Tool Pump Type: Not available

Pump Setting Depth: Not **Depth:** 56.0 Water Quality: Not available available

License Not available

**Date Completed** 

Casing Length: 53.0 Material: Not available Diameter: 4.0

Screen Length: 5.0 Material: Not available Diameter: 3.0

Slot Size: Not available

**Well Capacity** Type of Test: Pumping Test Rate: 10.0 gpm Bail Test Rate: Not available Test

> Static Water Level: Not Drawdown: 15.0 ft. Bailer Drawdown: Not available

available

Grouting Material: Not available **Depth:** From (not available) To (not available) Information

Installation Method: Not available Number of Bags Used: Not available

Well

Sealing Material: Not available **Depth:** From (not available) To (not available) **Abandonment** 

Installation Method: Not available Number of Bags Used: Not available

Administrative **County: MARION** Township: 15N

> Range: 3E Section: SE of the NE of Section 6

Topo Map: INDIANAPOLIS WEST Grant: Not available

Field Located By: Not available Field Located On: Not available

Courthouse Location By: Not available Courthouse Location On: Not available **Location Accepted w/o Verification On:** 

Location Accepted w/o Verification By: U 3/1/1965

Subdivision Name: Not available Lot Number: Not available Ft W of EL: Not available Ft N of SL: Not available

Ft E of WL: Not available Ft S of NL: Not available

Ground Elevation: Not available Depth of Bedrock: Not available Bedrock Elevation: Not available Aguifer Elevation: Not available **UTM Easting:** Not available **UTM Northing:** Not available

Well Log

Тор	Bottom	Formation
0.0	56.0	GRAV

### Comments

Reference
Number

Driving Direction to Well

Date Completed

72546 3010 W VERMONT 8/11/1994

OwnerContractor

Name
Address
Telephone

Owner BEN SAYMAN 7674 S CR 300W CLAYTON IN (000)539-6723
Driller HAMILTON BROS INC 4025 ROCKVILLE RD INDPLS IN (000)241-2571

Operator JAMES N HERMAN License: 660

**Construction Details** 

**Abandonment** 

Well Use: Home Drilling Method: Rotary Pump Type: Submersible Depth: 75.0 Pump Setting Depth: 60.0 Water Quality: CLEAR

Casing Length: 70.0 Material: PVC Diameter: 4.0 Screen Length: 5.0 Material: PVC Diameter: 4.0

Slot Size: .032

Well Capacity
Test

Type of Test: Bailing

Test Rate: 10.0 gpm for 1.0 hrs.Bail Test Rate: Not available

Drawdown: 25.0 ft. Static Water Level: 35.0 ft. Bailer Drawdown: Not available

Grouting Information Material: ENVIROPLUG Depth: From 15.0 To 40.0

Installation Method: TREM Number of Bags Used: 2.0

Well Sealing Material: HOLE PLUG Depth: From 0 To 25

Installation Method: POUR IN Number of Bags Used: 1.0

Administrative County: MARION Township: 15N

Range: 3E Section: NW of Section 4
Topo Map: INDIANAPOLIS WEST Grant: Not available

Field Located By: Not available Field Located On: Not available

Courthouse Location By: Not available

Location Accepted w/o Verification By: Not

Location Accepted w/o Verification Cn: Not

available available

Subdivision Name:Not availableFt W of EL:Not availableFt E of WL:Not availableFt E of WL:Not available
Ft S of NL:
Not available
Ft S of NL:
Not available

Ground Elevation: Not available

Bedrock Elevation: Not available

UTM Easting: Not available

UTM Northing: Not available

UTM Northing: Not available

Well Log

Тор	Bottom	Formation
0.0	5.0	TOPSOIL & CLAY
5.0	40.0	SAND
40.0	75.0	CLAY

Comments
SKETCH MAP

Reference
Number

Driving Direction to Well

Date Completed

112974 2920 NEWHART 8/26/1994

OwnerContractor

Name
Address
Telephone

Owner DONALD CORNETT 2920 NEWHART ST INDPLS IN (000)784-7137
Driller HAMILTON BROS INC 4025 ROCKVILLE RD INDPLS IN (000)241-2571

Operator JAMES N HERMAN License: 660

**Construction Details** 

Well Use: Home Drilling Method: Rotary Pump Type: Submersible Depth: 44.0 Pump Setting Depth: 30.0 Water Quality: CLEAR

Casing Length: 40.0 Material: PVC Diameter: 4.0 Screen Length: 4.0 Material: PVC Diameter: 4.0

Slot Size: .060

Well Capacity

Test Rate: 10.0 gpm for 1.0 hrs.Bail Test Rate: Not available

Drawdown: 25.0 ft. Static Water Level: 5.0 ft. Bailer Drawdown: Not available

Grouting Information

Material: ENVIROPLUG Depth: From 0.0 To 25.0

Installation Method: TREM Number of Bags Used: 2.0

Well

Abandonment Sealing Material: Not available Depth: From (not available) To (not available)

Installation Method: Not available Number of Bags Used: Not available

Administrative County: MARION Township: 15N

Range: 3E Section: NW of Section 4
Topo Map: INDIANAPOLIS WEST Grant: Not available

Field Located By: Not available Field Located On: Not available

Courthouse Location By: Not available

Location Accepted w/o Verification By: Not

Location Accepted w/o Verification On: Not

available

available

Subdivision Name:Not availableLot Number:Not availableFt W of EL:Not availableFt N of SL:Not availableFt E of WL:Not availableFt S of NL:Not available

Ground Elevation: Not available

Bedrock Elevation: Not available

UTM Easting: Not available

Depth of Bedrock: Not available

Aquifer Elevation: Not available

UTM Northing: Not available

Well Log

Тор	Bottom	Formation
0.0	1.0	TOPSOIL & CLAY
1.0	44.0	GRAV

Comments
SKETCH MAP

Reference **Driving Direction to Well Date Completed** Number

172484 **SANITORIUM** Not available

Owner-Name Address Telephone Contractor

3127 W WASHINGTON ST Owner MT JACKSON SANITORIUM Not available Driller Not available Not available Not available

Operator Not available License Not available

**Construction Details** 

Well Use: Public Supply **Drilling Method:** Not available **Pump Type:** Not available

> Pump Setting Depth: Not **Depth:** 1,708.0 Water Quality: Not available

available

Casing Length: Not available Material: Not available Diameter: 8.0

Screen Length: Not available Material: Not available Diameter: Not available

Slot Size: Not available

**Well Capacity** 

Type of Test: Not available Bail Test Rate: Not available Test Rate: Not available Test

> Drawdown: Not available Static Water Level: 15.0 ft. Bailer Drawdown: Not available

Grouting

Material: Not available **Depth:** From (not available) To (not available) Information

Installation Method: Not available Number of Bags Used: Not available

Well

Sealing Material: Not available **Depth:** From (not available) To (not available) **Abandonment** 

Installation Method: Not available Number of Bags Used: Not available

Administrative Township: 15N County: MARION

> Range: 3E Section: NE of the NW of the NW of Section 9

Topo Map: INDIANAPOLIS WEST Grant: Not available

Field Located By: Not available Field Located On: Not available

Courthouse Location By: Not available Courthouse Location On: Not available

Location Accepted w/o Verification By: Not Location Accepted w/o Verification On: Not

available available

Subdivision Name: Not available Lot Number: Not available

Ft W of EL: Not available Ft N of SL: Not available Ft E of WL: 1.300.0 Ft S of NL: 150.0

**Ground Elevation:** 710.0 Depth of Bedrock: Not available Bedrock Elevation: Not available Aquifer Elevation: Not available

**UTM Northing:** 4401705 **UTM Easting:** 567525

Well Log Comments ATTEMPTED TO REPAIR ABOUT 3 YEARS AGO (1936); DROPPED 500' OF PIPE INTO WELL; WELL NOT USED

Reference **Driving Direction to Well Date Completed** Number

172486 4038 ROCKVILLE RD Not available

Owner-Name Address Telephone Contractor

Not available Owner L MOON Not available Driller HAMILTON BROS INC Not available Not available

Operator Not available License Not available

**Construction Details** 

Well Use: Home **Drilling Method:** Rotary Pump Type: Not available

Pump Setting Depth: Not **Depth:** 76.0 Water Quality: Not available available

Length: Not available Material: Not available Diameter: 4.3

Casing Screen Length: 3.0 Material: Not available Diameter: 4.3

Slot Size: Not available

**Well Capacity** Bail Test Rate: 10.0 gpm for 1.0 Test Rate: Not available

Type of Test: Not available hrs

Static Water Level: Not Drawdown: Not available Bailer Drawdown: 27.0 ft. available

Grouting Material: Not available **Depth:** From (not available) To (not available) Information

Installation Method: Not available Number of Bags Used: Not available

Well

Test

Sealing Material: Not available **Depth:** From (not available) To (not available) **Abandonment** 

Installation Method: Not available Number of Bags Used: Not available

Administrative **County: MARION** Township: 15N

> Range: 3E Section: NE of the NW of the NW of Section 8

Topo Map: INDIANAPOLIS WEST Grant: Not available

Field Located By: Not available Field Located On: Not available

Courthouse Location By: Not available Courthouse Location On: Not available

Location Accepted w/o Verification By: Not Location Accepted w/o Verification On: Not

available available

Subdivision Name: Not available Lot Number: Not available Ft W of EL: Not available Ft N of SL: Not available Ft E of WL: Not available Ft S of NL: Not available

Ground Elevation: Not available Depth of Bedrock: Not available Bedrock Elevation: Not available Aguifer Elevation: Not available **UTM Easting:** Not available **UTM Northing:** Not available

Тор	Bottom	Formation
0.0	2.0	CLAY SANDY
2.0	37.0	SAND
37.0	43.0	CLAY
43.0	62.0	SAND

62.0	67.0	CLAY
67.0	76.0	SAND

Reference **Driving Direction to Well Date Completed** Number

172504 Not available Not available

Owner-Name Address Telephone Contractor

Owner MT. JACKSON SANITARIUM Not available Not available Driller Not available Not available Not available

Operator Not available License Not available

**Construction Details** 

Well Use: Not available **Drilling Method:** Not available **Pump Type:** Not available

> Pump Setting Depth: Not **Depth:** 1,500.0 Water Quality: Not available available

> > Diameter: 4.0

Length: Not available Material: Not available

Screen Material: Not available Diameter: Not available

Length: Not available Slot Size: Not available

**Well Capacity** Type of Test: Not available Bail Test Rate: Not available Test Rate: Not available Test

> Drawdown: Not available Static Water Level: 28.0 ft. Bailer Drawdown: Not available

Grouting Material: Not available **Depth:** From (not available) To (not available) Information

Installation Method: Not available Number of Bags Used: Not available

Well

Casing

Sealing Material: Not available **Depth:** From (not available) To (not available) **Abandonment** 

Installation Method: Not available Number of Bags Used: Not available

Administrative Township: 15N County: MARION

> Range: 3E Section: NW of the NW of Section 9

Topo Map: INDIANAPOLIS WEST Grant: Not available

Field Located By: Not available Field Located On: Not available

Courthouse Location By: Not available Courthouse Location On: Not available

Location Accepted w/o Verification By: Not Location Accepted w/o Verification On: Not

available available

Subdivision Name: Not available Lot Number: Not available Ft W of EL: Not available Ft N of SL: Not available

Ft E of WL: Not available Ft S of NL: Not available Ground Elevation: Not available Depth of Bedrock: Not available Bedrock Elevation: Not available Aquifer Elevation: Not available

**UTM Northing:** Not available **UTM Easting:** Not available

Well Log Comments

Reference **Driving Direction to Well Date Completed** Number

172532 Not available 5/25/1973

Owner-Name Address Telephone Contractor

**OLA NEWMIER** 602 S RYBOLT Owner Not available Driller Not available Not available Not available

Operator RASH License Not available

**Construction Details** 

Well Use: Home **Drilling Method:** Cable Tool Pump Type: Not available Pump Setting Depth: Not Water Quality: Not available

**Depth:** 45.0 available

Casing Length: 42.0 Material: Not available Diameter: 4.0 Screen Length: 5.0 Material: Not available Diameter: 3.0

Slot Size: Not available

**Well Capacity** Bail Test Rate: 10.0 gpm for 0.5 Test Rate: Not available Type of Test: Not available

hrs

Static Water Level: Not Drawdown: Not available Bailer Drawdown: Not available

available

Grouting Material: Not available **Depth:** From (not available) To (not available) Information

Installation Method: Not available Number of Bags Used: Not available

Well

Sealing Material: Not available **Depth:** From (not available) To (not available) **Abandonment** 

Installation Method: Not available Number of Bags Used: Not available

Administrative **County: MARION** Township: 15N

> Range: 3E Section: NE of the SW of the NW of Section 8

Topo Map: INDIANAPOLIS WEST Grant: Not available

Field Located By: Not available Field Located On: 5/1/1974

Courthouse Location By: Not available Courthouse Location On: Not available

Location Accepted w/o Verification By: Not Location Accepted w/o Verification On: Not

available available

Subdivision Name: Not available Lot Number: Not available **Ft W of EL:** 4.400.0 **Ft N of SL:** 3.700.0

Ft E of WL: Not available Ft S of NL: Not available

**Ground Elevation: 713.0** Depth of Bedrock: Not available

Bedrock Elevation: Not available Aguifer Elevation: 680.0 **UTM Easting:** 565812.3 **UTM Northing:** 4401228.5

### Well Log

Test

Тор	Bottom	Formation
0.0	14.0	TOPSOIL & CLAY
14.0	26.0	SAND
26.0	33.0	CLAY
33.0	45.0	SAND

Reference
Number

Driving Direction to Well

Date Completed

172563 Not available 2/3/1955

OwnerContractor

Name
Address
Telephone

Owner RICHARD HAMILTON 4025 ROCKVILLE RD Not available

Driller HAMILTON BROS Not available

Not available

Operator Not available License Not available

**Construction Details** 

Well Use: Home Drilling Method: Not available Pump Type: Not available

Depth: 77.0 Pump Setting Depth: Not Water Quality: Not available

available

Casing Length: Not available Material: Not available Diameter: 4.0

Screen Length: 5.5 Material: Not available Diameter: Not available

Slot Size: Not available

Well Capacity

Test Type of Test: Pumping Test Rate: 10.0 gpm Bail Test Rate: Not available

Drawdown: 62.0 ft.

Static Water Level: Not
Bailer Drawdown: Not available

available

Grouting Information Material: Not available Depth: From (not available) To (not available)

Installation Method: Not available Number of Bags Used: Not available

Well

Abandonment Sealing Material: Not available Depth: From (not available) To (not available)

Installation Method: Not available Number of Bags Used: Not available

Administrative County: MARION Township: 15N

Range: 3E Section: NW of the NW of Section 8

**Topo Map:** INDIANAPOLIS WEST **Grant:** Not available

Field Located By: Not available Field Located On: Not available

Courthouse Location By: Not available Courthouse Location On: Not available

Location Accepted w/o Verification By: Not Location Accepted w/o Verification On: Not

available available

Subdivision Name:Not availableFt W of EL:Not availableFt E of WL:Not availableFt E of WL:Not availableFt S of NL:Not available

Ground Elevation: Not available

Bedrock Elevation: Not available

UTM Easting: Not available

UTM Northing: Not available

UTM Northing: Not available

Well Log

Тор	Bottom	Formation
0.0	70.0	SANDY CLAY
70.0	77.0	SAND GRAV

## Comments

Reference **Driving Direction to Well Date Completed** Number

172568 Not available 2/4/1955

Owner-Name Address Telephone Contractor

4023 ROCKVILLE RD Owner HAMILTON BROS Not available Driller HAMILTON BROS Not available Not available

Operator Not available License Not available

**Construction Details** 

Well Use: Home **Drilling Method:** Not available **Pump Type:** Not available

> Pump Setting Depth: Not **Depth:** 45.0 Water Quality: Not available

available

Casing Length: Not available Material: Not available Diameter: 4.0

Screen Length: 5.5 Material: Not available Diameter: Not available

Slot Size: Not available

**Well Capacity** 

Bail Test Rate: Not available Type of Test: Pumping Test Rate: 10.0 gpm Test

> Static Water Level: Not Drawdown: 25.0 ft. Bailer Drawdown: Not available

available

Grouting Material: Not available **Depth:** From (not available) To (not available) Information

Installation Method: Not available Number of Bags Used: Not available

Well

Sealing Material: Not available **Depth:** From (not available) To (not available) **Abandonment** 

Installation Method: Not available Number of Bags Used: Not available

Administrative **County: MARION** Township: 15N

> Range: 3E Section: NW of the NW of Section 8

Topo Map: INDIANAPOLIS WEST Grant: Not available

Field Located By: Not available Field Located On: Not available

Courthouse Location By: Not available Courthouse Location On: Not available

Location Accepted w/o Verification By: Not Location Accepted w/o Verification On: Not

available available

Subdivision Name: Not available Lot Number: Not available Ft W of EL: Not available Ft N of SL: Not available Ft E of WL: Not available Ft S of NL: Not available

Ground Elevation: Not available Depth of Bedrock: Not available Bedrock Elevation: Not available Aguifer Elevation: Not available **UTM Easting:** Not available **UTM Northing:** Not available

Тор	Bottom	Formation	
0.0	18.0	CLAY	
18.0	23.0	DRY GRAV	
23.0	34.0	SANDY CLAY	
34.0	45.0	S&G	

Reference **Driving Direction to Well Date Completed** Number

172576 515 S LYONS NORTH ON WASHINGTON ON E SIDE 11/26/1974

Owner-Name Address Telephone Contractor

Owner WRIGHT MANUFACTURING Not available Not available Driller HAMILTON BROS INC PO BOX 24181 INDIANAPOLIS, IND Not available

Operator C W HARNESS License Not available

**Construction Details** 

Well Use: Industry **Drilling Method:** Rotary Pump Type: Not available

Pump Setting Depth: Not **Depth:** 60.0 Water Quality: Not available available

Casing Length: 58.0 Material: Not available Diameter: 5.0

Screen Length: 2.0 Material: Not available Diameter: 5.0

Slot Size: .060

**Well Capacity** Bail Test Rate: 15.0 gpm for 1.0 Type of Test: Not available Test Rate: Not available

hrs

Static Water Level: Not Drawdown: Not available Bailer Drawdown: Not available available

Grouting Material: Not available **Depth:** From (not available) To (not available) Information

Installation Method: Not available Number of Bags Used: Not available

Well

Test

Sealing Material: Not available **Depth:** From (not available) To (not available) **Abandonment** 

Installation Method: Not available Number of Bags Used: Not available

Administrative **County: MARION** Township: 15N

> Range: 3E Section: NW of Section 8 Topo Map: INDIANAPOLIS WEST Grant: Not available

Field Located By: Not available Field Located On: Not available

Courthouse Location By: Not available Courthouse Location On: Not available Location Accepted w/o Verification On:

7/1/1975

Location Accepted w/o Verification By: TMB

Subdivision Name: Not available Lot Number: Not available Ft W of EL: Not available Ft N of SL: Not available Ft E of WL: Not available Ft S of NL: Not available

Ground Elevation: Not available Depth of Bedrock: Not available Bedrock Elevation: Not available Aguifer Elevation: Not available

UTM Easting: Not available **UTM Northing:** Not available

Well Log

Тор	Bottom	Formation
0.0	48.0	TOPSOIL & CLAY
48.0	60.0	GRAV

Comments None

Reference **Driving Direction to Well Date Completed** Number

173701 PLANT #2 NE CORNER WELL #2 11/7/1940

Owner-Name Address Telephone Contractor Owner ALLISON ENGINEERING Not available Not available Driller LAYNE NORTHERN Not available Not available

Operator JAMES NESS License Not available

**Construction Details** 

Well Use: Not available **Drilling Method:** Not available **Pump Type:** Not available

> Pump Setting Depth: Not **Depth:** 114.0 Water Quality: Not available

available

Casing Length: 104.0 Material: Not available Diameter: 12.0 Screen Length: 10.0 Material: Not available Diameter: 6.0

Slot Size: Not available

**Well Capacity** 

Type of Test: Not available Test Rate: Not available Bail Test Rate: 400.0 gpm Test

> Drawdown: Not available Static Water Level: 26.0 ft. Bailer Drawdown: 43.0 ft.

Grouting Information

Material: Not available **Depth:** From (not available) To (not available)

Installation Method: Not available Number of Bags Used: Not available

Well

Sealing Material: Not available **Depth:** From (not available) To (not available) **Abandonment** 

Installation Method: Not available Number of Bags Used: Not available

Administrative Township: 16N **County: MARION** 

> Range: 3E Section: SE of Section 31 Topo Map: INDIANAPOLIS WEST Grant: Not available

Field Located By: Not available Field Located On: Not available

Courthouse Location By: Not available Courthouse Location On: Not available

Location Accepted w/o Verification By: Not Location Accepted w/o Verification On: Not

available available

Subdivision Name: ALLISON GMC PLANT #2

Lot Number: Not available Ft W of EL: Not available Ft N of SL: Not available Ft E of WL: Not available Ft S of NL: Not available

Ground Elevation: Not available Depth of Bedrock: Not available Bedrock Elevation: Not available Aquifer Elevation: Not available **UTM Northing:** Not available **UTM Easting:** Not available

Тор	Bottom	Formation
0.0	8.0	FILL
8.0	14.0	GRAVEL
14.0	18.0	HARD PAN
18.0	30.0	GRAVEL
30.0	34.0	BOULDERS

34.0	105.0	CLAY
105.0	108.0	COARSE SAND
108.0	114.0	FN GRAVEL

Comments (WELL DIAGRAM AVIALABLE)

Reference **Driving Direction to Well Date Completed** Number

173706 END OF GILMAN ST OFF SPEEDWAY MAIN 3 BLKS S OF 16TH 2/27/1964

Owner-Name Address Telephone Contractor 4700 W GILMAN Not available Owner CENTRAL LIME CORP

Driller HAMILTON BROS 4025 ROCKVILLE RD Operator WHEELER License Not available

**Construction Details** 

Well Use: Industry **Drilling Method:** Rotary Pump Type: Not available

Pump Setting Depth: Not **Depth:** 116.0 Water Quality: Not available available

Not available

**Length:** 114.0 Material: Not available Diameter: 4.3

Casing Screen Length: 2.0 Material: Not available Diameter: 4.0

Slot Size: 50

**Well Capacity** Bail Test Rate: 20.0 gpm for 1.0 Test Rate: Not available Type of Test: Bailing

Drawdown: Not available Static Water Level: 35.0 ft. Bailer Drawdown: 45.0 ft.

Grouting Material: Not available **Depth:** From (not available) To (not available) Information

Installation Method: Not available Number of Bags Used: Not available

Well

Test

Sealing Material: Not available **Depth:** From (not available) To (not available) **Abandonment** 

Installation Method: Not available Number of Bags Used: Not available

Administrative Township: 16N **County: MARION** 

> Range: 3E Section: NE of the SE of the SE of Section 31

Topo Map: INDIANAPOLIS WEST Grant: Not available

Field Located By: Not available Field Located On: Not available

Courthouse Location By: Not available Courthouse Location On: Not available Location Accepted w/o Verification On:

Location Accepted w/o Verification By: U 5/1/1964

Subdivision Name: Not available Lot Number: Not available

Ft W of EL: 500.0 **Ft N of SL:** 1.100.0 Ft E of WL: Not available Ft S of NL: Not available

**Ground Elevation: 728.0** Depth of Bedrock: Not available

Bedrock Elevation: Not available Aguifer Elevation: 612.0

**UTM Northing:** 4403759 **UTM Easting:** 565383

Тор	Bottom	Formation
0.0	10.0	CLAY
10.0	33.0	GRAVEL & SAND
33.0	49.0	CLAY
49.0	56.0	SAND MED. CRS
56.0	111.0	CLAY

# Comments

Reference **Driving Direction to Well Date Completed** Number

173711 AT #2 TEST SITE SE CORNER PERMANENT #2 Not available

Owner-Name Address Telephone Contractor

Not available Owner ALLISON ENGINEERING Not available Driller LAYNE NORTHERN Not available Not available

Operator WILLIAM WAGNER License Not available

**Construction Details** 

Well Use: Industry **Drilling Method:** Not available **Pump Type:** Not available

> Pump Setting Depth: Not **Depth:** 114.0 Water Quality: Not available

available

Casing Length: 105.0 Material: Not available Diameter: 12.0 Screen Length: 10.0 Material: Not available Diameter: 6.0

Slot Size: #4

**Well Capacity** 

Type of Test: Not available Test Rate: Not available Bail Test Rate: 270.0 gpm Test

> Drawdown: Not available Static Water Level: 28.0 ft. Bailer Drawdown: Not available

Grouting

Material: Not available **Depth:** From (not available) To (not available) Information

Installation Method: Not available Number of Bags Used: Not available

Well

Sealing Material: Not available **Depth:** From (not available) To (not available) **Abandonment** 

Installation Method: Not available Number of Bags Used: Not available

Administrative Township: 16N **County: MARION** 

> Range: 3E Section: SE of Section 31 Topo Map: INDIANAPOLIS WEST Grant: Not available

Field Located By: Not available Field Located On: Not available

Courthouse Location By: Not available Courthouse Location On: Not available

Location Accepted w/o Verification By: Not Location Accepted w/o Verification On: Not

available available

Subdivision Name: Not available Lot Number: Not available Ft W of EL: Not available Ft N of SL: Not available

Ft E of WL: Not available Ft S of NL: Not available

Ground Elevation: Not available Depth of Bedrock: Not available Bedrock Elevation: Not available Aquifer Elevation: Not available **UTM Northing:** Not available **UTM Easting:** Not available

Тор	Bottom	Formation
0.0	8.0	FILL
8.0	14.0	GRAVEL
14.0	18.0	HARDPAN
18.0	30.0	GRAVEL
30.0	34.0	BOULDERS

34.0	52.0	HARD CLAY
52.0	59.0	CLAY & GRAVEL
59.0	77.0	TOUGH CLAY
77.0	99.0	HARD CLAY
99.0	105.0	TOUGH CLAY
105.0	108.0	MEDIUM SAND
108.0	114.0	FN GRAVEL

### Comments (WELL DIAGRAM

DIAGRAM AVAILABLE)

Reference **Driving Direction to Well Date Completed** Number

173716 N.W. CORNER PLANT #2 PERMANENT#2 2/12/1941

Owner-Name Address Telephone Contractor Owner ALLISON ENGINEERING Not available Not available Driller LAYNE NORTHERN Not available Not available

Operator WAGNER AND POOLE License Not available

**Construction Details** 

Well Use: Industry **Drilling Method:** Not available **Pump Type:** Not available

> Pump Setting Depth: Not **Depth:** 121.0 Water Quality: Not available

available

Casing Length: 108.0 Material: Not available Diameter: 40.0 Screen **Length: 15.0** Material: Not available Diameter: 8.0

Slot Size: #4

**Well Capacity** 

Test Rate: Not available Bail Test Rate: Not available Type of Test: Not available Test

> Drawdown: Not available Static Water Level: 32.0 ft. Bailer Drawdown: Not available

Grouting

Material: Not available **Depth:** From (not available) To (not available) Information

Installation Method: Not available Number of Bags Used: Not available

Well

Sealing Material: Not available **Depth:** From (not available) To (not available) **Abandonment** 

Installation Method: Not available Number of Bags Used: Not available

Administrative Township: 16N **County: MARION** 

> Range: 3E Section: SE of Section 31 Topo Map: INDIANAPOLIS WEST Grant: Not available

Field Located By: Not available Field Located On: Not available

Courthouse Location By: Not available Courthouse Location On: Not available

Location Accepted w/o Verification By: Not Location Accepted w/o Verification On: Not

available available

Subdivision Name: Not available Lot Number: Not available Ft W of EL: Not available Ft N of SL: Not available

Ft E of WL: Not available Ft S of NL: Not available Ground Elevation: Not available Depth of Bedrock: Not available Bedrock Elevation: Not available Aquifer Elevation: Not available

**UTM Northing:** Not available **UTM Easting:** Not available

Тор	Bottom	Formation
0.0	2.0	TOP SOIL
2.0	10.0	GRAVEL
10.0	14.0	CLAY
14.0	31.0	GRAVEL
31.0	43.0	CLAY

43.0	52.0	HARD PAN
52.0	61.0	S&G
61.0	108.0	TOUGH CLAY
108.0	113.0	SAND & CLAY BALLS
113.0	122.0	COARSE S&G

(WELL DEIAGRAM IN ORIGINAL)

Reference **Driving Direction to Well** Number

173721 WELL #4 Not available

Owner-

Name Address Telephone Contractor Owner PRESTO LITE Not available Not available Driller LAYNE NORTHERN Not available Not available

Operator CHARLES KIMBAL License Not available

**Construction Details** 

Well Use: Not available **Drilling Method:** Not available **Pump Type:** Not available

> Pump Setting Depth: Not **Depth:** 98.0 Water Quality: Not available

**Date Completed** 

available

Casing Length: Not available Material: Not available Diameter: Not available Screen Length: Not available Material: Not available Diameter: Not available

Slot Size: Not available

**Well Capacity** 

Test Rate: Not available Bail Test Rate: Not available Type of Test: Not available Test

> Static Water Level: Not Drawdown: Not available Bailer Drawdown: Not available

available

Grouting

Material: Not available **Depth:** From (not available) To (not available) Information

Installation Method: Not available Number of Bags Used: Not available

Well

Sealing Material: Not available **Depth:** From (not available) To (not available) **Abandonment** 

Installation Method: Not available Number of Bags Used: Not available

Administrative **County: MARION** Township: 16N

> Range: 3E Section: SE of Section 31 Topo Map: INDIANAPOLIS WEST Grant: Not available

Field Located By: Not available Field Located On: Not available

Courthouse Location By: Not available Courthouse Location On: Not available

Location Accepted w/o Verification By: Not Location Accepted w/o Verification On: Not

available available

Subdivision Name: Not available Lot Number: Not available Ft W of EL: Not available Ft N of SL: Not available Ft E of WL: Not available Ft S of NL: Not available

Ground Elevation: Not available Depth of Bedrock: Not available Bedrock Elevation: Not available Aguifer Elevation: Not available UTM Easting: Not available **UTM Northing:** Not available

Тор	Bottom	Formation
0.0	9.0	CLAY
9.0	17.0	GRAVEL
17.0	32.0	CLAY
32.0	34.0	GRAVEL

34.0	38.0	CLAY
38.0	42.0	GRAVEL
42.0	98.0	CLAY

## **Comments** SEE MAP

Reference
Number

Driving Direction to Well

Date Completed

173731 Not available 9/28/1988

OwnerContractor

Name
Address
Telephone

Owner FLOYD MADOWS 1027 N OLIN INDPLS IN Not available

Driller MATLOCK WELL DRILLING 4701 W MORRISINDPLS IN (000)241-8284

Operator TIM DAVIS License: 66

**Construction Details** 

Well Use: Home Drilling Method: Rotary Pump Type: Not available

Depth: 92.0 Pump Setting Depth: Not Water Quality: CLEAR

available available Sing Length: 92.0 Material: PVC Diameter: 4.0

Casing Length: 92.0 Material: PVC Diameter: 4.0 Screen Length: 5.0 Material: PVC Diameter: 4.0

Slot Size: #60

**Well Capacity** 

Test Type of Test: Not available Test Rate: 20.0 gpm Bail Test Rate: Not available

Drawdown: Not available Static Water Level: 25.0 ft. Bailer Drawdown: Not available

Grouting Information Material: Not available Depth: From (not available) To (not available)

**Installation Method:** Not available **Number of Bags Used:** Not available

Well

Abandonment Sealing Material: Not available Depth: From (not available) To (not available)

Installation Method: Not available Number of Bags Used: Not available

Administrative County: MARION Township: 16N

Range: 3E Section: SW of the SW of the SE of Section 32

Topo Map: INDIANAPOLIS WEST Grant: Not available

Field Located By: Not available Field Located On: Not available

Courthouse Location By: Not available Courthouse Location On: Not available

Location Accepted w/o Verification By: Not Location Accepted w/o Verification On: Not

available available

Subdivision Name:Not availableFt W of EL:Not availableFt E of WL:Not availableFt E of WL:Not available
Ft S of NL:
Not available
Ft S of NL:
Not available

Ground Elevation: Not available

Bedrock Elevation: Not available

Aquifer Elevation: Not available

LTM Facting: Not available

LTM Northing: Not available

UTM Easting: Not available UTM Northing: Not available

Тор	Bottom	Formation
0.0	3.0	TOP SOIL
3.0	15.0	AVE BURDEN
15.0	57.0	GRAVEL
57.0	64.0	CLAY
64.0	92.0	GRAVEL

Reference **Driving Direction to Well Date Completed** Number

173736 Not available Not available

Owner-Name Address Telephone Contractor

1111 N OLIN AVE INDPLS IN Owner RAY MEDSKER (000)637-0851 Driller MATLOCK WELL DRILLING 4701 W MORRISINDPLS IN (000)241-8284

Operator Not available License Not available

**Construction Details** 

Well Use: Home **Drilling Method:** Rotary Pump Type: Not available

Pump Setting Depth: Not **Depth:** 133.0 Water Quality: CLEAR

available

Material: PVC Casing Length: 133.0 Diameter: 4.0

Screen Length: Not available Material: Not available Diameter: Not available

Slot Size: Not available

**Well Capacity** 

Type of Test: Not available Bail Test Rate: Not available Test Rate: 10.0 gpm Test

> Drawdown: Not available Static Water Level: 40.0 ft. Bailer Drawdown: Not available

Grouting Material: Not available **Depth:** From (not available) To (not available) Information

Installation Method: Not available Number of Bags Used: Not available

Well

Sealing Material: Not available **Depth:** From (not available) To (not available) **Abandonment** 

Installation Method: Not available Number of Bags Used: Not available

Administrative Township: 16N **County: MARION** 

> Range: 3E Section: SW of the SE of Section 32

Topo Map: INDIANAPOLIS WEST Grant: Not available

Field Located By: Not available Field Located On: Not available

Courthouse Location By: Not available Courthouse Location On: Not available

Location Accepted w/o Verification By: Not Location Accepted w/o Verification On: Not

available available

Subdivision Name: Not available Lot Number: Not available Ft W of EL: Not available Ft N of SL: Not available Ft E of WL: Not available Ft S of NL: Not available

Ground Elevation: Not available Depth of Bedrock: Not available Bedrock Elevation: Not available Aquifer Elevation: Not available

**UTM Northing:** Not available **UTM Easting:** Not available

Тор	Bottom	Formation
0.0	3.0	TOP SOIL
3.0	37.0	GRAVEL
37.0	65.0	CLAY
65.0	67.0	GRAVEL
67.0	96.0	CLAY

96.0	98.0	GRAVEL
98.0	130.0	CLAY
130.0	133.0	GRAVEL

## **Comments** None

Reference **Driving Direction to Well Date Completed** Number

173741 1115 ALIN STREET 4/2/1990

Owner-Name Address Telephone Contractor

RUSSELL DILL 7136 BUICK DR INDPLS IN (000)244-9446 Owner Driller HAMILTON BROS INC 4025 ROCKVILLE RD INDPLS IN (000)241-2577

Operator ROBERT D SCHELLENBURG License: #36

**Construction Details** 

Well Use: Home **Drilling Method:** Rotary Pump Type: Submersible **Depth:** 87.0 Pump Setting Depth: 50.0 Water Quality: CLEAR

Length: 83.0 Material: PVC Diameter: 4.0 Casing Screen Length: 4.0 Material: PVC Diameter: 4.0

Slot Size: .060

**Well Capacity** 

Type of Test: Bailing Test Rate: 10.0 gpm for 1.0 hrs. Bail Test Rate: Not available Test

> Drawdown: 20.0 ft. Static Water Level: 30.0 ft. Bailer Drawdown: Not available

Grouting

Material: ENVIROPLUG **Depth:** From 0.0 To 81.0 Information

> Installation Method: TREM Number of Bags Used: 7.0

Well

Sealing Material: Not available **Depth:** From (not available) To (not available) **Abandonment** 

Installation Method: Not available Number of Bags Used: Not available

Administrative **County: MARION** Township: 16N

> Range: 3E Section: SE of the SW of Section 32

Topo Map: INDIANAPOLIS WEST Grant: Not available

Field Located By: Not available Field Located On: Not available

Courthouse Location By: Not available Courthouse Location On: Not available Location Accepted w/o Verification By: Not Location Accepted w/o Verification On: Not

available available

Subdivision Name: Not available Lot Number: Not available Ft W of EL: Not available Ft N of SL: Not available

Ft E of WL: Not available Ft S of NL: Not available

Ground Elevation: Not available **Depth of Bedrock:** Not available Bedrock Elevation: Not available Aguifer Elevation: Not available UTM Easting: Not available **UTM Northing:** Not available

Well Log

Тор	Bottom	Formation
0.0	5.0	TOP SOIL & CLAY
5.0	37.0	GRAVEL
37.0	81.0	CLAY
81.0	87.0	GRAVEL

#### Comments

Reference **Driving Direction to Well** Number

173746 NO INFO PROVIDED

Name

**Date Completed** 

Not available

Owner-Contractor

RUSS DILL Owner Driller Not available Address

1117 N. OLIN Not available

License Not available

Not available Not available

Telephone

Operator WOODIE

**Construction Details** 

Well Use: Home

**Depth:** 46.0

Casing Length: Not available Screen Length: Not available Slot Size: Not available **Drilling Method:** Cable Tool Pump Type: Not available Pump Setting Depth: Not

Water Quality: Not available Diameter: Not available Diameter: Not available

**Well Capacity** Test

Type of Test: Not available

Test Rate: 10.0 gpm Bail Test Rate: Not available

Static Water Level: Not

Material: Not available

Material: Not available

available

available

Bailer Drawdown: Not available

Grouting Information

Material: Not available

Drawdown: 20.0 ft.

**Depth:** From (not available) To (not available)

Township: 16N

**Grant:** Not available

Installation Method: Not available Number of Bags Used: Not available

Well

**Abandonment** 

Sealing Material: Not available **Depth:** From (not available) To (not available)

Installation Method: Not available Number of Bags Used: Not available

Administrative

**County: MARION** 

Range: 3E

Topo Map: INDIANAPOLIS WEST

Field Located By: Not available

Courthouse Location By: Not available

Location Accepted w/o Verification By: U

Field Located On: Not available

Courthouse Location On: Not available Location Accepted w/o Verification On:

Section: NW of the SW of the SE of Section 32

5/1/1965

Subdivision Name: Not available Lot Number: Not available Ft W of EL: Not available Ft N of SL: Not available Ft E of WL: Not available Ft S of NL: Not available

Ground Elevation: Not available Depth of Bedrock: Not available Bedrock Elevation: Not available Aguifer Elevation: Not available **UTM Easting:** Not available **UTM Northing:** Not available

Well Log

Тор	Bottom	Formation
0.0	40.0	GRAVEL

Comments

Reference **Driving Direction to Well Date Completed** Number

173771 WELL#3 12/5/1936

Owner-Name Address Telephone Contractor

Owner PRESTO LITE CORP Not available Not available Driller LAYNE NORTHERN Not available Not available

Operator CHARLES KIMBAL License Not available

**Construction Details** 

Well Use: Not available **Drilling Method:** Not available **Pump Type:** Not available

> Pump Setting Depth: Not **Depth:** 103.0 Water Quality: Not available

available

Casing Length: Not available Material: Not available Diameter: Not available Screen Length: Not available Material: Not available Diameter: Not available

Slot Size: Not available

**Well Capacity** 

Type of Test: Not available Bail Test Rate: Not available Test Rate: Not available Test

> Drawdown: Not available Static Water Level: 18.0 ft. Bailer Drawdown: Not available

Grouting Material: Not available **Depth:** From (not available) To (not available) Information

Installation Method: Not available Number of Bags Used: Not available

Well

Sealing Material: Not available **Depth:** From (not available) To (not available) **Abandonment** 

Installation Method: Not available Number of Bags Used: Not available

Administrative Township: 16N County: MARION

> Range: 3E Section: SE of Section 31 Topo Map: INDIANAPOLIS WEST Grant: Not available

Field Located By: Not available Field Located On: Not available

Courthouse Location By: Not available Courthouse Location On: Not available

Location Accepted w/o Verification By: Not Location Accepted w/o Verification On: Not

available available

Subdivision Name: Not available Lot Number: Not available Ft W of EL: Not available Ft N of SL: Not available Ft E of WL: Not available Ft S of NL: Not available

Ground Elevation: Not available Depth of Bedrock: Not available Bedrock Elevation: Not available Aquifer Elevation: Not available **UTM Northing:** Not available **UTM Easting:** Not available

Тор	Bottom	Formation
0.0	12.0	CLAY
12.0	19.0	GRAVEL
19.0	35.0	CLAY
35.0	41.0	GRAVEL
41.0	50.0	CLAY

50.0	62.0	GRAVEL
62.0	103.0	CLAY

Reference **Driving Direction to Well Date Completed** Number

173776 WELL #1 11/12/1936

Owner-Name Address Telephone Contractor

Owner PRESTO LITE Not available Not available Driller LAYNE NORTHERN Not available Not available

Operator CHARLES KIMBAL License Not available

**Construction Details** 

Well Use: Not available **Drilling Method:** Not available **Pump Type:** Not available

> Pump Setting Depth: Not **Depth:** 108.0 Water Quality: Not available

available

Casing Length: Not available Material: Not available Diameter: Not available Screen Length: Not available Material: Not available Diameter: Not available

Slot Size: Not available

**Well Capacity** 

Type of Test: Not available Bail Test Rate: Not available Test Rate: Not available Test

> Drawdown: Not available Static Water Level: 23.0 ft. Bailer Drawdown: Not available

Grouting Material: Not available **Depth:** From (not available) To (not available) Information

Installation Method: Not available Number of Bags Used: Not available

Well

Sealing Material: Not available **Depth:** From (not available) To (not available) **Abandonment** 

Installation Method: Not available Number of Bags Used: Not available

Administrative Township: 16N County: MARION

> Range: 3E Section: SE of Section 31 Topo Map: INDIANAPOLIS WEST Grant: Not available

Field Located By: Not available Field Located On: Not available

Courthouse Location By: Not available Courthouse Location On: Not available

Location Accepted w/o Verification By: Not Location Accepted w/o Verification On: Not

available available

Subdivision Name: Not available Lot Number: Not available Ft W of EL: Not available Ft N of SL: Not available Ft E of WL: Not available Ft S of NL: Not available

Ground Elevation: Not available Depth of Bedrock: Not available Bedrock Elevation: Not available Aquifer Elevation: Not available

**UTM Northing:** Not available **UTM Easting:** Not available

Тор	Bottom	Formation
0.0	6.0	CLAY
6.0	17.0	GRAVEL
17.0	23.0	CLAY
23.0	33.0	S&G
33.0	53.0	CLAY

53.0	64.0	GRAVEL
64.0	86.0	CLAY
86.0	87.0	FN GRAVEL
87.0	108.0	CLAY

Reference **Driving Direction to Well Date Completed** Number

173781 WELL #2 11/25/1939

Owner-Name Address Telephone

Contractor Owner PRESTO LITE Not available Not available Driller LAYNE NORTHERN Not available Not available

Operator CHARLES KIMBAL License Not available

**Construction Details** 

Well Use: Not available **Drilling Method:** Not available **Pump Type:** Not available

> Pump Setting Depth: Not **Depth:** 102.0 Water Quality: Not available

available

Casing Length: Not available Material: Not available Diameter: Not available Screen Length: Not available Material: Not available Diameter: Not available

Slot Size: Not available

**Well Capacity** 

Type of Test: Not available Bail Test Rate: Not available Test Rate: Not available Test

> Drawdown: Not available Static Water Level: 18.0 ft. Bailer Drawdown: Not available

Grouting Material: Not available **Depth:** From (not available) To (not available) Information

Installation Method: Not available Number of Bags Used: Not available

Well

Sealing Material: Not available **Depth:** From (not available) To (not available) **Abandonment** 

Installation Method: Not available Number of Bags Used: Not available

Administrative Township: 16N County: MARION

> Range: 3E Section: SE of Section 31 Topo Map: INDIANAPOLIS WEST Grant: Not available

Field Located By: Not available Field Located On: Not available

Courthouse Location By: Not available Courthouse Location On: Not available

Location Accepted w/o Verification By: Not Location Accepted w/o Verification On: Not

available available

Subdivision Name: Not available Lot Number: Not available Ft W of EL: Not available Ft N of SL: Not available Ft E of WL: Not available Ft S of NL: Not available

Ground Elevation: Not available Depth of Bedrock: Not available Bedrock Elevation: Not available Aquifer Elevation: Not available **UTM Northing:** Not available **UTM Easting:** Not available

Тор	Bottom	Formation
0.0	6.0	CLAY
6.0	24.0	GRAVEL
24.0	63.0	CLAY
63.0	67.0	GRAVEL
67.0	102.0	CLAY

Reference
Number

Driving Direction to Well

Date Completed

179995 325 FEET S OF TEST #16 5/27/1940

OwnerContractor

Name
Address
Telephone

Owner ALLISON ENGINEERING CO
PLANT 3 Not available Not available

Driller LAYNE NORTHERN Not available Not available

Organization IAMEO NECO License Net emilete

Operator JAMES NESS License Not available

**Construction Details** 

Well Use: Test Drilling Method: Not available Pump Type: Not available

Depth: Not available

Pump Setting Depth: Not

Water Quality: Not available

available available

Casing Length: Not available Material: Not available Diameter: Not available Screen Length: Not available Material: Not available Diameter: Not available

Slot Size: Not available

Well Capacity
Test
Type of Test: Not available
Test Rate: Not available
Test Rate: Not available

Drawdown: Not available Static Water Level: 17.0 ft. Bailer Drawdown: Not available

Grouting
Information

Material: Not available
Depth: From (not available) To (not available)

Installation Method: Not available Number of Bags Used: Not available

Well

Abandonment Sealing Material: Not available Depth: From (not available) To (not available)

Installation Method: Not available Number of Bags Used: Not available

Administrative County: MARION Township: 15N

Range: 3E Section: NE of the NW of the NE of Section 6

**Topo Map:** INDIANAPOLIS WEST **Grant:** Not available

Field Located By: Not available Field Located On: Not available

Courthouse Location By: Not available Courthouse Location On: Not available

Location Accepted w/o Verification By: Not Location Accepted w/o Verification On: Not

available available

**Subdivision Name:** Not available **Lot Number:** Not available **Ft W of EL:** 1,950.0 **Ft N of SL:** Not available

Ft E of WL: Not available Ft S of NL: 400.0

Ground Elevation: 723.0 Depth of Bedrock: 105.0 Bedrock Elevation: 618.0 Aquifer Elevation: Not available

**UTM Easting:** 564988.5 **UTM Northing:** 4403279.5

Bottom	Formation
6.0	SOIL DIRT
13.0	GRAV
35.0	HARDPAN
39.0	GRAV
	6.0 13.0 35.0

39.0	46.0	HARDPAN
46.0	59.0	GRAV
59.0	101.0	TOUGHT CLAY
101.0	105.0	FINE SAND
105.0	107.0	SH

TEST WELL NO.

17

Reference **Driving Direction to Well Date Completed** Number

180000 PLANT 3, 10TH & MAIN 10/1/1940

Owner-Name Address Telephone Contractor

Not available Owner ALLISON DIV GMC Not available Driller LAYNE NORTHERN Not available Not available

Operator Not available License Not available

**Construction Details** 

Well Use: Not available **Drilling Method:** Not available **Pump Type:** Not available

> Pump Setting Depth: Not **Depth:** 59.0 Water Quality: Not available

available

Casing Length: Not available Material: Not available Diameter: 18.0

Screen Length: Not available Material: Not available Diameter: Not available

Slot Size: Not available

**Well Capacity** 

Type of Test: Not available Bail Test Rate: Not available Test Rate: Not available Test

> Drawdown: Not available Static Water Level: 18.0 ft. Bailer Drawdown: Not available

Grouting

Material: Not available **Depth:** From (not available) To (not available) Information

Installation Method: Not available Number of Bags Used: Not available

Well

Sealing Material: Not available **Depth:** From (not available) To (not available) **Abandonment** 

Installation Method: Not available Number of Bags Used: Not available

Administrative Township: 15N County: MARION

Range: 3E Section: NE of Section 6 Topo Map: INDIANAPOLIS WEST Grant: Not available

Field Located By: Not available Field Located On: Not available

Courthouse Location By: Not available Courthouse Location On: Not available

Location Accepted w/o Verification By: Not Location Accepted w/o Verification On: Not

available available

Subdivision Name: Not available Lot Number: Not available Ft W of EL: Not available Ft N of SL: Not available Ft E of WL: Not available Ft S of NL: Not available

Ground Elevation: Not available Depth of Bedrock: Not available Bedrock Elevation: Not available Aquifer Elevation: Not available **UTM Northing:** Not available **UTM Easting:** Not available

Тор	Bottom	Formation
0.0	4.0	SOIL & CLAY
4.0	16.0	DIZGRAV & SAND
16.0	32.0	GRAV & SAND
32.0	40.0	GRAV W/BOULDERS
40.0	42.0	GRAV W/FINE SAND

42.0	44.0	FINE SAND
44.0	48.0	CLAY
48.0	59.0	SAND W/GRAV
59.0		CLAY

Reference **Driving Direction to Well Date Completed** Number

180005 PLANT 23, WELL #3, LOG TEST #9 9/12/1939

Owner-Name Address Telephone Contractor

SPEEDWAY CITY Owner ALLISON ENGR CO Not available Driller LAYNE NORTHERN Not available Not available

Operator Not available License Not available

**Construction Details** 

Well Use: Not available **Drilling Method:** Not available **Pump Type:** Not available

> Pump Setting Depth: Not **Depth:** Not available Water Quality: Not available

available

Casing Length: Not available Material: Not available Diameter: 18.0

Screen **Length: 15.0** Material: Not available Diameter: 18.0

Slot Size: Not available

**Well Capacity** Type of Test: Not available Bail Test Rate: Not available Test Rate: Not available Test

> Drawdown: Not available Static Water Level: 12.0 ft. Bailer Drawdown: Not available

Grouting Material: Not available **Depth:** From (not available) To (not available) Information

Installation Method: Not available Number of Bags Used: Not available

Well

Sealing Material: Not available **Depth:** From (not available) To (not available) **Abandonment** 

Installation Method: Not available Number of Bags Used: Not available

Administrative Township: 15N County: MARION

> Range: 3E Section: NE of Section 6 Topo Map: INDIANAPOLIS WEST Grant: Not available

Field Located By: Not available Field Located On: Not available

Courthouse Location By: Not available Courthouse Location On: Not available

Location Accepted w/o Verification By: Not Location Accepted w/o Verification On: Not

available available

Subdivision Name: Not available Lot Number: Not available Ft W of EL: Not available Ft N of SL: Not available Ft E of WL: Not available Ft S of NL: Not available

Ground Elevation: Not available Depth of Bedrock: Not available Bedrock Elevation: Not available Aquifer Elevation: Not available **UTM Northing:** Not available **UTM Easting:** Not available

Тор	Bottom	Formation
0.0	4.0	SOIL
4.0	12.0	DRY GRAV & BOULDERS (SL 10')
12.0	35.0	GRAV
35.0	43.0	CLAY
43.0	56.0	GRAV & SAND

1	56.0	CLAY
	30.0	OLAT

Reference
Number

Driving Direction to Well

Date Completed

180010 690' E OF COSSEL RD AND W 10TH ST 5/21/1940

OwnerContractor

Name
Address
Telephone

Owner ALLISON ENGINEERING DIVISION Not available Not available

Driller LAYNE NORTHERN Not available Not available

Operator JAMES NESS License Not available

**Construction Details** 

Well Use: Not available Drilling Method: Not available Pump Type: Not available

Depth: Not available

Pump Setting Depth: Not

Water Quality: Not available

available available

Casing Length: Not available Material: Not available Diameter: Not available Screen Length: Not available Material: Not available Diameter: Not available

Slot Size: Not available

Well Capacity

Test Type of Test: Not available Test Rate: Not available Bail Test Rate: Not available

Drawdown: Not available Static Water Level: 20.0 ft. Bailer Drawdown: Not available

Grouting Information

Material: Not available Depth: From (not available) To (not available)

Installation Method: Not available Number of Bags Used: Not available

Well

Abandonment Sealing Material: Not available Depth: From (not available) To (not available)

Installation Method: Not available Number of Bags Used: Not available

Administrative County: MARION Township: 15N

Range: 3E Section: NE of the NW of the NE of Section 6

Topo Map: INDIANAPOLIS WEST Grant: Not available

Field Located By: Not available Field Located On: Not available

Courthouse Location By: Not available Courthouse Location On: Not available

Location Accepted w/o Verification By: Not Location Accepted w/o Verification On: Not

available available

Subdivision Name: Not available

Ft W of EL: 1.950.0

Lot Number: Not available

Ft N of SL: Not available

Ft W of EL: 1,950.0 Ft N of SL: Not available Ft E of WL: Not available Ft S of NL: 100.0

**Ground Elevation:** 725.0 **Depth of Bedrock:** 113.0

Bedrock Elevation: 612.0 Aquifer Elevation: Not available

**UTM Easting:** 564965.3 **UTM Northing:** 4403396.5

Тор	Bottom	Formation
0.0	7.0	SOIL DIRT
7.0	17.0	GRAV
17.0	40.0	HARDPAN
40.0	44.0	GRAV
44.0	53.0	HARDPAN

53.0	61.0	GRAV
61.0	102.0	CLAY
102.0	113.0	FINE SAND
113.0	115.0	SH

Reference **Driving Direction to Well Date Completed** Number

180015 215' S OF #1 WELL, 25' E CENTER LINE GRANDIE AVE. 7/28/1941

Owner-Name Address Telephone Contractor Owner ALLISON ENGINEERING CO Not available Not available Driller LAYNE NORTHERN MISHAWAKA IN Not available

Operator V.L. KELLY License Not available

**Construction Details** 

Well Use: Industry **Drilling Method:** Not available **Pump Type:** Not available

> Pump Setting Depth: Not **Depth:** 56.0 Water Quality: Not available

available

Casing Length: 20.0 Material: Not available Diameter: 30.0

Screen Length: 35.0 Material: Not available Diameter: Not available

Slot Size: Not available

**Well Capacity** 

Type of Test: Not available Bail Test Rate: Not available Test Rate: Not available Test

> Drawdown: Not available Static Water Level: 18.0 ft. Bailer Drawdown: Not available

Grouting

Material: Not available **Depth:** From (not available) To (not available) Information

Installation Method: Not available Number of Bags Used: Not available

Well

Sealing Material: Not available **Depth:** From (not available) To (not available) **Abandonment** 

Installation Method: Not available Number of Bags Used: Not available

Administrative Township: 15N County: MARION

> Range: 3E Section: SE of the NE of the NE of Section 6

Topo Map: INDIANAPOLIS WEST Grant: Not available

Field Located By: Not available Field Located On: Not available

Courthouse Location By: Not available Courthouse Location On: Not available

Location Accepted w/o Verification By: Not Location Accepted w/o Verification On: Not

available available

Subdivision Name: Not available Lot Number: Not available

**Ft W of EL**: 50.0 Ft N of SL: Not available Ft E of WL: Not available Ft S of NL: 1.200.0

**Ground Elevation:** 720.0 Depth of Bedrock: Not available

Bedrock Elevation: Not available Aguifer Elevation: 664.0

**UTM Northing:** 4403066.5 **UTM Easting:** 565572.5

Тор	Bottom	Formation
0.0	2.0	CLAY FILL
2.0	8.0	HARD CLAY
8.0	12.0	S&G
12.0	28.0	GRITTY CLAY
28.0	35.0	S&G

35.0	42.0	GRITTY CLAY
42.0	48.0	FN SAND
48.0	55.0	CRS S&G
55.0	56.0	CLAY

Comments ADDT'L INFO STAPLED TO LOG;

Reference **Driving Direction to Well Date Completed** Number

180020 PLANT #3, 12" & 8" ROCK WELL. 1/12/1941

Owner-Name Address Telephone Contractor

Owner ALLISON ENGINEERING CO Not available Not available Driller LAYNE NORTHERN MISHAWAKA IN Not available

Operator WILLIAM WAGNER&CE POOLE License Not available

**Construction Details** 

Well Use: Not available **Drilling Method:** Not available **Pump Type:** Not available

> Pump Setting Depth: Not **Depth:** 362.0 Water Quality: Not available

available

Casing Length: Not available Material: Not available Diameter: 12.0 Screen Length: Not available Material: Not available Diameter: 8.0

Slot Size: Not available

**Well Capacity** 

Type of Test: Pumping Test Rate: 30.0 gpm Bail Test Rate: Not available Test

> Drawdown: 30.0 ft. Static Water Level: 69.0 ft. Bailer Drawdown: Not available

Grouting Material: Not available **Depth:** From (not available) To (not available) Information

Installation Method: Not available Number of Bags Used: Not available

Well

Sealing Material: Not available **Depth:** From (not available) To (not available) **Abandonment** 

Installation Method: Not available Number of Bags Used: Not available

Administrative Township: 15N County: MARION

> Range: 3E Section: NE of Section 6 Topo Map: INDIANAPOLIS WEST Grant: Not available

Field Located By: Not available Field Located On: Not available

Courthouse Location By: Not available Courthouse Location On: Not available

Location Accepted w/o Verification By: Not Location Accepted w/o Verification On: Not

available available

Subdivision Name: Not available Lot Number: Not available Ft W of EL: Not available Ft N of SL: Not available Ft E of WL: Not available Ft S of NL: Not available

Ground Elevation: Not available Depth of Bedrock: Not available Bedrock Elevation: Not available Aquifer Elevation: Not available **UTM Northing:** Not available **UTM Easting:** Not available

Тор	Bottom	Formation
0.0	5.0	TOPSOIL & CLAY
5.0	18.0	GRAV & SAND
18.0	52.0	HARD GRAVELLT CLAY
52.0	58.0	S&G
58.0	86.0	HARD GRAVELLY CLAY

86.0	107.0	MD CLAY
107.0	109.0	SOFT SHALE
109.0	120.0	MD CLAY
120.0	124.0	HARD GRAVELLY CLAY
124.0	129.0	STICKY SHALE
129.0	159.0	HARD SHALE
159.0	362.0	LS

Comments ADDTL INFO STAPLED TO LOG;

Reference **Driving Direction to Well Date Completed** Number

180221 E OF GRANDE, S OF 10TH ST. 3/24/1975

Owner-Name Address Telephone Contractor Owner DETROIT DIESEL ALLISON DIV. Not available Not available Not available

Driller LAYNE NORTHERN MISHAWAKA Operator E. ALLEN License Not available

**Construction Details** 

Well Use: Not available **Drilling Method:** Not available **Pump Type:** Not available

> Pump Setting Depth: Not **Depth:** 152.0 Water Quality: Not available

available

Casing Length: Not available Material: Not available Diameter: Not available Screen Length: Not available Material: Not available Diameter: Not available

Slot Size: Not available

**Well Capacity** 

Bail Test Rate: Not available Type of Test: Not available Test Rate: Not available Test

> Static Water Level: Not Drawdown: Not available Bailer Drawdown: Not available

available

Grouting

Material: Not available **Depth:** From (not available) To (not available) Information

Installation Method: Not available Number of Bags Used: Not available

Well

Sealing Material: Not available **Depth:** From (not available) To (not available) **Abandonment** 

Installation Method: Not available Number of Bags Used: Not available

Administrative **County: MARION** Township: 15N

> Range: 3E Section: NE of the NE of the NE of Section 5

Topo Map: INDIANAPOLIS WEST Grant: Not available

Field Located By: WDH Field Located On: 7/2/1967

Courthouse Location By: Not available Courthouse Location On: Not available

Location Accepted w/o Verification By: Not Location Accepted w/o Verification On: Not

available available

Subdivision Name: Not available Lot Number: Not available Ft W of EL: 200.0 Ft N of SL: Not available

Ft E of WL: Not available Ft S of NL: 300.0

**Ground Elevation: 715.0** Depth of Bedrock: 110.0

**Bedrock Elevation:** 605.0 Aguifer Elevation: Not available

**UTM Easting:** 567058.8 **UTM Northing:** 4403387.5

Bottom	Formation
7.0	TOPSOIL & SAND
29.0	MD S&G W/BOULDERS
45.0	CLAY
50.0	DIRTY S&G W/SOME CLAY
	7.0 29.0 45.0

50.0	98.0	CLAY
98.0	106.0	CRS GRAV W/CLAY STRIPS
106.0	110.0	GREY CLAY
110.0	152.0	BLK SHALE
152.0		DARK LS

APPROX LOCATION; SIMILAR TEST WELL ON SITE; MC; 170' E OF W FENCE, 45' N OF S FENCE;

Reference **Driving Direction to Well Date Completed** Number

180226 4050 W VERMONT 3/31/1979

Owner-Name Address Telephone Contractor

Owner Not available Not available Not available

PO BOX24181,4025 ROCKVILLE Driller HAMILTON BROS INC Not available ROAD, INDIANAPOLIS, IND

**DESTER HARNESS** License Not available Operator

**Construction Details** 

Well Use: Home **Drilling Method: Rotary** Pump Type: Not available

> Pump Setting Depth: Not **Depth:** 70.0 Water Quality: Not available

available

Material: Not available Casing Length: 67.0 Diameter: 4.0 Screen Length: 3.0 Material: Not available Diameter: 4.0

Slot Size: 60

Well Capacity

Type of Test: Not available Test Rate: 10.0 gpm for 1.0 hrs. Bail Test Rate: Not available Test

> Drawdown: 10.0 ft. Bailer Drawdown: Not available Static Water Level: 25.0 ft.

Grouting

Material: Not available **Depth:** From (not available) To (not available) Information

Installation Method: Not available Number of Bags Used: Not available

Well

Sealing Material: Not available **Depth:** From (not available) To (not available) **Abandonment** 

Installation Method: Not available Number of Bags Used: Not available

Administrative **County: MARION** Township: 15N

> Range: 3E Section: NW of Section 5 Topo Map: INDIANAPOLIS WEST Grant: Not available

Field Located By: Not available Field Located On: Not available

Courthouse Location By: Not available Courthouse Location On: Not available

Location Accepted w/o Verification By: SLP Location Accepted w/o Verification On: Not

SAW 6/14/79 available

Subdivision Name: Not available Lot Number: Not available Ft W of EL: Not available Ft N of SL: Not available

Ft E of WL: Not available Ft S of NL: Not available Ground Elevation: Not available Depth of Bedrock: Not available Bedrock Elevation: Not available Aguifer Elevation: Not available

UTM Easting: Not available **UTM Northing:** Not available

Well Log

Тор	Bottom	Formation
0.0	5.0	TOPSOIL & CLAY
5.0	40.0	GRAV
40.0	70.0	CLAY

#### Comments



Reference **Driving Direction to Well Date Completed** Number

180227 Not available 9/27/1954

Owner-Name Address Telephone Contractor

21 S EDGEHILL DR Owner HE MENDENHALL Not available Driller HAMILTON BROS Not available Not available

Operator Not available License Not available

**Construction Details** 

Well Use: Home **Drilling Method:** Not available **Pump Type:** Not available

> Pump Setting Depth: Not **Depth: 44.0** Water Quality: Not available available

Length: Not available Material: Not available Diameter: 4.0

Screen Length: Not available Material: Not available Diameter: Not available

Slot Size: Not available

**Well Capacity** 

Casing

Bail Test Rate: Not available Type of Test: Pumping Test Rate: 10.0 gpm Test

> Static Water Level: Not Drawdown: Not available Bailer Drawdown: Not available

available

Grouting Material: Not available **Depth:** From (not available) To (not available) Information

Installation Method: Not available Number of Bags Used: Not available

Well

Sealing Material: Not available **Depth:** From (not available) To (not available) **Abandonment** 

Installation Method: Not available Number of Bags Used: Not available

Administrative **County: MARION** Township: 15N

> Range: 3E Section: NE of the NW of the NE of Section 7

Topo Map: INDIANAPOLIS WEST Grant: Not available

Field Located By: Not available Field Located On: Not available

Courthouse Location By: Not available Courthouse Location On: Not available

Location Accepted w/o Verification By: Not Location Accepted w/o Verification On: Not

available available

Subdivision Name: Not available Lot Number: Not available Ft W of EL: Not available Ft N of SL: Not available Ft E of WL: Not available Ft S of NL: Not available

Ground Elevation: Not available Depth of Bedrock: Not available Aguifer Elevation: Not available Bedrock Elevation: Not available **UTM Easting:** Not available **UTM Northing:** Not available

Тор	Bottom	Formation
0.0	20.0	CLAY
20.0	25.0	SAND
25.0	37.0	CLAY
37.0	44.0	GRAV

Reference **Driving Direction to Well Date Completed** Number

180231 4036 COSSELL RD N 300 & 3400W 5/3/1984

Owner-Name Address Telephone Contractor

Owner Not available Not available Not available

PO BOX24181,4025 ROCKVILLE HAMILTON BROS INC Driller Not available ROAD, INDIANAPOLIS, IND

JAMES HERMAN License Not available Operator

**Construction Details** 

Well Use: Home **Drilling Method: Rotary** Pump Type: Not available

> Pump Setting Depth: Not **Depth:** 40.0 Water Quality: Not available

available

Material: Not available Casing Length: 36.0 Diameter: 4.0 Screen Length: 4.0 Material: Not available Diameter: 4.0

Slot Size: 60

Well Capacity

Type of Test: Not available Test Rate: 10.0 gpm for 1.0 hrs. Bail Test Rate: Not available Test

> Drawdown: 10.0 ft. Static Water Level: 15.0 ft. Bailer Drawdown: Not available

Grouting

Material: Not available **Depth:** From (not available) To (not available) Information

Installation Method: Not available Number of Bags Used: Not available

Well

Sealing Material: Not available **Depth:** From (not available) To (not available) **Abandonment** 

Installation Method: Not available Number of Bags Used: Not available

Administrative **County: MARION** Township: 15N

> Range: 3E Section: SW of the NW of Section 5

Topo Map: INDIANAPOLIS WEST **Grant:** Not available

Field Located By: Not available Field Located On: Not available

Courthouse Location By: Not available Courthouse Location On: Not available

Location Accepted w/o Verification On: Not Location Accepted w/o Verification By: TCS

available

Subdivision Name: Not available Lot Number: Not available Ft W of EL: Not available Ft N of SL: Not available Ft E of WL: Not available Ft S of NL: Not available

Ground Elevation: Not available Depth of Bedrock: Not available Bedrock Elevation: Not available Aguifer Elevation: Not available **UTM Easting:** Not available **UTM Northing:** Not available

Well Log

Тор	Bottom	Formation
0.0	3.0	TOPSOIL & CLAY
3.0	40.0	GRAV

#### Comments

Reference **Driving Direction to Well Date Completed** Number

180236 4019 W COSSELL RD, INDPLS IN 46222. 9/5/1975

Owner-Name Address Telephone Contractor

Owner DARELL GILLASPIE 4019 COSSELL RD, INDPLS IN Not available Driller CLAYTON OTTINGER RR#3, BOX 162, ZIONSVILLE IN Not available

Operator WM STOVALL License Not available

**Construction Details** 

Well Use: Home **Drilling Method:** Cable Tool Pump Type: Not available Pump Setting Depth: Not

**Depth:** 41.0 Water Quality: Not available available

Casing Length: 41.0 Material: Not available Diameter: 4.0

Screen Length: Not available Material: Not available Diameter: Not available

Slot Size: #40 COOKS

**Well Capacity** 

Type of Test: Pumping Test Rate: 10.0 gpm for 2.0 hrs. Bail Test Rate: Not available Test

> Drawdown: 8.0 ft. Static Water Level: 22.0 ft. Bailer Drawdown: Not available

Grouting Material: Not available **Depth:** From (not available) To (not available) Information

Installation Method: Not available Number of Bags Used: Not available

Well

Sealing Material: Not available **Depth:** From (not available) To (not available) **Abandonment** 

Installation Method: Not available Number of Bags Used: Not available

Administrative Township: 15N County: MARION

> Range: 3E Section: NE of the SW of Section 5

Topo Map: INDIANAPOLIS WEST Grant: Not available

Field Located By: Not available Field Located On: Not available

Courthouse Location By: Not available Courthouse Location On: Not available Location Accepted w/o Verification On:

Location Accepted w/o Verification By: TMB 9/15/1975

Subdivision Name: Not available Lot Number: Not available Ft W of EL: Not available Ft N of SL: Not available

Ft E of WL: Not available Ft S of NL: Not available Ground Elevation: Not available Depth of Bedrock: Not available Bedrock Elevation: Not available Aquifer Elevation: Not available

**UTM Northing:** Not available **UTM Easting:** Not available

Тор	Bottom	Formation
0.0	6.0	BR CLAY
6.0	15.0	DRY GRAV
15.0	18.0	BR CLAY & GRAV
18.0	23.0	SAND WATER
23.0	25.0	GRAY CLAY

25.0 | 41.0 | WATER GRAV

## Comments

Reference
Number

Driving Direction to Well

Date Completed

180241 Not available 1/30/1973

OwnerContractor

Name
Address
Telephone

Owner EUGENE WILLIAMS 4020 COSSELL RD Not available Driller HAMILTON BROS INC Not available Not available

Operator RASH License Not available

**Construction Details** 

Test

Well Use: Home Drilling Method: Cable Tool Pump Type: Not available

Depth: 51.0 Pump Setting Depth: Not Water Quality: Not available

available

Casing Length: 51.0 Material: Not available Diameter: 4.0 Screen Length: 3.0 Material: Not available Diameter: 4.0

Slot Size: Not available

Well Capacity
Type of Test: Not available
Test Rate: Not available
Test Rate: 10.0 gpm for 5.0

hrs.

Drawdown: Not available

Static Water Level: Not available

Bailer Drawdown: Not available

availat

Grouting
Information

Material: Not available

Depth: From (not available) To (not available)

Installation Method: Not available Number of Bags Used: Not available

Well

Abandonment Sealing Material: Not available Depth: From (not available) To (not available)

Installation Method: Not available Number of Bags Used: Not available

Administrative County: MARION Township: 15N

Range: 3E Section: 5

Topo Map: INDIANAPOLIS WEST Grant: Not available

Field Located By: Not available Field Located On: Not available

Courthouse Location By: Not available Courthouse Location On: Not available

Location Accepted w/o Verification By: Not Location Accepted w/o Verification On: Not

available available

Subdivision Name:Not availableFt W of EL:Not availableFt E of WL:Not availableFt S of NL:Not available

Ground Elevation: Not available

Bedrock Elevation: Not available

UTM Easting: Not available


UTM Northing: Not available

UTM Northing: Not available

Well Log

Тор	Bottom	Formation
0.0	5.0	TOPSOIL & CLAY
5.0	35.0	SAND
35.0	51.0	CLAY

#### Comments



Reference **Driving Direction to Well Date Completed** Number

180246 4012 W COSSELL RD(300N) 1/13/1977

Owner-Name Address Telephone Contractor

Owner **LEON PEDIGO** Not available Not available Driller HAMILTON BROS INC. PO BOX 24181, INDPLS IN Not available

Operator **ED RANDOLPH** License Not available

**Construction Details** 

Well Use: Home **Drilling Method:** Cable Tool Pump Type: Not available

Pump Setting Depth: Not **Depth:** 62.0 Water Quality: Not available

available

Casing Length: 59.0 Material: Not available Diameter: 4.0 Screen Length: 3.0 Material: Not available Diameter: 4.0

Slot Size: .060

**Well Capacity** 

Type of Test: Pumping Test Rate: 10.0 gpm for 1.0 hrs. Bail Test Rate: Not available Test

> Static Water Level: Not Drawdown: Not available Bailer Drawdown: Not available

available

Grouting Material: Not available **Depth:** From (not available) To (not available) Information

Installation Method: Not available Number of Bags Used: Not available

Well

Sealing Material: Not available **Depth:** From (not available) To (not available) **Abandonment** 

Installation Method: Not available Number of Bags Used: Not available

Administrative **County: MARION** Township: 15N

Range: 3E Section: 5

Topo Map: INDIANAPOLIS WEST Grant: Not available

Field Located By: Not available Field Located On: Not available Courthouse Location By: Not available Courthouse Location On: Not available Location Accepted w/o Verification By: Location Accepted w/o Verification On:

**BRUNS** 2/14/1977

Subdivision Name: Not available Lot Number: Not available Ft W of EL: Not available Ft N of SL: Not available Ft E of WL: Not available Ft S of NL: Not available

Ground Elevation: Not available Depth of Bedrock: Not available Bedrock Elevation: Not available Aguifer Elevation: Not available UTM Easting: Not available **UTM Northing:** Not available

Well Log

Тор	Bottom	Formation
0.0	1.0	TOPSOIL & CLAY
1.0	35.0	S&G
35.0	62.0	BR CLAY

#### Comments



Reference **Driving Direction to Well Date Completed** Number

180251 4028 COSSELL RD Not available

Owner-Name Address Telephone Contractor

Owner **RON MATHIS** Not available Not available Driller HAMILTON BROS INC 4025 ROCKVILLE RD Not available

Operator WHEELER License Not available

**Construction Details** 

Well Use: Home **Drilling Method:** Rotary Pump Type: Not available

Pump Setting Depth: Not **Depth:** 40.0 Water Quality: Not available

available

Casing Length: Not available Material: Not available Diameter: 4.3

Screen Length: 3.0 Material: Not available Diameter: 4.3 Slot Size: Not available

**Well Capacity** Bail Test Rate: 10.0 gpm for 1.0 Test Rate: Not available Type of Test: Not available Test hrs

Static Water Level: Not

Drawdown: Not available Bailer Drawdown: 23.0 ft. available

Grouting Material: Not available **Depth:** From (not available) To (not available) Information

Installation Method: Not available Number of Bags Used: Not available

Well

Sealing Material: Not available **Depth:** From (not available) To (not available) **Abandonment** 

Installation Method: Not available Number of Bags Used: Not available

Administrative **County: MARION** Township: 15N

> Range: 3E Section: NW of Section 5 Topo Map: INDIANAPOLIS WEST Grant: Not available

Field Located By: Not available Field Located On: Not available

Courthouse Location By: Not available Courthouse Location On: Not available

Location Accepted w/o Verification By: Not Location Accepted w/o Verification On: Not

available available

Subdivision Name: Not available Lot Number: Not available Ft W of EL: Not available Ft N of SL: Not available Ft E of WL: Not available Ft S of NL: Not available

Ground Elevation: Not available Depth of Bedrock: Not available Bedrock Elevation: Not available Aguifer Elevation: Not available **UTM Easting:** Not available **UTM Northing:** Not available

Тор	Bottom	Formation
0.0	11.0	CLAY
11.0	22.0	SAND
22.0	26.0	CLAY
26.0	40.0	SAND

Reference **Driving Direction to Well Date Completed** Number

180256 Not available 8/24/1971

Owner-Name Address Telephone Contractor

3659 COSSELL RD Owner FLORAL PARK CEMETARY Not available Driller HAMILTON BROS INC. Not available Not available

Operator RASH License Not available

**Construction Details** Well Use: Not available **Drilling Method:** Cable Tool Pump Type: Not available

Pump Setting Depth: Not **Depth:** 48.0

Water Quality: Not available available

Casing Length: 45.0 Material: Not available Diameter: 4.0 Material: Not available Diameter: 3.0

Screen Length: 5.0 Slot Size: #40

**Well Capacity** Type of Test: Pumping Test Rate: 10.0 gpm for 2.0 hrs. Bail Test Rate: Not available Test

Static Water Level: Not Drawdown: Not available Bailer Drawdown: Not available

available

Grouting Material: Not available **Depth:** From (not available) To (not available) Information

Installation Method: Not available Number of Bags Used: Not available

Well Sealing Material: Not available **Depth:** From (not available) To (not available) **Abandonment** 

Installation Method: Not available Number of Bags Used: Not available

Administrative **County: MARION** Township: 15N Section: 5

Range: 3E Topo Map: INDIANAPOLIS WEST Grant: Not available

Field Located By: Not available Field Located On: Not available

Courthouse Location By: Not available Courthouse Location On: Not available

Location Accepted w/o Verification By: Not Location Accepted w/o Verification On: Not

available available

Subdivision Name: Not available Lot Number: Not available Ft W of EL: Not available Ft N of SL: Not available

Ft E of WL: Not available Ft S of NL: Not available Ground Elevation: Not available Depth of Bedrock: Not available

Aguifer Elevation: Not available Bedrock Elevation: Not available **UTM Easting:** Not available **UTM Northing:** Not available

Well Log Comments

Reference **Driving Direction to Well Date Completed** Number

180261 3216 S RYBALT 3/9/1989

Owner-Name Address Telephone Contractor

Owner AGNES DAVIS 3216 S RYBOLT INDIANAPOLIS IN (000)247-8749 Driller HAMILTON BROS. INC. 4025 ROCKVILLE RD INDPLS, IN (000)241-2571

Operator DAVID R. HARNESS License: 35

**Construction Details** 

Well Use: Home **Drilling Method:** Rotary Pump Type: Submersible **Depth:** 38.0 Pump Setting Depth: 30.0 Water Quality: CLEAR

Length: 34.0 Material: PVC Diameter: 4.0 Casing Screen Length: 4.0 Material: PVC Diameter: 4.0

Slot Size: .060

**Well Capacity** 

Type of Test: Bailing Test Rate: 10.0 gpm for 1.0 hrs. Bail Test Rate: Not available Test

> Drawdown: 10.0 ft. Static Water Level: 20.0 ft. Bailer Drawdown: Not available

Grouting

Material: ENVIROPLUG **Depth:** From 5.0 To 30.0 Information

> Installation Method: TREM Number of Bags Used: 2.0

Well

Sealing Material: Not available **Depth:** From (not available) To (not available) **Abandonment** 

Installation Method: Not available Number of Bags Used: Not available

Administrative **County: MARION** Township: 15N

> Range: 3E Section: SW of the NW of Section 5

Topo Map: INDIANAPOLIS WEST Grant: Not available

Field Located By: Not available Field Located On: Not available

Courthouse Location By: Not available Courthouse Location On: Not available Location Accepted w/o Verification By: Not Location Accepted w/o Verification On: Not

available

available

Subdivision Name: Not available Lot Number: Not available Ft W of EL: Not available Ft N of SL: Not available Ft E of WL: Not available Ft S of NL: Not available

Ground Elevation: Not available **Depth of Bedrock:** Not available Bedrock Elevation: Not available Aguifer Elevation: Not available UTM Easting: Not available **UTM Northing:** Not available

Well Log

Тор	Bottom	Formation
0.0	6.0	TOPSOIL & CLAY
6.0	38.0	GRAV

#### Comments

Reference
Number

Driving Direction to Well

Date Completed

180266 LYNHURST TO RAYMOND GO E TO RYBOLT, GO N HOUSE IS ON THE W 4/18/1990

SIDE OF THE ST

OwnerContractor

Address
Telephone

 Owner
 MIKE BACK
 2946 S RYBOLT
 (317)638-6404

 Driller
 WATER WELLS BY WILHITE
 5455 N ALTON AVE, INDPLS, IN
 (317)257-2393

Operator DAN WILHITE License: 844

**Construction Details** 

Well Use: Home Drilling Method: Rotary Pump Type: Shallow-Well Jet Pump Setting Depth: 41.0 Pump Setting Depth: 15.0 Water Quality: Not available

Casing Length: 37.0 Material: PVC Diameter: 4.0 Screen Length: 4.0 Material: PVC Diameter: 4.0

Slot Size: .060

**Well Capacity** 

Test Test Rate: 20.0 gpm Bail Test Rate: Not available

Drawdown: 0.0 ft. Static Water Level: 10.0 ft. Bailer Drawdown: Not available

Grouting Information

Material: ENVIROPLUG Depth: From 0.0 To 30.0

Installation Method: PUMP Number of Bags Used: 2.0

Well

Abandonment Sealing Material: Not available Depth: From (not available) To (not available)

Installation Method: Not available Number of Bags Used: Not available

Administrative County: MARION Township: 15N

Range: 3E Section: SW of the NW of Section 5

Topo Map: INDIANAPOLIS WEST Grant: Not available

Field Located By: Not available Field Located On: Not available

Courthouse Location By: Not available Courthouse Location On: Not available

Location Accepted w/o Verification By: Not Location Accepted w/o Verification On: Not

available available

Subdivision Name: Not availableLot Number: Not availableFt W of EL: Not availableFt N of SL: Not available

Ft W of EL: Not available

Ft E of WL: Not available

Ft S of NL: Not available

Ground Elevation: Not available

Depth of Bedrock: Not available

Bedrock Elevation: Not available

UTM Easting: Not available

Depth of Bedrock: Not available

Aquifer Elevation: Not available

UTM Northing: Not available

#### Well Log

Тор	Bottom	Formation
0.0	15.0	CLAY
15.0	41.0	GRAV

#### Comments

Reference **Driving Direction to Well Date Completed** Number

GO W ON MICHIGAN ST FROM HOLT RD TO GASOLINE ALLEY 500 4100

180271 GO S AND STRAIGHT DO NO CROSS RIVER TO VERMONT, THEN E TO 10/1/1989

4110

Owner-**Telephone** Name Address Contractor

Owner M/M KEN BOGER 4110 W VERMONT INDPLS, IN (317)244-9707 JOSEPH HUSER SERVICES INC. 5728 S EMERSON INDPLS, IN (317)784-4264 Driller

Operator SHAWN R. COREY License: 436

**Construction Details** 

Well Use: Home Pump Type: Submersible **Drilling Method:** Rotary

Pump Setting Depth: 34.0 **Depth:** 38.0 Water Quality: OK **Length: 36.0** Material: PVC Diameter: 5.0 Casing Screen Length: 3.0 Material: SS Diameter: 4.0

Slot Size: .035

Well Capacity

Type of Test: Air Test Rate: 20.0 gpm for 1.0 hrs. Bail Test Rate: Not available Test

> Drawdown: Not available Static Water Level: 13.0 ft. Bailer Drawdown: Not available

Grouting

Material: BENTONITE **Depth:** From 4.0 To 30.0 Information

> Installation Method: PUMP Number of Bags Used: 1.5

Well

**Depth:** From (not available) To (not available) Sealing Material: Not available **Abandonment** 

Installation Method: Not available Number of Bags Used: Not available

Administrative **County: MARION** Township: 15N

> Range: 3E Section: NW of the NW of the SW of Section 5

Topo Map: INDIANAPOLIS WEST Grant: Not available

Field Located By: Not available Field Located On: Not available

Courthouse Location By: Not available Courthouse Location On: Not available

Location Accepted w/o Verification By: Not Location Accepted w/o Verification On: Not

available available

Subdivision Name: Not available Lot Number: Not available Ft W of EL: Not available Ft N of SL: Not available Ft E of WL: Not available Ft S of NL: Not available

**Ground Elevation: 716.0** Depth of Bedrock: Not available

Bedrock Elevation: Not available Aguifer Elevation: 678.0 UTM Easting: Not available **UTM Northing:** Not available

Well Log

Тор	Bottom	Formation
0.0	15.0	CLAY
15.0	38.0	S&G

#### Comments

Reference
Number

Driving Direction to Well

Date Completed

180276 Not available 11/28/1973

OwnerContractor

Name
Address
Telephone

Owner KEN BOGER 4110 W VERMONT Not available
Driller HAMILTON BROS INC. 4025 ROCKVILLE RD Not available

Operator WARREN HARNESS License Not available

**Construction Details** 

Well Use: Home Drilling Method: Rotary Pump Type: Not available

Depth: 60.0 Pump Setting Depth: Not Water Quality: Not available

available available Diameter: 4.0

Casing Length: Not available Material: Not available Diameter: 4.0 Screen Length: 2.0 Material: Not available Diameter: 4.0

Slot Size: .060

Well Capacity

Test Type of Test: Pumping Test Rate: 15.0 gpm for 1.0 hrs.Bail Test Rate: Not available

Drawdown: Not available

Static Water Level: Not
Bailer Drawdown: Not available

available

Grouting
Information

Material: Not available

Depth: From (not available) To (not available)

Installation Method: Not available Number of Bags Used: Not available

Well

Abandonment Sealing Material: Not available Depth: From (not available) To (not available)

Installation Method: Not available Number of Bags Used: Not available

Administrative County: MARION Township: 15N

Range: 3E Section: SW of the NW of Section 5

**Topo Map:** INDIANAPOLIS WEST **Grant:** Not available

Field Located By: Not available Field Located On: Not available

Courthouse Location By: Not available Courthouse Location On: Not available

Location Accepted w/o Verification By: Not Location Accepted w/o Verification On: Not

available available

Subdivision Name: Not availableLot Number: Not availableFt W of EL: 716.0Ft N of SL: Not available

Ft W of EL: 716.0Ft N of SL: Not availableFt E of WL: Not availableFt S of NL: Not available

Ground Elevation: Not available

Bedrock Elevation: Not available

UTM Easting: Not available

UTM Northing: Not available

#### Well Log

Тор	Bottom	Formation
0.0	7.0	CLAY
7.0	44.0	S&G
44.0	60.0	CLAY

#### Comments



Reference **Driving Direction to Well Date Completed** Number

180281 S OF EAGLE CREEK PARK. 6/15/1961

Owner-Name Address Telephone Contractor

4110 W VERMONT ST Owner MR KENNETH BOGER Not available Driller INDPLS PUMP & EQUIP CO. 2720 BRILL RD Not available

Operator JOE STOVALL License Not available

**Construction Details** 

Well Use: Home **Drilling Method:** Cable Tool Pump Type: Not available

Pump Setting Depth: Not **Depth:** 40.0 Water Quality: Not available available

Material: Not available Diameter: 4.5

Casing Length: 37.0 Screen Length: 5.4 Material: Not available Diameter: 3.0

Slot Size: #6 GA

**Well Capacity** Bail Test Rate: 15.0 gpm for 3.0 Type of Test: Not available Test Rate: Not available

Drawdown: Not available Static Water Level: 20.0 ft. Bailer Drawdown: 30.0 ft.

Grouting Material: Not available **Depth:** From (not available) To (not available) Information

Installation Method: Not available Number of Bags Used: Not available

Well

Test

Sealing Material: Not available **Depth:** From (not available) To (not available) **Abandonment** 

Installation Method: Not available Number of Bags Used: Not available

Administrative Township: 15N County: MARION

> Range: 3E Section: SE of the SW of the NW of Section 5

Topo Map: INDIANAPOLIS WEST Grant: Not available

Field Located Bv: D JORDAN Field Located On: 2/1/1962

Courthouse Location By: Not available Courthouse Location On: Not available

Location Accepted w/o Verification By: Not Location Accepted w/o Verification On: Not

available available

Subdivision Name: Not available Lot Number: Not available Ft W of EL: Not available **Ft N of SL**: 2.750.0

Ft E of WL: 1.000.0 Ft S of NL: Not available **Ground Elevation:** 715.0 Depth of Bedrock: Not available

Bedrock Elevation: Not available Aguifer Elevation: 675.0 **UTM Northing:** 4402579.5 **UTM Easting:** 565868.5

Тор	Bottom	Formation
0.0	18.0	RED CLAY
18.0	28.0	GRAV & SAND
28.0	34.0	BLUE MUD
34.0	36.0	SAND
36.0	40.0	RED GRAV

Reference
Number

Driving Direction to Well

Date Completed

180282 N OF RICKVILLE RD OFF OF VERMONT ST. 4400N 300N 7/20/1987

OwnerContractor

Address
Telephone

Owner HENRY BALLARD 332 N FLEMING Not available Driller MATLOCK WELL DRILLING 4701 W. MORRIS Not available

Operator JERRY OAKLEY License Not available

**Construction Details** 

Well Use: Home Drilling Method: Rotary Pump Type: Submersible

Depth: Not available Pump Setting Depth: 45.0 Water Quality: Not available

Casing Length: 68.0 Material: Not available Diameter: 4.0 Screen Length: 4.0 Material: Not available Diameter: 4.0

Slot Size: #6

Well Capacity
Test
Type of Test: Bailing
Test Rate: 10.0 gpm for 1.0 hrs.Bail Test Rate: Not available

Drawdown: Not available Static Water Level: 20.0 ft. Bailer Drawdown: Not available

Grouting
Information

Material: Not available

Depth: From (not available) To (not available)

Installation Method: Not available Number of Bags Used: Not available

Abandonment Sealing Material: Not available Depth: From (not available) To (not available)

Installation Method: Not available Number of Bags Used: Not available

Administrative County: MARION Township: 15N

Range: 3E Section: NE of the SE of Section 6

**Topo Map:** INDIANAPOLIS WEST **Grant:** Not available

Field Located By: Not available Field Located On: Not available

Courthouse Location By: Not available

Location Accepted w/o Verification By: Not

Location Accepted w/o Verification On: Not

available available

Subdivision Name:Not availableLot Number:Not availableFt W of EL:Not availableFt N of SL:Not availableFt E of WL:Not availableFt S of NL:Not available

Ground Elevation: Not available

Bedrock Elevation: Not available

UTM Easting: Not available

UTM Northing: Not available

Well Log

Well

Тор	Bottom	Formation
0.0	3.0	TOP SOIL
3.0	18.0	CLAY
18.0	30.0	GRAVEL
30.0	40.0	CLAY
40.0	55.0	GRAVEL
55.0	68.0	CLAY

Comments
----------

Reference **Driving Direction to Well Date Completed** Number

E OF GRANDE ST, S OF 10TH ST. 180286 5/7/1975

Owner-Name Address Telephone Contractor

Owner DETROIT DIESEL ALLISON Not available Not available Driller LAYNE NORTHERN CO INC. MISHAWAKA Not available

Operator E. ALLEN License Not available

**Construction Details** 

Well Use: Industry **Drilling Method:** Rotary Pump Type: Not available

Pump Setting Depth: Not **Depth:** 110.0 Water Quality: Not available

available

Casing Length: Not available Material: Not available Diameter: Not available Screen Length: Not available Material: Not available Diameter: Not available

Slot Size: Not available

**Well Capacity** 

Test Rate: Not available Bail Test Rate: Not available Type of Test: Not available Test

> Static Water Level: Not Drawdown: Not available Bailer Drawdown: Not available

available

Grouting Material: Not available **Depth:** From (not available) To (not available) Information

Installation Method: Not available Number of Bags Used: Not available

Well

Sealing Material: Not available **Depth:** From (not available) To (not available) **Abandonment** 

Installation Method: Not available Number of Bags Used: Not available

Administrative **County: MARION** Township: 15N

> Range: 3E Section: NE of the NW of the NW of Section 5

Topo Map: INDIANAPOLIS WEST Grant: Not available

Field Located By: Not available Field Located On: Not available

Courthouse Location By: Not available Courthouse Location On: Not available

Location Accepted w/o Verification By: Not Location Accepted w/o Verification On: Not

available available

Subdivision Name: Not available Lot Number: Not available Ft W of EL: Not available Ft N of SL: Not available

**Ft E of WL:** 1,100.0 Ft S of NL: 200.0

**Ground Elevation: 703.0** Depth of Bedrock: 108.0

**Bedrock Elevation:** 595.0 Aguifer Elevation: Not available

**UTM Easting:** 565869 **UTM Northing:** 4403390.5

Тор	Bottom	Formation
0.0	9.0	RED CLAY
9.0	11.0	DIRTY GRAV
11.0	13.0	BLUE CLAY
13.0	31.0	MD S&G

31.0	39.0	GREY CLAY
39.0	55.0	GRITTY CLAY
55.0	57.0	SAND STRIP
57.0	83.0	GREY CLAY
83.0	85.0	SAND STRIP
85.0	95.0	GREY CLAY
95.0	99.0	BLK CLAY
99.0	102.0	GREY CLAY
102.0	105.0	GRITTY CLAY
105.0	108.0	DIRTY S&G
108.0	110.0	BLK SHALE

20' SW OF NE FENCE POST, 50' W OF W BANK OF CREEK; APPROX LOCATION; SIMILAR TEST WELLS ON SITE;

Reference **Driving Direction to Well Date Completed** Number

180291 4140 W VERMONT 11/8/1982

Owner-Name Address Telephone Contractor

Owner Not available Not available Not available

PO BOX24181,4025 ROCKVILLE Driller HAMILTON BROS INC Not available ROAD, INDIANAPOLIS, IND

**DESTER HARNESS** License Not available Operator

**Construction Details** 

Well Use: Home **Drilling Method: Rotary** Pump Type: Not available

> Pump Setting Depth: Not **Depth:** 36.0 Water Quality: Not available

available

Material: Not available Casing Length: 32.0 Diameter: 4.0 Screen Length: 4.0 Material: Not available Diameter: 4.0

Slot Size: 60

Well Capacity

Type of Test: Not available Test Rate: 10.0 gpm for 1.0 hrs. Bail Test Rate: Not available Test

> Drawdown: 5.0 ft. Static Water Level: 20.0 ft. Bailer Drawdown: Not available

Grouting

Material: Not available **Depth:** From (not available) To (not available) Information

Installation Method: Not available Number of Bags Used: Not available

Well

Sealing Material: Not available **Depth:** From (not available) To (not available) **Abandonment** 

Installation Method: Not available Number of Bags Used: Not available

Administrative **County: MARION** Township: 15N

> Range: 3E Section: SW of the NW of Section 5

Topo Map: INDIANAPOLIS WEST Grant: Not available

Field Located By: Not available Field Located On: Not available

Courthouse Location By: Not available Courthouse Location On: Not available Location Accepted w/o Verification By: Location Accepted w/o Verification On:

**BRUNS** 12/21/1982

Subdivision Name: Not available Lot Number: Not available Ft W of EL: Not available Ft N of SL: Not available Ft E of WL: Not available Ft S of NL: Not available

Ground Elevation: Not available Depth of Bedrock: Not available Bedrock Elevation: Not available Aguifer Elevation: Not available UTM Easting: Not available **UTM Northing:** Not available

Well Log

Тор	Bottom	Formation
0.0	15.0	TOPSOIL & CLAY
15.0	36.0	GRAV

#### Comments

Reference **Driving Direction to Well Date Completed** Number

180296 150 N ROENA W 4200 500N 9/4/1964

Owner-Name Address Telephone Contractor

Owner Not available Not available Not available

PO BOX24181,4025 ROCKVILLE Driller HAMILTON BROS INC Not available ROAD, INDIANAPOLIS, IND

WARREN HARNESS License Not available Operator

**Construction Details** 

Well Use: Other **Drilling Method: Rotary** Pump Type: Not available

> Pump Setting Depth: Not **Depth:** 55.0 Water Quality: Not available

available

Material: Not available Casing Length: 51.0 Diameter: 4.0 Screen Length: 4.0 Material: Not available Diameter: 4.0

Slot Size: 60

Well Capacity

Type of Test: Not available Test Rate: 10.0 gpm for 1.0 hrs. Bail Test Rate: Not available Test

> Drawdown: 15.0 ft. Static Water Level: 15.0 ft. Bailer Drawdown: Not available

Grouting

Material: Not available **Depth:** From (not available) To (not available) Information

Installation Method: Not available Number of Bags Used: Not available

Well

Sealing Material: Not available **Depth:** From (not available) To (not available) **Abandonment** 

Installation Method: Not available Number of Bags Used: Not available

Administrative **County: MARION** Township: 15N

> Range: 3E Section: SW of the SW of Section 5

Topo Map: INDIANAPOLIS WEST Grant: Not available

Field Located By: Not available Field Located On: Not available

Courthouse Location By: Not available Courthouse Location On: Not available

Location Accepted w/o Verification On: Not Location Accepted w/o Verification By: TCS

available

Subdivision Name: Not available Lot Number: Not available Ft W of EL: Not available Ft N of SL: Not available Ft E of WL: Not available Ft S of NL: Not available

Ground Elevation: Not available Depth of Bedrock: Not available Bedrock Elevation: Not available Aguifer Elevation: Not available UTM Easting: Not available **UTM Northing:** Not available

Well Log

Тор	Bottom	Formation
0.0	40.0	TOPSOIL & CLAY
40.0	55.0	GRAV

#### Comments

Reference **Driving Direction to Well Date Completed** Number

180301 **TEST #19** 1/27/1943

Owner-Name Address Telephone Contractor

SPEEDWAY WATER CO Owner Not available Not available Driller Not available Not available Not available

Operator **NESS** License Not available

**Construction Details** 

Well Use: Home **Drilling Method:** Not available **Pump Type:** Not available

> Pump Setting Depth: Not **Depth:** 91.0 Water Quality: Not available

available

Casing Length: Not available Material: Not available Diameter: Not available Screen Length: Not available Material: Not available Diameter: Not available

Slot Size: Not available

**Well Capacity** 

Type of Test: Not available Bail Test Rate: Not available Test Rate: Not available Test

> Drawdown: Not available Static Water Level: 14.0 ft. Bailer Drawdown: Not available

Grouting Material: Not available **Depth:** From (not available) To (not available) Information

Installation Method: Not available Number of Bags Used: Not available

Well

Sealing Material: Not available **Depth:** From (not available) To (not available) **Abandonment** 

Installation Method: Not available Number of Bags Used: Not available

Administrative Township: 15N County: MARION

> Range: 3E Section: NW of the SW of Section 5

Topo Map: INDIANAPOLIS WEST Grant: Not available

Field Located By: JMH Field Located On: 3/1/1961

Courthouse Location By: Not available Courthouse Location On: Not available Location Accepted w/o Verification On:

3/1/1961

Location Accepted w/o Verification By: JMH

Subdivision Name: Not available Lot Number: Not available Ft W of EL: Not available Ft N of SL: Not available

Ft E of WL: Not available Ft S of NL: Not available

**Ground Elevation:** 714.0 Depth of Bedrock: Not available Bedrock Elevation: Not available Aquifer Elevation: Not available **UTM Northing:** Not available **UTM Easting:** Not available

Тор	Bottom	Formation
0.0	8.0	SOIL & GRAV
8.0	14.0	BOULDERS & GRAV
14.0	27.0	HARD CLAY
27.0	35.0	SAND GRAV
35.0	45.0	HARD CLAY

45.0	52.0	SAND
52.0	54.0	GRAV
54.0	64.0	HRADPAN
64.0	65.0	GRAV
65.0	89.0	HARDPAN
89.0	90.0	GRAV
90.0	91.0	SH

Reference **Driving Direction to Well Date Completed** Number

200' FROM E FENCE, 185' FROM VERMONT ST ON N SIDE OF TEST 180306 1/2/1943

WELL; TEST #18

Owner-Address Name **Telephone** Contractor Owner SPEEDWAY WATER CO Not available Not available Driller Not available Not available Not available

**E POOLE** License Not available Operator

**Construction Details** 

Well Use: Home Drilling Method: Not available Pump Type: Not available

> Pump Setting Depth: Not **Depth:** 80.0 Water Quality: Not available

available

Material: Not available Diameter: Not available Casing Length: Not available Screen Length: Not available Material: Not available Diameter: Not available

Slot Size: Not available

**Well Capacity** 

Type of Test: Not available Test Rate: Not available Bail Test Rate: Not available Test

> Static Water Level: 18.0 ft. Drawdown: Not available Bailer Drawdown: Not available

Grouting

Material: Not available **Depth:** From (not available) To (not available) Information

Installation Method: Not available Number of Bags Used: Not available

Well

Sealing Material: Not available **Depth:** From (not available) To (not available) **Abandonment** 

Installation Method: Not available Number of Bags Used: Not available

Administrative **County: MARION** Township: 15N

> Range: 3E Section: NE of the SW of Section 5

Topo Map: INDIANAPOLIS WEST Grant: Not available

Field Located By: JMH Field Located On: 3/1/1961

Courthouse Location By: Not available Courthouse Location On: Not available

Location Accepted w/o Verification On: Not Location Accepted w/o Verification By: JMH

available

Subdivision Name: Not available Lot Number: Not available Ft W of EL: Not available Ft N of SL: Not available Ft E of WL: Not available Ft S of NL: Not available

**Ground Elevation: 712.0** Depth of Bedrock: Not available Bedrock Elevation: Not available Aguifer Elevation: Not available **UTM Easting:** Not available **UTM Northing:** Not available

Тор	Bottom	Formation
0.0	2.5	TOPSOIL
2.5	7.0	GRAV CLAY
7.0	11.0	GRAV & CLAY
11.0	13.0	BOULDERS

13.0	26.0	S&G
26.0	34.0	S&G
34.0	37.0	BOULDERS
37.0	52.0	CLAY
52.0	75.0	HARDPAN
75.0	79.0	CLAY
79.0	80.0	SH

Reference **Driving Direction to Well Date Completed** Number

SE EDGE OF SPEEDWAY AT 4010 COSSELL RD. 180311 6/3/1966

Owner-Name Address Telephone Contractor Owner COSSELL FLORISTS 4010 COSSELL RD, INDPLS IN Not available

Operator **DESTER HARNESS** License Not available

WILLARD ENGLISH & SON

**Construction Details** 

Driller

Well Use: Home **Drilling Method:** Rotary Pump Type: Not available

Pump Setting Depth: Not **Depth: 270.0** Water Quality: Not available available

RR#1, CLAYTON IN

Not available

Diameter: 4.5

Casing Length: 80.0 Material: Not available

Screen Length: Not available Material: Not available Diameter: Not available

Slot Size: Not available

**Well Capacity** 

Type of Test: Not available Test Rate: Not available Bail Test Rate: 10.0 gpm Test

> Drawdown: Not available Static Water Level: 70.0 ft. Bailer Drawdown: 220.0 ft.

Grouting Material: Not available **Depth:** From (not available) To (not available) Information

Installation Method: Not available Number of Bags Used: Not available

Well

Sealing Material: Not available **Depth:** From (not available) To (not available) **Abandonment** 

Installation Method: Not available Number of Bags Used: Not available

Administrative Township: 15N County: MARION

> Range: 3E Section: SW of the SE of the NW of Section 5

Topo Map: INDIANAPOLIS WEST Grant: Not available

Field Located By: U & BOK Field Located On: 1/1/1974

Courthouse Location By: Not available Courthouse Location On: Not available

Location Accepted w/o Verification By: Not Location Accepted w/o Verification On: Not

available available

Subdivision Name: Not available Lot Number: Not available Ft W of EL: Not available **Ft N of SL**: 2.800.0 Ft E of WL: 1.700.0 Ft S of NL: Not available

**Ground Elevation:** 717.0 Depth of Bedrock: 80.0

**Bedrock Elevation: 637.0** Aguifer Elevation: Not available

**UTM Northing:** 4402574 **UTM Easting:** 566087.8

Тор	Bottom	Formation
1.0	10.0	CLAY GRAY
10.0	37.0	SAND BR
37.0	80.0	CLAY BLUE
80.0	190.0	SHALE BLK
190.0	270.0	LS

MC;

Reference **Driving Direction to Well Date Completed** Number

180316 Not available 1/15/1981

Owner-Name Address Telephone Contractor

4018 W VERMONT Owner **GUY CRAWFORD** Not available Driller MATLOCK WELL DRILLING 401 W MORRIS ST Not available

Operator JERRY OAKLEY License Not available

**Construction Details** 

Well Use: Home **Drilling Method:** Rotary Pump Type: Not available

Pump Setting Depth: Not **Depth:** 75.0 Water Quality: Not available available

Casing Length: 75.0 Material: Not available Diameter: 4.0 Screen Length: 5.0 Material: Not available Diameter: 4.0

Slot Size: #6

**Well Capacity** Bail Test Rate: 5.0 gpm for 1.0 Type of Test: Not available Test Rate: Not available

Drawdown: Not available Static Water Level: 20.0 ft. Bailer Drawdown: Not available

Grouting Material: Not available **Depth:** From (not available) To (not available) Information

Installation Method: Not available Number of Bags Used: Not available

Well

Test

Sealing Material: Not available **Depth:** From (not available) To (not available) **Abandonment** 

Installation Method: Not available Number of Bags Used: Not available

Administrative Township: 15N County: MARION

> Range: 3E Section: NW of the SW of Section 5

Topo Map: INDIANAPOLIS WEST Grant: Not available

Field Located By: Not available Field Located On: Not available

Courthouse Location By: Not available Courthouse Location On: Not available Location Accepted w/o Verification By: Location Accepted w/o Verification On:

**BRUNS** 2/19/1981

Subdivision Name: Not available Lot Number: Not available Ft W of EL: Not available Ft N of SL: Not available Ft E of WL: Not available Ft S of NL: Not available

Ground Elevation: Not available Depth of Bedrock: Not available Bedrock Elevation: Not available Aquifer Elevation: Not available **UTM Northing:** Not available **UTM Easting:** Not available

#### Well Log

Тор	Bottom	Formation
0.0	3.0	TOPSOIL
3.0	10.0	OVERBURDEN
10.0	38.0	GRAV
38.0	75.0	OVERBURDEN

#### Comments



Reference
Number

Driving Direction to Well

Date Completed

N OF WASHINGTON ST ON TIBBS AVE TO COSSELL RD. W TO 3910

COSSELL RD.

Owner-ContractorNameAddressTelephoneOwnerNot availableNot availableNot available

Driller MILLS PUMP & WELL DRILLING

INC

Operator RUSSELL MILLS License Not available

**Construction Details** 

Well Use: Home Drilling Method: Rotary Pump Type: Not available

Depth: 53.0 Pump Setting Depth: Not Water Quality: Not available

available

Casing Length: 50.0 Material: Not available Diameter: 4.0 Screen Length: 3.0 Material: Not available Diameter: 4.0

Slot Size: 40

Well Capacity Table 10.0 gpm for 1.0

Type of Test: Not available Test Rate: Not available

Drawdown: Not available Static Water Level: 15.0 ft. Bailer Drawdown: 25.0 ft.

2508 W MICHIGAN ST, INDPLS IN

Not available

Grouting Information Material: Not available Depth: From (not available) To (not available)

Installation Method: Not available Number of Bags Used: Not available

Well

Test

Abandonment Sealing Material: Not available Depth: From (not available) To (not available)

Installation Method: Not available Number of Bags Used: Not available

Administrative County: MARION Township: 15N

Range: 3E Section: NE of the SW of Section 5

Topo Map: INDIANAPOLIS WEST Grant: Not available

Field Located By: Not available Field Located On: Not available

Courthouse Location By: Not available Courthouse Location On: Not available

Location Accepted w/o Verification By: JM Location Accepted w/o Verification On:

5/11/1981

Subdivision Name: Not availableLot Number: Not availableFt W of EL: Not availableFt N of SL: Not availableFt E of WL: Not availableFt S of NL: Not available

Ground Elevation: Not available

Bedrock Elevation: Not available

UTM Easting: Not available

UTM Northing: Not available

Тор	Bottom	Formation
1.0	17.0	CLAY GRAY
17.0	45.0	CLAY BLUE
45.0	53.0	SAND BLUE

Reference **Driving Direction to Well Date Completed** Number

180326 Not available 8/23/1971

Owner-Name Address Telephone Contractor

3659 COSSELL RD Owner FLORAL PARK CEMETERY Not available Driller HAMILTON BROS INC. Not available Not available

Operator RASH License Not available

**Construction Details** 

Well Use: Not available **Drilling Method:** Not available **Pump Type:** Not available

> Pump Setting Depth: Not **Depth:** 50.0 Water Quality: Not available

available

Casing Length: 50.0 Material: Not available Diameter: 4.0 Screen Length: 5.0 Material: Not available Diameter: 3.0

Slot Size: #40

**Well Capacity** 

Type of Test: Pumping Test Rate: 10.0 gpm for 2.0 hrs. Bail Test Rate: Not available Test

> Static Water Level: Not Drawdown: Not available Bailer Drawdown: Not available

available

Grouting Material: Not available **Depth:** From (not available) To (not available) Information

Installation Method: Not available Number of Bags Used: Not available

Well

Sealing Material: Not available **Depth:** From (not available) To (not available) **Abandonment** 

Installation Method: Not available Number of Bags Used: Not available

Administrative **County: MARION** Township: 15N

Range: 3E Section: 5

Topo Map: INDIANAPOLIS WEST Grant: Not available

Field Located By: Not available Field Located On: Not available

Courthouse Location By: Not available Courthouse Location On: Not available

Location Accepted w/o Verification By: Not Location Accepted w/o Verification On: Not

available available

Subdivision Name: Not available Lot Number: Not available Ft W of EL: Not available Ft N of SL: Not available Ft E of WL: Not available Ft S of NL: Not available

Ground Elevation: Not available Depth of Bedrock: Not available Bedrock Elevation: Not available Aguifer Elevation: Not available UTM Easting: Not available **UTM Northing:** Not available

Bottom	Formation
1.0	TOPSOIL
24.0	SAND
40.0	CLAY
43.0	SAND
	1.0 24.0 40.0

43.0	47.0	CLAY
47.0	50.0	SAND

Reference **Driving Direction to Well Date Completed** Number

180339 Not available 10/29/1956

Owner-Name Address Telephone

Contractor 360 W ROENA Owner HERBERT FLYNN Not available Driller Not available Not available Not available

Operator RASH License Not available

**Construction Details** 

Well Use: Home **Drilling Method:** Cable Tool Pump Type: Not available

Pump Setting Depth: Not **Depth:** 44.0 Water Quality: Not available

available

Casing Length: 41.0 Material: Not available Diameter: 4.0

Screen Length: 4.3 Material: Not available Diameter: Not available

Slot Size: Not available

**Well Capacity** Type of Test: Not available Test Rate: 10.0 gpm Bail Test Rate: Not available Test

> Static Water Level: Not Drawdown: Not available Bailer Drawdown: Not available

available

Grouting Material: Not available **Depth:** From (not available) To (not available) Information

Installation Method: Not available Number of Bags Used: Not available

Well

Sealing Material: Not available **Depth:** From (not available) To (not available) **Abandonment** 

Installation Method: Not available Number of Bags Used: Not available

Administrative **County: MARION** Township: 15N

> Range: 3E Section: NE of the NE of the SW of Section 6

Topo Map: INDIANAPOLIS WEST Grant: Not available

Field Located By: Not available Field Located On: Not available

Courthouse Location By: Not available Courthouse Location On: Not available Location Accepted w/o Verification On:

Location Accepted w/o Verification By: WJS 10/17/1957

Subdivision Name: Not available Lot Number: Not available Ft W of EL: Not available Ft N of SL: Not available Ft E of WL: Not available Ft S of NL: Not available

Ground Elevation: Not available Depth of Bedrock: Not available Bedrock Elevation: Not available Aguifer Elevation: Not available UTM Easting: Not available **UTM Northing:** Not available

Well Log

Тор	Bottom	Formation
0.0	37.0	TOPSOIL & CLAY
37.0	44.0	SAND

#### Comments

Reference
Number

Driving Direction to Well

Date Completed

180344 5020 W VERMONT N 400 10/12/1984

OwnerContractor

Name
Address
Telephone

Owner Not available Not available Not available

Driller HAMILTON BROS INC PO BOX 24181,4025 ROCKVILLE ROAD,INDIANAPOLIS,IND Not available

Operator WARREN HARNESS License Not available

**Construction Details** 

Well Use: Home Drilling Method: Rotary Pump Type: Not available

Depth: 81.0 Pump Setting Depth: Not Water Quality: Not available

available

Casing Length: 77.0 Material: Not available Diameter: 4.0 Screen Length: 4.0 Material: Not available Diameter: 4.0

Slot Size: 60

**Well Capacity** 

Test Rate: 10.0 gpm for 1.0 hrs.Bail Test Rate: Not available

Drawdown: 30.0 ft. Static Water Level: 30.0 ft. Bailer Drawdown: Not available

Grouting

Information Material: Not available Depth: From (not available) To (not available)

Installation Method: Not available Number of Bags Used: Not available

Well

Abandonment Sealing Material: Not available Depth: From (not available) To (not available)

Installation Method: Not available Number of Bags Used: Not available

Administrative County: MARION Township: 15N

Range: 3E Section: SE of the NW of Section 6

**Topo Map:** INDIANAPOLIS WEST **Grant:** Not available

Field Located By: Not available Field Located On: Not available

Courthouse Location By: Not available Courthouse Location On: Not available

Location Accepted w/o Verification By: TCS

Location Accepted w/o Verification On: Not

available

Subdivision Name:Not availableLot Number:Not availableFt W of EL:Not availableFt N of SL:Not availableFt E of WL:Not availableFt S of NL:Not available

Ground Elevation: Not available

Bedrock Elevation: Not available

UTM Easting: Not available

UTM Northing: Not available

\_\_ \_

#### Well Log

Т	ор	Bottom	Formation
0	.0	70.0	TOPSOIL & CLAY
	0.0	81.0	GRAV

#### Comments

Reference **Driving Direction to Well Date Completed** Number

180345 349 N. COLE ST. E. SIDE ST. 3/30/1960

Owner-Name Address Telephone Contractor

350 W. 16TH STREET Owner O.E. DAVIS CONTR. Not available Driller HARLAN MILLER 1726 W. HAMBREN DR. Not available

Operator A. BOWEN License Not available

**Construction Details** 

Well Use: Home **Drilling Method:** Cable Tool Pump Type: Not available

Pump Setting Depth: Not **Depth:** 54.0 Water Quality: Not available

available

Casing Length: 51.0 Material: Not available Diameter: 4.0 Screen Length: 5.0 Material: Not available Diameter: 3.5

Slot Size: 6

**Well Capacity** Bail Test Rate: 10.0 gpm for 1.0 Type of Test: Not available Test Rate: Not available

Drawdown: Not available Static Water Level: 7.0 ft. Bailer Drawdown: 3.0 ft.

Grouting Material: Not available **Depth:** From (not available) To (not available) Information

Installation Method: Not available Number of Bags Used: Not available

Well

Test

Sealing Material: Not available **Depth:** From (not available) To (not available) **Abandonment** 

Installation Method: Not available Number of Bags Used: Not available

Administrative Township: 15N County: MARION

> Range: 3E Section: SE of Section 6 Topo Map: INDIANAPOLIS WEST Grant: Not available

Field Located By: Not available Field Located On: Not available

Courthouse Location By: Not available Courthouse Location On: Not available

Location Accepted w/o Verification By: Not Location Accepted w/o Verification On: Not

available available

Subdivision Name: Not available Lot Number: Not available Ft W of EL: Not available Ft N of SL: Not available Ft E of WL: Not available Ft S of NL: Not available

Ground Elevation: Not available Depth of Bedrock: Not available Bedrock Elevation: Not available Aquifer Elevation: Not available **UTM Northing:** Not available **UTM Easting:** Not available

Well Log

Тор	Bottom	Formation
0.0	44.0	CLAY
44.0	54.0	GRAV

Comments

Reference **Driving Direction to Well Date Completed** Number

180349 Not available 9/21/1970

Owner-Name Address Telephone Contractor

4933 W VERMONT Owner **CURTIS CRUMP** Not available Driller HAMILTON BROS INC Not available Not available

Operator WOODROW BURKHART License Not available

**Construction Details** 

Well Use: Home **Drilling Method:** Cable Tool Pump Type: Not available

Pump Setting Depth: Not **Depth:** 74.0 Water Quality: Not available

available

Casing Length: 71.0 Material: Not available Diameter: 4.0 Screen Length: 5.0 Material: Not available Diameter: 3.0

Slot Size: 40

**Well Capacity** Type of Test: Not available Test Rate: 10.0 gpm for 2.0 hrs. Bail Test Rate: Not available Test

Static Water Level: Not Drawdown: Not available Bailer Drawdown: Not available

available

Grouting Material: Not available **Depth:** From (not available) To (not available) Information

Installation Method: Not available Number of Bags Used: Not available

Well

Sealing Material: Not available **Depth:** From (not available) To (not available) **Abandonment** 

Installation Method: Not available Number of Bags Used: Not available

Administrative **County: MARION** Township: 15N

> Range: 3E Section: SW of the SW of the NE of Section 6

Topo Map: INDIANAPOLIS WEST Grant: Not available

Field Located By: Not available Field Located On: Not available

Courthouse Location By: Not available Courthouse Location On: Not available

Location Accepted w/o Verification By: Not Location Accepted w/o Verification On: Not

available available

Subdivision Name: Not available Lot Number: Not available Ft W of EL: Not available Ft N of SL: Not available Ft E of WL: Not available Ft S of NL: Not available

Ground Elevation: Not available Depth of Bedrock: Not available Aguifer Elevation: Not available Bedrock Elevation: Not available **UTM Easting:** Not available **UTM Northing:** Not available

Тор	Bottom	Formation
0.0	51.0	CLAY
51.0	56.0	SAND
56.0	64.0	CLAY
64.0	74.0	S & G

Reference **Driving Direction to Well Date Completed** Number

W. MICHIGAN TO EAGLE CREEK PARK S. TO VERMONT, W. AGAIN TO 180354

COLE .5 MI., GOES S. COLE ST.

8/1/1981

Owner-Name Address **Telephone** Contractor Owner CARL MERKLE 279 COLE ST. Not available Driller CURLEE DRILLING 2746 E. EDGEWOOD Not available

RAY CURLEE License Not available Operator

**Construction Details** 

Well Use: Home **Drilling Method:** Cable Tool Pump Type: Not available

> Pump Setting Depth: Not **Depth:** 70.0 Water Quality: Not available

available

**Length: 67.0** Material: Not available Diameter: 4.0 Casing Screen Length: 5.0 Material: Not available Diameter: 3.8

Slot Size: 40

**Well Capacity** 

Type of Test: Pumping Test Rate: 10.0 gpm for 1.0 hrs. Bail Test Rate: Not available Test

> Drawdown: 4.0 ft. Static Water Level: 27.0 ft. Bailer Drawdown: Not available

Grouting

Material: Not available **Depth:** From (not available) To (not available) Information

Installation Method: Not available Number of Bags Used: Not available

Well

Sealing Material: Not available **Depth:** From (not available) To (not available) **Abandonment** 

Installation Method: Not available Number of Bags Used: Not available

Administrative **County: MARION** Township: 15N

> Range: 3E Section: NW of the SE of Section 6

Topo Map: INDIANAPOLIS WEST Grant: Not available

Field Located By: Not available Field Located On: Not available

Courthouse Location By: Not available Courthouse Location On: Not available Location Accepted w/o Verification By: Location Accepted w/o Verification On:

**BRUNS** 12/21/1982

Lot Number: Not available Subdivision Name: Not available Ft W of EL: Not available Ft N of SL: Not available Ft E of WL: Not available Ft S of NL: Not available

Ground Elevation: Not available Depth of Bedrock: Not available Bedrock Elevation: Not available Aguifer Elevation: Not available **UTM Easting:** Not available **UTM Northing:** Not available

Тор	Bottom	Formation
0.0	20.0	YEL CLAY
20.0	44.0	SANDY CLAY
44.0	65.0	SANDY CLAY
65.0	70.0	GRAV

Reference **Driving Direction to Well Date Completed** Number

180355 329 N VINE E ON VERMONT OFF LYNHURST TO VINE S 5/28/1968

Owner-Name Address Telephone Contractor

329 VINE N Owner SHEFFER Not available

2998 WESTLANE RD INDIANAPOLIS, MERRITT WELL DRILLING CO INC Not available Driller

**INDIANA** 

DON KENNEDY Operator License Not available

**Construction Details** 

Well Use: Home Drilling Method: Cable Tool Pump Type: Not available

> Pump Setting Depth: Not **Depth: 35.0** Water Quality: Not available

available

Length: Not available Material: Not available Diameter: 4.3 Casing

Screen Length: 4.5 Material: Not available Diameter: Not available

Slot Size: 8

**Well Capacity** 

Type of Test: Not available Test Rate: 30.0 gpm Bail Test Rate: Not available Test

> Drawdown: 6.0 ft. Static Water Level: 15.0 ft. Bailer Drawdown: Not available

Grouting

Material: Not available **Depth:** From (not available) To (not available) Information

Installation Method: Not available Number of Bags Used: Not available

Well

Sealing Material: Not available **Depth:** From (not available) To (not available) **Abandonment** 

Installation Method: Not available Number of Bags Used: Not available

Administrative **County: MARION** Township: 15N

> Range: 3E Section: NW of the NE of the SE of Section 6

Topo Map: INDIANAPOLIS WEST Grant: Not available

Field Located By: Not available Field Located On: Not available

Courthouse Location By: Not available Courthouse Location On: Not available

Location Accepted w/o Verification By: Not Location Accepted w/o Verification On: Not

available available

Subdivision Name: Not available Lot Number: Not available Ft W of EL: Not available Ft N of SL: Not available Ft E of WL: Not available Ft S of NL: Not available

Ground Elevation: Not available Depth of Bedrock: Not available Bedrock Elevation: Not available Aguifer Elevation: Not available **UTM Easting:** Not available **UTM Northing:** Not available

Тор	Bottom	Formation
0.0	16.0	TOPSOIL & CLAY
16.0	20.0	BRN GRAV
20.0	32.0	GRAY GRAVELY CLAY
32.0	35.0	GRAY S & G

Reference **Driving Direction to Well Date Completed** Number

180360 5005 N. VERMONT Not available

Owner-Name Address Telephone Contractor

Owner HARDMAN 5005 N. VERMONT Not available Driller HAMILTON BROS, INC. 4025 ROCKVILLE RD. Not available

Operator WHEELER License Not available

**Construction Details** 

Well Use: Not available **Drilling Method:** Not available **Pump Type:** Not available

> Pump Setting Depth: Not **Depth:** 80.0 Water Quality: Not available

available

Casing Length: Not available Material: Not available Diameter: 4.0

Screen Length: 3.0 Material: Not available Diameter: 4.3 Slot Size: Not available

**Well Capacity** Bail Test Rate: 15.0 gpm for 1.0 Test Rate: Not available Type of Test: Not available

hrs Static Water Level: Not

Drawdown: Not available Bailer Drawdown: 43.0 ft. available

Grouting Material: Not available **Depth:** From (not available) To (not available) Information

Installation Method: Not available Number of Bags Used: Not available

Well

Test

Sealing Material: Not available **Depth:** From (not available) To (not available) **Abandonment** 

Installation Method: Not available Number of Bags Used: Not available

Administrative **County: MARION** Township: 15N

Range: 3E Section: 6

Topo Map: INDIANAPOLIS WEST Grant: Not available

Field Located By: Not available Field Located On: Not available

Courthouse Location By: Not available Courthouse Location On: Not available Location Accepted w/o Verification On: Not

Location Accepted w/o Verification By: Not

available available

Subdivision Name: Not available Lot Number: Not available Ft W of EL: Not available Ft N of SL: Not available Ft E of WL: Not available Ft S of NL: Not available

Ground Elevation: Not available Depth of Bedrock: Not available Bedrock Elevation: Not available Aguifer Elevation: Not available **UTM Easting:** Not available **UTM Northing:** Not available

Тор	Bottom	Formation
0.0	23.0	CLAY
23.0	25.0	SAND
25.0	72.0	CLAY
72.0	80.0	SAND

Reference **Driving Direction to Well Date Completed** Number

180365 4948 W VERMONT N 400 PERMIT 0255 10/19/1981

Owner-Name Address Telephone Contractor

Owner HAROLD STELINER Not available Not available

PO BOX 24181,4025 ROCKVILLE Driller HAMILTON BROS INC Not available

**DESTER HARNESS** License Not available Operator

**Construction Details** 

Well Use: Home **Drilling Method: Rotary** Pump Type: Not available

> Pump Setting Depth: Not **Depth:** 78.0 Water Quality: Not available

ROAD, INDIANAPOLIS, IND

available

Material: Not available Casing Length: 74.0 Diameter: 4.0 Screen Length: 4.0 Material: Not available Diameter: 4.0

Slot Size: 60

Well Capacity

Type of Test: Not available Test Rate: 10.0 gpm for 1.0 hrs. Bail Test Rate: Not available Test

> Drawdown: 15.0 ft. Static Water Level: 35.0 ft. Bailer Drawdown: Not available

Grouting

Material: Not available **Depth:** From (not available) To (not available) Information

Installation Method: Not available Number of Bags Used: Not available

Well

Sealing Material: Not available **Depth:** From (not available) To (not available) **Abandonment** 

Installation Method: Not available Number of Bags Used: Not available

Administrative **County: MARION** Township: 15N

> Range: 3E Section: SE of the NW of Section 6

Topo Map: INDIANAPOLIS WEST Grant: Not available

Field Located By: Not available Field Located On: Not available

Courthouse Location By: Not available Courthouse Location On: Not available

Location Accepted w/o Verification By: DSH Location Accepted w/o Verification On: Not

6/15/82 available

Subdivision Name: Not available Lot Number: Not available Ft W of EL: Not available Ft N of SL: Not available Ft E of WL: Not available Ft S of NL: Not available

Ground Elevation: Not available Depth of Bedrock: Not available Bedrock Elevation: Not available Aguifer Elevation: Not available UTM Easting: Not available **UTM Northing:** Not available

Well Log

Тор	Bottom	Formation
0.0	70.0	TOPSOIL & CLAY
70.0	78.0	GRAV

### Comments

Reference
Number

Driving Direction to Well

Date Completed

180368 Not available 8/22/1957

OwnerContractor

Address
Telephone

Owner RONALD GALES MACHINERY 4400 W MICHIGAN Not available

Driller Not available Not available Not available

Operator WOODIE License Not available

Construction Details

Well Use: Home Drilling Method: Cable Tool Pump Type: Not available

Depth: 60.0 Pump Setting Depth: Not available Water Quality: Not available

Casing Length: Not available Material: Not available Diameter: 4.0

Screen Length: Not available Material: Not available Diameter: Not available

Slot Size: Not available

Well Capacity

Test Type of Test: Pumping Test Rate: 10.0 gpm Bail Test Rate: Not available

Drawdown: 30.0 ft.

Static Water Level: Not
Bailer Drawdown: Not available

available

Grouting Information Material: Not available Depth: From (not available) To (not available)

Installation Method: Not available Number of Bags Used: Not available

Well

Abandonment Sealing Material: Not available Depth: From (not available) To (not available)

Installation Method: Not available Number of Bags Used: Not available

Administrative County: MARION Township: 15N

Range: 3E Section: SE of the NW of the NE of Section 6

Topo Map: INDIANAPOLIS WEST Grant: Not available

Field Located By: Not available Field Located On: Not available

Courthouse Location By: Not available Courthouse Location On: Not available

Location Accepted w/o Verification By: Not Location Accepted w/o Verification On: Not

available available

Subdivision Name:Not availableLot Number:Not availableFt W of EL:Not availableFt E of WL:Not availableFt S of NL:Not available

Ground Elevation: Not available

Bedrock Elevation: Not available

UTM Easting: Not available

UTM Northing: Not available

Well Log

Тор	Bottom	Formation
0.0	34.0	GRAV
34.0	54.0	CLAY
54.0	60.0	GRAV

#### Comments



Reference
Number

Driving Direction to Well

Date Completed

180370 4717 W. VERMONT 3/4/1980

OwnerContractor

Name
Address
Telephone

Owner Not available Not available Not available Driller HAMILTON BROS,INC. 4025 ROCKVILLE RD. INDPLS,IN. Not available

Operator DESTER HARNESS License Not available

**Construction Details** 

Well Use: Public Supply Drilling Method: Rotary Pump Type: Not available

Depth: 92.0 Pump Setting Depth: Not Water Quality: Not available

available available

Casing Length: 89.0 Material: Not available Diameter: 4.0 Screen Length: 3.0 Material: Not available Diameter: 4.0

Slot Size: 60

Well Capacity

Test Rate: 10.0 gpm for 1.0 hrs.Bail Test Rate: Not available

Drawdown: 25.0 ft. Static Water Level: 30.0 ft. Bailer Drawdown: Not available

Grouting Information Material: Not available Depth: From (not available) To (not available)

**Installation Method:** Not available **Number of Bags Used:** Not available

Well

Abandonment Sealing Material: Not available Depth: From (not available) To (not available)

Installation Method: Not available Number of Bags Used: Not available

Administrative County: MARION Township: 15N

Range: 3E Section: NW of the SE of Section 6

Topo Map: INDIANAPOLIS WEST Grant: Not available

Field Located By: Not available Field Located On: Not available

Courthouse Location By: Not available Courthouse Location On: Not available

Location Accepted w/o Verification By: JR Location Accepted w/o Verification On: Not

7/11/80 available

Subdivision Name: Not availableLot Number: Not availableFt W of EL: Not availableFt N of SL: Not available

Ft E of WL: Not available

Ground Elevation: Not available

Bedrock Elevation: Not available

Ft S of NL: Not available

Depth of Bedrock: Not available

Aquifer Elevation: Not available

UTM Easting: Not available UTM Northing: Not available

Well Log

Тор	Bottom	Formation
0.0	55.0	TOPSOIL & CLAY
55.0	60.0	SAND
60.0	92 0	CLAY

#### Comments

Reference **Driving Direction to Well Date Completed** Number

180373 Not available 8/11/1952

Owner-Name Address Telephone Contractor

Owner RONALD GALES MACHINE CO 4400 W MICHIGAN, INDPLS Not available Driller FOX & SONS R6. SHELBYVILLE Not available

Operator THOMPSON License Not available

**Construction Details** 

Well Use: Not available **Drilling Method:** Cable Tool Pump Type: Not available

Pump Setting Depth: Not **Depth:** 46.0 Water Quality: Not available available

Length: Not available Material: Not available Diameter: 4.0

Casing Screen Length: 3.0 Material: Not available Diameter: 3.8

Slot Size: #30

**Well Capacity** 

Type of Test: Pumping Test Rate: 12.0 gpm Bail Test Rate: Not available Test

> Drawdown: 6.0 ft. Static Water Level: 26.0 ft. Bailer Drawdown: Not available

Grouting Material: Not available **Depth:** From (not available) To (not available) Information

Installation Method: Not available Number of Bags Used: Not available

Well

Sealing Material: Not available **Depth:** From (not available) To (not available) **Abandonment** 

Installation Method: Not available Number of Bags Used: Not available

Administrative Township: 15N County: MARION

> Range: 3E Section: SE of the NW of the NE of Section 6

Topo Map: INDIANAPOLIS WEST Grant: Not available

Field Located By: DON JORDAN Field Located On: 2/1/1962

Courthouse Location By: Not available Courthouse Location On: Not available

Location Accepted w/o Verification By: Not Location Accepted w/o Verification On: Not

available available

Subdivision Name: Not available Lot Number: Not available Ft W of EL: Not available **Ft N of SL:** 4.200.0 **Ft E of WL**: 2.900.0 Ft S of NL: Not available

**Ground Elevation: 720.0** Depth of Bedrock: Not available

Bedrock Elevation: Not available Aguifer Elevation: 674.0

**UTM Northing:** 4402940 **UTM Easting:** 564822

Тор	Bottom	Formation
0.0	1.0	FILL GRAV
1.0	5.0	CLAY
5.0	30.0	DRY GRAV
30.0	37.0	GRAV & SAND
37.0	43.0	SANDY CLAY

		43.0	46.0	S&G WB
--	--	------	------	--------

Reference **Driving Direction to Well Date Completed** Number

180375 Not available 5/11/1961

Owner-Name Address Telephone Contractor

BEST CONST. CO 345 COLE Owner Not available

HARLAN MILLER WELL & PUMP 1726 HAMBLEN W. DR. INDIANAPOLIS, Not available Driller CO

AC BOWEN Operator License Not available

**Construction Details** 

Well Use: Home Drilling Method: Cable Tool Pump Type: Not available

> Pump Setting Depth: Not **Depth:** 53.0 Water Quality: Not available

available

Material: Not available Casing Length: 49.0 Diameter: 4.0 Screen Length: 5.0 Material: Not available Diameter: 3.0

Slot Size: #6

Well Capacity

Type of Test: Bailing Test Rate: 14.0 gpm for 1.0 hrs. Bail Test Rate: Not available Test

> Drawdown: 4.0 ft. Static Water Level: 7.0 ft. Bailer Drawdown: Not available

Grouting

Material: Not available **Depth:** From (not available) To (not available) Information

Installation Method: Not available Number of Bags Used: Not available

Well

Sealing Material: Not available **Depth:** From (not available) To (not available) **Abandonment** 

Installation Method: Not available Number of Bags Used: Not available

Administrative **County: MARION** Township: 15N

> Range: 3E Section: SW of the NW of the SE of Section 6

Topo Map: INDIANAPOLIS WEST **Grant:** Not available

Field Located By: DRILLER Field Located On: 2/1/1962

Courthouse Location By: Not available Courthouse Location On: Not available

Location Accepted w/o Verification By: Not Location Accepted w/o Verification On: Not

available available

Subdivision Name: Not available Lot Number: Not available

Ft W of EL: Not available **Ft N of SL:** 2.150.0 Ft E of WL: 2.450.0 Ft S of NL: Not available

**Ground Elevation: 715.0** Depth of Bedrock: Not available

Bedrock Elevation: Not available Aguifer Elevation: 662.0 UTM Easting: 564696 **UTM Northing:** 4402351

Bottom	Formation
32.0	CLAY
39.0	SAND
47.0	CLAY
49.0	SAND -WATER
	32.0 39.0 47.0

49.0 | 53.0 | SAND & GRAVEL & WATER

**Comments**None

Reference **Driving Direction to Well Date Completed** Number

180380 115 N COLE ST W 4850 400N 10/31/1983

Owner-Name Address Telephone Contractor

Not available Owner Not available Not available

PO BOX24181,4025 ROCKVILLE Driller HAMILTON BROS INC Not available ROAD, INDIANAPOLIS, IND

LESTER HARNESS License Not available Operator

**Construction Details** 

Well Use: Home **Drilling Method: Rotary** Pump Type: Not available

> Pump Setting Depth: Not **Depth:** 78.0 Water Quality: Not available

available

Material: Not available Casing Length: 75.0 Diameter: 4.0 Screen Length: 4.0 Material: Not available Diameter: 4.0

Slot Size: 60

**Well Capacity** 

Type of Test: Not available Test Rate: 10.0 gpm for 1.0 hrs. Bail Test Rate: Not available Test

> Drawdown: 10.0 ft. Static Water Level: 40.0 ft. Bailer Drawdown: Not available

Grouting

Material: Not available **Depth:** From (not available) To (not available) Information

Installation Method: Not available Number of Bags Used: Not available

Well

Sealing Material: Not available **Depth:** From (not available) To (not available) **Abandonment** 

Installation Method: Not available Number of Bags Used: Not available

Administrative **County: MARION** Township: 15N

> Range: 3E Section: SW of the SE of Section 6

Topo Map: INDIANAPOLIS WEST Grant: Not available

Field Located By: Not available Field Located On: Not available

Courthouse Location By: Not available Courthouse Location On: Not available

Location Accepted w/o Verification On: Not Location Accepted w/o Verification By: TCS

available

Subdivision Name: Not available Lot Number: Not available Ft W of EL: Not available Ft N of SL: Not available Ft E of WL: Not available Ft S of NL: Not available

Ground Elevation: Not available Depth of Bedrock: Not available Bedrock Elevation: Not available Aguifer Elevation: Not available **UTM Easting:** Not available **UTM Northing:** Not available

Тор	Bottom	Formation
0.0	25.0	TOPSOIL & CLAY
25.0	50.0	S & G
50.0	70.0	CLAY
70.0	78.0	S & G

Reference **Driving Direction to Well Date Completed** Number

180385 Not available 6/15/1960

Owner-Name Address Telephone Contractor

111 N. COLE Owner HAROLD SNAPP Not available Driller ALLEN MATLOCK 4701 W. MORRIS Not available

Operator WOODROW GOODE License Not available

**Construction Details** 

Well Use: Home **Drilling Method:** Cable Tool Pump Type: Not available

Pump Setting Depth: Not **Depth:** 78.0 Water Quality: Not available available

Length: Not available Material: Not available Diameter: 4.0

Casing Screen Length: 4.0 Material: Not available Diameter: 3.0

Slot Size: 6

**Well Capacity** 

Type of Test: Pumping Test Rate: 10.0 gpm for 1.0 hrs. Bail Test Rate: Not available Test

> Drawdown: 15.0 ft. Static Water Level: 15.0 ft. Bailer Drawdown: Not available

Grouting Material: Not available **Depth:** From (not available) To (not available) Information

Installation Method: Not available Number of Bags Used: Not available

Well

Sealing Material: Not available **Depth:** From (not available) To (not available) **Abandonment** 

Installation Method: Not available Number of Bags Used: Not available

Administrative Township: 15N County: MARION

> Range: 3E Section: NW of the SW of the SE of Section 6

Topo Map: INDIANAPOLIS WEST Grant: Not available

Field Located By: Not available Field Located On: Not available

Courthouse Location By: Not available Courthouse Location On: Not available

Location Accepted w/o Verification By: Not Location Accepted w/o Verification On: Not

available available

Subdivision Name: Not available Lot Number: Not available Ft W of EL: Not available Ft N of SL: Not available Ft E of WL: Not available Ft S of NL: Not available

Ground Elevation: Not available Depth of Bedrock: Not available Bedrock Elevation: Not available Aquifer Elevation: Not available

**UTM Northing:** Not available **UTM Easting:** Not available

Well Log

Тор	Bottom	Formation
0.0	3.0	TOPSOIL
3.0	20.0	CLAY YEL
20.0	45.0	CLAY
45.0	78.0	S & G

#### Comments



Reference **Driving Direction to Well Date Completed** Number

180389 Not available 4/21/1965

Owner-Name Address Telephone Contractor

4937 W. VERMONT Owner **GILLISPIE** Not available 4025 ROCKVILLE RD. HAMILTON BROS, INC. Driller Not available

Operator JOHN GALLADAY License Not available

**Construction Details** 

Well Use: Home **Drilling Method:** Cable Tool Pump Type: Not available

Pump Setting Depth: Not **Depth:** 72.0 Water Quality: Not available

available

Casing Length: 69.0 Material: Not available Diameter: 4.0 Screen Length: 4.0 Material: Not available Diameter: 3.0

Slot Size: Not available

**Well Capacity** 

Type of Test: Pumping Test Rate: 10.0 gpm Bail Test Rate: Not available Test

> Drawdown: 35.0 ft. Static Water Level: 31.0 ft. Bailer Drawdown: Not available

Grouting Material: Not available **Depth:** From (not available) To (not available) Information

Installation Method: Not available Number of Bags Used: Not available

Well

Sealing Material: Not available **Depth:** From (not available) To (not available) **Abandonment** 

Installation Method: Not available Number of Bags Used: Not available

Administrative Township: 15N County: MARION

> Range: 3E Section: 6

Topo Map: INDIANAPOLIS WEST Grant: Not available Field Located By: Not available Field Located On: Not available

Courthouse Location By: Not available Courthouse Location On: Not available

Location Accepted w/o Verification On:

Location Accepted w/o Verification By: U 10/1/1965

Subdivision Name: Not available Lot Number: Not available Ft W of EL: Not available Ft N of SL: Not available Ft E of WL: Not available Ft S of NL: Not available

Ground Elevation: Not available Depth of Bedrock: Not available Bedrock Elevation: Not available Aquifer Elevation: Not available

**UTM Northing:** Not available **UTM Easting:** Not available

Well Log

Тор	Bottom	Formation
0.0	20.0	YEL ROCKY CLAY
20.0	64.0	GRAY CLAY
64 0	72 0	GRAV

#### Comments

Reference
Number

Driving Direction to Well

Date Completed

180390 4500W 320 N 3/28/1988

OwnerContractor

Name
Address
Telephone

Owner PAUL JOHNSON 322 N GINA ST. Not available Driller MATLOCK WELL DRILLING 4701 W. MORRIS Not available

Operator TIM DAVIS License Not available

**Construction Details** 

Well Use: Home Drilling Method: Rotary Pump Type: Submersible

Depth: Not available Pump Setting Depth: 40.0 Water Quality: Not available

Casing Length: 46.0 Material: Not available Diameter: 4.0 Screen Length: 5.0 Material: Not available Diameter: 4.0

Slot Size: #6

Well Capacity
Test
Type of Test: Bailing
Test Rate: 10.0 gpm
Bail Test Rate: Not available

Drawdown: Not available Static Water Level: 20.0 ft. Bailer Drawdown: Not available

Grouting Information Material: Not available Depth: From (not available) To (not available)

Installation Method: Not available Number of Bags Used: Not available

Abandonment Sealing Material: Not available Depth: From (not available) To (not available)

Installation Method: Not available Number of Bags Used: Not available

Administrative County: MARION Township: 15N

Range: 3E Section: NE of the SE of Section 6

Topo Map: INDIANAPOLIS WEST Grant: Not available

Field Located By: Not available Field Located On: Not available

Courthouse Location By: Not available

Location Accepted w/o Verification By: Not

Location Accepted w/o Verification On: Not

available available

Subdivision Name: Not availableLot Number: Not availableFt W of EL: Not availableFt N of SL: Not availableFt E of WL: Not availableFt S of NL: Not available

Ground Elevation: Not available

Bedrock Elevation: Not available

UTM Easting: Not available

UTM Northing: Not available

UTM Northing: Not available

Well Log

Well

Тор	Bottom	Formation
0.0	3.0	TOP SOIL
3.0	42.0	CLAY
42.0	46.0	GRAVEL

#### Comments

Reference **Driving Direction to Well Date Completed** Number

180394 279 N COLE ST 4900 W 9/5/1978

Owner-Name Address Telephone Contractor

Owner Not available Not available Not available

PO BOX24181,4025 ROCKVILLE HAMILTON BROS INC Driller Not available ROAD, INDIANAPOLIS, IND

CHARLES ARTHUR License Not available Operator

**Construction Details** 

Well Use: Home **Drilling Method: Rotary** Pump Type: Not available

> Pump Setting Depth: Not **Depth:** 61.0 Water Quality: Not available

available

Material: Not available Casing Length: 58.0 Diameter: 4.0 Screen Length: 3.0 Material: Not available Diameter: 4.0

Slot Size: 60

**Well Capacity** 

Type of Test: Not available Test Rate: 10.0 gpm for 1.0 hrs. Bail Test Rate: Not available Test

> Drawdown: 10.0 ft. Static Water Level: 30.0 ft. Bailer Drawdown: Not available

Grouting

Material: Not available **Depth:** From (not available) To (not available) Information

Installation Method: Not available Number of Bags Used: Not available

Well

Sealing Material: Not available **Depth:** From (not available) To (not available) **Abandonment** 

Installation Method: Not available Number of Bags Used: Not available

Administrative **County: MARION** Township: 15N

> Range: 3E Section: NW of the SE of Section 6

Topo Map: INDIANAPOLIS WEST Grant: Not available

Field Located By: Not available Field Located On: Not available

Courthouse Location By: Not available Courthouse Location On: Not available

Location Accepted w/o Verification By: SAW Location Accepted w/o Verification On: Not

SLP 5/16/79 available

Subdivision Name: Not available Lot Number: Not available Ft W of EL: Not available Ft N of SL: Not available Ft E of WL: Not available Ft S of NL: Not available

Ground Elevation: Not available Depth of Bedrock: Not available Bedrock Elevation: Not available Aguifer Elevation: Not available **UTM Easting:** Not available **UTM Northing:** Not available

Тор	Bottom	Formation
0.0	48.0	TOPSOIL & CLAY
48.0	50.0	GRAV
50.0	56.0	CLAY
56.0	61.0	GRAV

Reference
Number

Driving Direction to Well

Date Completed

180395 5000W 8/28/1965

OwnerContractor

Name
Address
Telephone

Owner WILLIAM DUZICH 240 N. AUBURN Not available
Driller H.R. Not available
Not available

Operator LES HARNESS License Not available

**Construction Details** 

Well Use: Home Drilling Method: Rotary Pump Type: Not available

Depth: 68.0 Pump Setting Depth: Not available Water Quality: Not available

Casing Length: 66.0 Material: Not available Diameter: 4.0

Screen Length: 2.0 Material: Not available Diameter: 4.0

Slot Size: 60

Well Capacity Type of

Test Type of Test: Pumping Test Rate: 10.0 gpm for 4.0 hrs.Bail Test Rate: Not available

Drawdown: Not available

Static Water Level: Not
Bailer Drawdown: Not available

available

Grouting Information Material: Not available Depth: From (not available) To (not available)

Installation Method: Not available Number of Bags Used: Not available

Well

Abandonment Sealing Material: Not available Depth: From (not available) To (not available)

Installation Method: Not available Number of Bags Used: Not available

Administrative County: MARION Township: 15N

Range: 3E Section: 6
Topo Map: INDIANAPOLIS WEST Grant: Not available

Field Located By: Not available Field Located On: Not available

Courthouse Location By: Not available Courthouse Location On: Not available

Location Accepted w/o Verification By: U

Subdivision Name: Not available Lot Numb

Subdivision Name: Not availableLot Number: Not availableFt W of EL: Not availableFt N of SL: Not availableFt E of WL: Not availableFt S of NL: Not available

Ground Elevation: Not available

Bedrock Elevation: Not available

UTM Easting: Not available

UTM Northing: Not available

Well Log

Тор	Bottom	Formation
0.0	60.0	CLAY
60.0	68.0	S & G

## Comments

Reference
Number

Driving Direction to Well

Date Completed

180399 Not available 1/1/1958

OwnerContractor

Name
Address
Telephone

Owner BAUMAN 301 N COLE ST Not available

Driller HAMILTON BROS Not available Not available

Operator Not available License Not available

**Construction Details** 

Well Use: Home Drilling Method: Not available Pump Type: Not available

Depth: 46.0 Pump Setting Depth: Not Water Quality: Not available

available

Casing Length: 53.0 Material: Not available Diameter: 4.0

Screen Length: Not available Material: Not available Diameter: Not available

Slot Size: Not available

Well Capacity

Test Type of Test: Not available Test Rate: 10.0 gpm Bail Test Rate: Not available

Drawdown: Not available

Static Water Level: Not
Bailer Drawdown: Not available

available

Grouting Information Material: Not available Depth: From (not available) To (not available)

Installation Method: Not available Number of Bags Used: Not available

Well

Abandonment Sealing Material: Not available Depth: From (not available) To (not available)

Installation Method: Not available Number of Bags Used: Not available

Administrative County: MARION Township: 15N

Range: 3E Section: NW of the SE of Section 6

**Topo Map:** INDIANAPOLIS WEST **Grant:** Not available

Field Located By: Not available Field Located On: Not available

Courthouse Location By: Not available Courthouse Location On: Not available

Location Accepted w/o Verification By: Not Location Accepted w/o Verification On: Not

available available

Subdivision Name:Not availableFt W of EL:Not availableFt E of WL:Not availableFt E of WL:Not availableFt S of NL:Not available

Ground Elevation: Not available

Bedrock Elevation: Not available

UTM Easting: Not available

UTM Northing: Not available

Well Log

Тор	Bottom	Formation
0.0	40.0	BLANK
40.0	46.0	GRAV

### Comments

Reference **Driving Direction to Well Date Completed** Number

180400 Not available 6/30/1970

Owner-Name Address Telephone Contractor

265 N COLE ST Owner CARL MERKLE Not available Driller HAMILTON BROS INC Not available Not available

Operator **BILL POWELL** License Not available

**Construction Details** 

Well Use: Home **Drilling Method:** Rotary Pump Type: Not available

Pump Setting Depth: Not **Depth:** 60.0 Water Quality: Not available

available

Casing Length: 58.0 Material: Not available Diameter: 4.0 Screen Length: 2.0 Material: Not available Diameter: 4.0

Slot Size: 6

**Well Capacity** 

Type of Test: Not available Test Rate: 10.0 gpm for 2.0 hrs. Bail Test Rate: Not available Test

> Static Water Level: Not Drawdown: Not available Bailer Drawdown: Not available

available

Grouting Material: Not available **Depth:** From (not available) To (not available) Information

Installation Method: Not available Number of Bags Used: Not available

Well

Sealing Material: Not available **Depth:** From (not available) To (not available) **Abandonment** 

Installation Method: Not available Number of Bags Used: Not available

Administrative **County: MARION** Township: 15N

> Range: 3E Section: SW of the NW of the SE of Section 6

Topo Map: INDIANAPOLIS WEST **Grant:** Not available

Field Located By: Not available Field Located On: 5/1/1974

Courthouse Location By: Not available Courthouse Location On: Not available Location Accepted w/o Verification On:

7/17/1970

Location Accepted w/o Verification By: UCH

Subdivision Name: Not available Lot Number: Not available

**Ft W of EL:** 2.100.0 **Ft N of SL:** 1.400.0 Ft E of WL: Not available Ft S of NL: Not available

**Ground Elevation: 735.0** Depth of Bedrock: Not available

Bedrock Elevation: Not available Aguifer Elevation: 687.0 **UTM Easting:** 564939.3 **UTM Northing:** 4402180.5

Well Log

Тор	Bottom	Formation
0.0	48.0	CLAY
48.0	60.0	S & G

### Comments

Reference **Driving Direction to Well Date Completed** Number

180404 Not available 6/23/1955

Owner-Name Address Telephone Contractor

300 N VINE ST Owner **EVERETT SHEFFER** Not available Driller HAMILTON BROS Not available Not available

Operator Not available License Not available

**Construction Details** 

Well Use: Home **Drilling Method:** Not available **Pump Type:** Not available

> Pump Setting Depth: Not **Depth:** 43.0 Water Quality: Not available

available

Casing Length: Not available Material: Not available Diameter: 4.0

Screen Length: Not available Material: Not available Diameter: Not available

Slot Size: Not available

**Well Capacity** 

Bail Test Rate: Not available Type of Test: Not available Test Rate: 10.0 gpm Test

> Static Water Level: Not Drawdown: 15.0 ft. Bailer Drawdown: Not available

available

Grouting

Material: Not available **Depth:** From (not available) To (not available) Information

Installation Method: Not available Number of Bags Used: Not available

Well

Sealing Material: Not available **Depth:** From (not available) To (not available) **Abandonment** 

Installation Method: Not available Number of Bags Used: Not available

Administrative **County: MARION** Township: 15N

> Range: 3E Section: NW of the SE of Section 6

Topo Map: INDIANAPOLIS WEST Grant: Not available

Field Located By: Not available Field Located On: Not available

Courthouse Location By: Not available Courthouse Location On: Not available

Location Accepted w/o Verification By: Not Location Accepted w/o Verification On: Not

available available

Subdivision Name: Not available Lot Number: Not available Ft W of EL: Not available Ft N of SL: Not available Ft E of WL: Not available Ft S of NL: Not available

Ground Elevation: Not available Depth of Bedrock: Not available Bedrock Elevation: Not available Aguifer Elevation: Not available **UTM Easting:** Not available **UTM Northing:** Not available

Тор	Bottom	Formation
0.0	19.0	GRAV
19.0	24.0	CLAY
24.0	30.0	GRAV
30.0	36.0	CLAY
	Î .	

36.0	42.0	lonav.
36.0	43.0	GRAV

Reference **Driving Direction to Well Date Completed** Number

180405 Not available 7/27/1974

Owner-Name Address **Telephone** Contractor

4925 W. VERMONT Owner DAVID GURLEY Not available Driller MATLOCK WELL DRILLING 4701 W. MORRIS ST. Not available

Operator ALLEN MATLOCK License Not available

**Construction Details** 

Well Use: Home **Drilling Method:** Rotary Pump Type: Not available

Pump Setting Depth: Not **Depth:** 85.0 Water Quality: Not available available

Casing Length: 85.0 Material: Not available Diameter: 4.0 Screen Length: 5.0 Material: Not available Diameter: 4.0

Slot Size: 6

**Well Capacity** 

Type of Test: Pumping Test Rate: 15.0 gpm Bail Test Rate: Not available Test

> Drawdown: Not available Static Water Level: 45.0 ft. Bailer Drawdown: Not available

Grouting Material: Not available **Depth:** From (not available) To (not available) Information

Installation Method: Not available Number of Bags Used: Not available

Well

Sealing Material: Not available **Depth:** From (not available) To (not available) **Abandonment** 

Installation Method: Not available Number of Bags Used: Not available

Administrative Township: 15N County: MARION

> Range: 3E Section: NE of the SW of Section 6

Topo Map: INDIANAPOLIS WEST Grant: Not available

Field Located By: Not available Field Located On: Not available

Courthouse Location By: Not available Courthouse Location On: Not available Location Accepted w/o Verification By: Location Accepted w/o Verification On:

**BRUNS** 7/21/1976

Subdivision Name: Not available Lot Number: Not available Ft W of EL: Not available Ft N of SL: Not available Ft E of WL: Not available Ft S of NL: Not available

Ground Elevation: Not available Depth of Bedrock: Not available Bedrock Elevation: Not available Aquifer Elevation: Not available

**UTM Northing:** Not available **UTM Easting:** Not available

Well Log

Тор	Bottom	Formation
0.0	3.0	TOPSOIL
3.0	79.0	CLAY
79.0	85.0	GRAV

#### Comments

Reference
Number

Driving Direction to Well

Date Completed

180408 Not available 4/27/1954

OwnerName
Address
Telephone

Contractor

Owner SHEFFER 300 N FLEMING ST Not available

Driller HAMILTON BROS Not available

Not available

Operator Not available License Not available

**Construction Details** 

Well Use: Home Drilling Method: Not available Pump Type: Not available

Depth: 51.0 Pump Setting Depth: Not Water Quality: Not available

available

Casing Length: 58.0 Material: Not available Diameter: 4.0

Screen Length: Not available Material: Not available Diameter: Not available

Slot Size: Not available

Well Capacity

Test Type of Test: Pumping Test Rate: 10.0 gpm Bail Test Rate: Not available

Drawdown: 2.0 ft. Static Water Level: 16.0 ft. Bailer Drawdown: Not available

Grouting Information

Material: Not available Depth: From (not available) To (not available)

Installation Method: Not available Number of Bags Used: Not available

Well

Abandonment Sealing Material: Not available Depth: From (not available) To (not available)

Installation Method: Not available Number of Bags Used: Not available

Administrative County: MARION Township: 15N

Range: 3E Section: SE of Section 6
Topo Map: INDIANAPOLIS WEST Grant: Not available

Field Located By: Not available Field Located On: Not available

Courthouse Location By: Not available Courthouse Location On: Not available

Location Accepted w/o Verification By: Not Location Accepted w/o Verification On: Not

available available

Subdivision Name: Not availableLot Number: Not availableFt W of EL: Not availableFt N of SL: Not availableFt E of WL: Not availableFt S of NL: Not available

Ground Elevation: Not available

Bedrock Elevation: Not available

UTM Easting: Not available

Depth of Bedrock: Not available

Aquifer Elevation: Not available

UTM Northing: Not available

Well Log

Тор	Bottom	Formation
0.0	7.0	FILL DIRT & CLAY
7.0	36.0	BLUE CLAY
36.0	42.0	SANDY CLAY
42.0	51.0	S&G

#### Comments



Reference **Driving Direction to Well Date Completed** Number

180409 Not available 6/25/1962

Owner-Name Address Telephone Contractor

**GES YOUNG** 324 M FLEMING Owner Not available Driller Not available Not available Not available

Operator RASH License Not available

**Construction Details** 

Well Use: Not available **Drilling Method:** Not available **Pump Type:** Not available

> Pump Setting Depth: Not **Depth:** 35.0 Water Quality: Not available

> > Diameter: 4.0

available Material: Not available

Length: 32.0 Screen Length: 4.8 Material: Not available Diameter: Not available

Slot Size: Not available

**Well Capacity** Bail Test Rate: 10.0 gpm for 0.5 Test Rate: Not available Type of Test: Not available

Test hrs

Static Water Level: Not Drawdown: Not available Bailer Drawdown: Not available available

Grouting Material: Not available **Depth:** From (not available) To (not available) Information

Installation Method: Not available Number of Bags Used: Not available

Well Sealing Material: Not available **Depth:** From (not available) To (not available) **Abandonment** 

Installation Method: Not available Number of Bags Used: Not available

Administrative **County: MARION** Township: 15N

> Range: 3E Section: SE of Section 6 Topo Map: INDIANAPOLIS WEST Grant: Not available

Field Located By: Not available Field Located On: Not available

Courthouse Location By: Not available Courthouse Location On: Not available

Location Accepted w/o Verification By: Not Location Accepted w/o Verification On: Not

available available

Subdivision Name: Not available Lot Number: Not available Ft W of EL: Not available Ft N of SL: Not available Ft E of WL: Not available Ft S of NL: Not available

Ground Elevation: Not available Depth of Bedrock: Not available Bedrock Elevation: Not available Aguifer Elevation: Not available **UTM Easting:** Not available **UTM Northing:** Not available

### Well Log

Casing

Тор	Bottom	Formation
0.0	4.0	TOPSOIL & CLAY
4.0	14.0	SAND
14.0	28.0	CLAY
28.0	35.0	SAND

Reference **Driving Direction to Well Date Completed** Number

180410 310 N AUBURN 5500 W Not available

Owner-Address Telephone Name Contractor

Owner PAUL WHITE Not available Not available Driller HAMILTON BROS INC 4025 ROCKVILLE RD Not available

Operator **CLIFFORD** License Not available

**Construction Details** 

Well Use: Home **Drilling Method:** Rotary Pump Type: Not available

> Pump Setting Depth: Not **Depth:** 66.0 Water Quality: Not available

available

Casing Length: 64.0 Material: Not available Diameter: 4.3 Screen Length: 2.0 Material: Not available Diameter: 4.0

Slot Size: Not available

**Well Capacity** 

Type of Test: Not available Test Rate: 10.0 gpm for 1.0 hrs. Bail Test Rate: Not available Test

> Drawdown: Not available Static Water Level: 30.0 ft. Bailer Drawdown: Not available

Grouting

Material: Not available **Depth:** From (not available) To (not available) Information

Installation Method: Not available Number of Bags Used: Not available

Well

Sealing Material: Not available **Depth:** From (not available) To (not available) **Abandonment** 

Installation Method: Not available Number of Bags Used: Not available

Administrative County: MARION Township: 15N

> Range: 3E Section: NE of the NE of the SW of Section 6

Topo Map: INDIANAPOLIS WEST Grant: Not available

Field Located By: Not available Field Located On: Not available

Courthouse Location By: Not available Courthouse Location On: Not available

Location Accepted w/o Verification By: Not Location Accepted w/o Verification On: Not

available available

Subdivision Name: Not available Lot Number: Not available Ft W of EL: Not available Ft N of SL: Not available Ft E of WL: Not available Ft S of NL: Not available

Ground Elevation: Not available Depth of Bedrock: Not available Bedrock Elevation: Not available Aquifer Elevation: Not available

**UTM Northing:** Not available **UTM Easting:** Not available

Well Log

Тор	Bottom	Formation
0.0	25.0	CLAY
25.0	27.0	SAND
27.0	60.0	CLAY
60.0	66.0	SAND

#### Comments



Reference **Driving Direction to Well Date Completed** Number

180413 OFF VERMONT E. OF LYNDHURST ON COLE ST. 5/13/1980

Owner-Name Address Telephone Contractor 111 N. COLE ST. Owner THOMAS STANFIELD Not available

Driller MATLOCK WELL DRILLING 4801 W. MORRIS ST. Not available

Operator CHARLES WHITE License Not available

**Construction Details** 

Well Use: Home **Drilling Method:** Rotary Pump Type: Not available

Pump Setting Depth: Not **Depth:** 76.0 Water Quality: Not available available

Length: 76.0 Material: Not available Diameter: 4.0

Casing Screen Length: 5.0 Material: Not available Diameter: 4.0

Slot Size: 6

**Well Capacity** Bail Test Rate: 20.0 gpm for 1.0 Type of Test: Not available Test Rate: Not available

Drawdown: Not available Static Water Level: 32.0 ft. Bailer Drawdown: Not available

Grouting Material: Not available **Depth:** From (not available) To (not available) Information

Installation Method: Not available Number of Bags Used: Not available

Well

Test

Sealing Material: Not available **Depth:** From (not available) To (not available) **Abandonment** 

Installation Method: Not available Number of Bags Used: Not available

Administrative Township: 15N **County: MARION** 

> Range: 3E Section: SW of the SW of the SE of Section 6

Topo Map: INDIANAPOLIS WEST Grant: Not available

Field Located By: MCBH Field Located On: 1/1/1992

Courthouse Location By: Not available Courthouse Location On: Not available Location Accepted w/o Verification On:

Location Accepted w/o Verification By: JR 7/11/1980

Subdivision Name: Not available Lot Number: Not available Ft W of EL: Not available Ft N of SL: Not available

Ft E of WL: Not available Ft S of NL: Not available

**Ground Elevation:** 737.0 Depth of Bedrock: Not available

Bedrock Elevation: Not available Aguifer Elevation: 619.0 **UTM Northing:** 4401895 **UTM Easting:** 564864.4

Тор	Bottom	Formation
0.0	3.0	TOPSOIL
3.0	31.0	CLAY
31.0	41.0	GRAV & SAND
41.0	107.0	CLAY
107.0	117.0	GRAV

Comments MC 619;

Reference **Driving Direction to Well Date Completed** Number

180415 Not available 3/11/1971

Owner-Name Address Telephone Contractor

JOE TRENTON 300N. COLE 4900 W. Owner Not available Driller HAMILTON BROS, INC. Not available Not available

Operator RASH License Not available

**Construction Details** 

Well Use: Home **Drilling Method:** Cable Tool Pump Type: Not available

Pump Setting Depth: Not **Depth:** 60.0 Water Quality: Not available

available

Casing Length: 57.0 Material: Not available Diameter: 4.0 Screen Length: 5.0 Material: Not available Diameter: 3.0

Slot Size: 40

**Well Capacity** Bail Test Rate: Not available Type of Test: Not available Test Rate: Not available Test

> Static Water Level: Not Drawdown: Not available Bailer Drawdown: Not available

available

Grouting Material: Not available **Depth:** From (not available) To (not available) Information

Installation Method: Not available Number of Bags Used: Not available

Well

Sealing Material: Not available **Depth:** From (not available) To (not available) **Abandonment** 

Installation Method: Not available Number of Bags Used: Not available

Administrative **County: MARION** Township: 15N

> Range: 3E Section: NW of the NW of the SE of Section 6

Topo Map: INDIANAPOLIS WEST Grant: Not available

Field Located By: Not available Field Located On: 5/1/1974

Courthouse Location By: Not available Courthouse Location On: Not available

Location Accepted w/o Verification By: Not Location Accepted w/o Verification On: Not

available available

Subdivision Name: Not available Lot Number: Not available **Ft W of EL:** 2.300.0 **Ft N of SL:** 1.800.0

Ft E of WL: Not available Ft S of NL: Not available **Ground Elevation: 722.0** 

Depth of Bedrock: Not available

Bedrock Elevation: Not available Aguifer Elevation: 662.0 **UTM Easting:** 564911.3 **UTM Northing:** 4402291

Тор	Bottom	Formation
0.0	4.0	TOPSOIL & CLAY
4.0	8.0	SAND
8.0	18.0	CLAY
18.0	19.0	SAND

19.0	45.0	CLAY
45.0	60.0	SAND

Reference **Driving Direction to Well** Number

180418 Not available Not available

Owner-Name Address Telephone Contractor

3006 N COLE Owner LITEMAN Not available Driller **ROBT EDWARDS** Not available Not available

Operator Not available License Not available

**Construction Details** 

Well Use: Home **Drilling Method:** Cable Tool Pump Type: Not available Pump Setting Depth: Not

**Depth:** 56.0 Water Quality: Not available available

**Date Completed** 

Casing Length: Not available Material: Not available Diameter: 4.0

Screen Length: Not available Material: Not available Diameter: Not available

Slot Size: Not available

**Well Capacity** 

Type of Test: Pumping Bail Test Rate: Not available Test Rate: 10.0 gpm Test

> Static Water Level: Not Drawdown: 20.0 ft. Bailer Drawdown: Not available

available

Grouting

Material: Not available **Depth:** From (not available) To (not available) Information

Installation Method: Not available Number of Bags Used: Not available

Well

Sealing Material: Not available **Depth:** From (not available) To (not available) **Abandonment** 

Installation Method: Not available Number of Bags Used: Not available

Administrative **County: MARION** Township: 15N

> Range: 3E Section: SW of the NW of the SE of Section 6

Topo Map: INDIANAPOLIS WEST Grant: Not available

Field Located By: Not available Field Located On: Not available

Courthouse Location By: Not available Courthouse Location On: Not available Location Accepted w/o Verification On:

Location Accepted w/o Verification By: WJS 10/18/1957

Subdivision Name: Not available Lot Number: Not available Ft W of EL: Not available Ft N of SL: Not available Ft E of WL: Not available Ft S of NL: Not available

Ground Elevation: Not available Depth of Bedrock: Not available Bedrock Elevation: Not available Aguifer Elevation: Not available **UTM Easting:** Not available **UTM Northing:** Not available

Тор	Bottom	Formation
0.0	10.0	CLAY
10.0	14.0	SAND
14.0	35.0	CLAY
35.0	39.0	SAND GRAV

39.0	45.0	CLAY
45.0	56.0	S&G

Reference **Driving Direction to Well Date Completed** Number

180419 Not available 8/20/1953

Owner-Name Address Telephone Contractor **RD 36** Owner RISTOW Not available

**HAMILTON BROS** Driller Not available Not available

Operator JOHN GOLLODAY License Not available

**Construction Details** 

Well Use: Home **Drilling Method:** Not available **Pump Type:** Not available

> Pump Setting Depth: Not **Depth:** 90.0 Water Quality: Not available available

Casing Length: Not available Material: Not available Diameter: 4.0

Screen Length: Not available Material: Not available Diameter: Not available

Slot Size: Not available

**Well Capacity** 

Bail Test Rate: Not available Type of Test: Pumping Test Rate: 10.0 gpm Test

> Static Water Level: Not Drawdown: Not available Bailer Drawdown: Not available

available

Grouting Material: Not available **Depth:** From (not available) To (not available) Information

Installation Method: Not available Number of Bags Used: Not available

Well

Sealing Material: Not available **Depth:** From (not available) To (not available) **Abandonment** 

Installation Method: Not available Number of Bags Used: Not available

Administrative **County: MARION** Township: 15N

> Range: 3E Section: NW of the SE of the SE of Section 6

Topo Map: INDIANAPOLIS WEST Grant: Not available

Field Located By: Not available Field Located On: Not available

Courthouse Location By: Not available Courthouse Location On: Not available

Location Accepted w/o Verification By: Not Location Accepted w/o Verification On: Not

available available

Subdivision Name: Not available Lot Number: Not available Ft W of EL: Not available Ft N of SL: Not available Ft E of WL: Not available Ft S of NL: Not available

Ground Elevation: Not available Depth of Bedrock: Not available Bedrock Elevation: Not available Aguifer Elevation: Not available **UTM Easting:** Not available **UTM Northing:** Not available

Тор	Bottom	Formation
0.0	15.0	CLAY
15.0	25.0	SAND
25.0	84.0	CLAY
84.0	90.0	GRAV

Reference **Driving Direction to Well Date Completed** Number

16TH ST WEST TO LYNDHURST DR & GO S TO VERMONT ST & GO EAST 12/21/1978 180420

TO FLEMING & GO N

Owner-Name Address **Telephone** Contractor Owner MARY WOOD 302 N, FLEMING Not available Driller MATLOCK WELL DRILLING 4701 WEST MORRIS ST Not available

JERRY OAKLEY License Not available Operator

**Construction Details** 

Well Use: Home **Drilling Method: Rotary** Pump Type: Not available

> Pump Setting Depth: Not **Depth:** 70.0 Water Quality: Not available

available

Length: Not available Material: Not available Casing Diameter: 4.0

Screen Length: 5.0 Material: Not available Diameter: 4.0

Slot Size: #6

**Well Capacity** Bail Test Rate: 10.0 gpm for 1.0

Type of Test: Not available Test Rate: Not available

Static Water Level: 18.0 ft. Drawdown: Not available Bailer Drawdown: Not available

Grouting Material: Not available **Depth:** From (not available) To (not available) Information

Installation Method: Not available Number of Bags Used: Not available

Well

Test

Sealing Material: Not available **Depth:** From (not available) To (not available) **Abandonment** 

Installation Method: Not available Number of Bags Used: Not available

Administrative **County: MARION** Township: 15N

> Range: 3E Section: SE of Section 6 Topo Map: INDIANAPOLIS WEST Grant: Not available

Field Located By: Not available Field Located On: Not available

Courthouse Location By: Not available Courthouse Location On: Not available Location Accepted w/o Verification By: **Location Accepted w/o Verification On:** 

**BRUNS** 3/7/1979

Subdivision Name: Not available Lot Number: Not available Ft W of EL: Not available Ft N of SL: Not available Ft E of WL: Not available Ft S of NL: Not available

Ground Elevation: Not available Depth of Bedrock: Not available Bedrock Elevation: Not available Aguifer Elevation: Not available **UTM Easting:** Not available **UTM Northing:** Not available

Тор	Bottom	Formation
0.0	3.0	TOPSOIL
3.0	8.0	CLAY
8.0	15.0	GRAV
15.0	54.0	CLAY

54.0	57.0	S & G
57.0	64.0	CLAY
64.0	70.0	S & G

## **Comments** None

Reference **Driving Direction to Well Date Completed** Number

180423 320 N AUBURN 5000W 8/30/1973

Owner-Name Address Telephone Contractor

Owner **CURT DAVIS** Not available Not available Driller HAMILTON BROS Not available Not available

Operator WARREN HARNESS License Not available

**Construction Details** 

Well Use: Home **Drilling Method:** Rotary Pump Type: Not available

Pump Setting Depth: Not **Depth:** 62.0 Water Quality: Not available

available

Casing Length: 60.0 Material: Not available Diameter: 4.0 Screen Length: 2.0 Material: Not available Diameter: 4.0

Slot Size: .060

**Well Capacity** 

Type of Test: Not available Test Rate: 10.0 gpm for 1.0 hrs. Bail Test Rate: Not available Test

> Static Water Level: Not Drawdown: Not available Bailer Drawdown: Not available

available

Grouting Material: Not available **Depth:** From (not available) To (not available) Information

Installation Method: Not available Number of Bags Used: Not available

Well

Sealing Material: Not available **Depth:** From (not available) To (not available) **Abandonment** 

Installation Method: Not available Number of Bags Used: Not available

Administrative **County: MARION** Township: 15N

> Range: 3E Section: NE of the SW of Section 6

Topo Map: INDIANAPOLIS WEST Grant: Not available

Field Located By: Not available Field Located On: Not available

Courthouse Location By: Not available Courthouse Location On: Not available

Location Accepted w/o Verification By: Not Location Accepted w/o Verification On: Not

available available

Subdivision Name: Not available Lot Number: Not available Ft W of EL: Not available Ft N of SL: Not available Ft E of WL: Not available Ft S of NL: Not available

Ground Elevation: Not available Depth of Bedrock: Not available Bedrock Elevation: Not available Aguifer Elevation: Not available UTM Easting: Not available **UTM Northing:** Not available

Well Log

Тор	Bottom	Formation
0.0	56.0	CLAY
56.0	62.0	S &G

#### Comments

Reference
Number

Driving Direction to Well

Date Completed

180424 CENTURY BLOCK CO 1/31/1961

OwnerContractor

Name
Address
Telephone

Owner C T BRINLEY 4511 W VERMONT Not available

Driller Not available Not available Not available

Operator WOODIE License Not available

**Construction Details** 

Well Use: Not available Drilling Method: Cable Tool Pump Type: Not available

Depth: 51.0 Pump Setting Depth: Not available Water Quality: Not available

Length: Not available Material: Not available Diameter: 4.0

Screen Length: Not available Material: Not available Diameter: Not available

Slot Size: Not available

Well Capacity

Casing

Test Type of Test: Not available Test Rate: 10.0 gpm Bail Test Rate: Not available

Drawdown: 19.0 ft. Static Water Level: Not Bailer Drawdown: Not available

available

Grouting Information Material: Not available Depth: From (not available) To (not available)

Installation Method: Not available Number of Bags Used: Not available

Well

Abandonment Sealing Material: Not available Depth: From (not available) To (not available)

Installation Method: Not available Number of Bags Used: Not available

Administrative County: MARION Township: 15N

Range: 3E Section: SE of Section 6
Topo Map: INDIANAPOLIS WEST Grant: Not available

Field Located By: Not available Field Located On: Not available

Courthouse Location By: Not available Courthouse Location On: Not available

Location Accepted w/o Verification By: Not Location Accepted w/o Verification On: Not

available available

Subdivision Name:Not availableFt W of EL:Not availableFt E of WL:Not availableFt S of NL:Not available

Ground Elevation: Not available

Bedrock Elevation: Not available

UTM Easting: Not available

UTM Northing: Not available

UTM Northing: Not available

Well Log

Тор	Bottom	Formation
0.0	15.0	SANDY CLAY
15.0	51.0	GRAV

#### Comments

Reference **Driving Direction to Well Date Completed** Number

180425 Not available 3/20/1939

Owner-Name Address Telephone Contractor

Owner ALLISON ENGINEERING DIVISION Not available Not available Driller LAYNE-NORTHERN COMPANY MISHAWAKA, INDIANA Not available

Operator C. POOLE & C. KIMBLE License Not available

**Construction Details** 

Well Use: Test **Drilling Method:** Not available **Pump Type:** Not available

> Pump Setting Depth: Not **Depth:** Not available Water Quality: Not available

available

Casing Length: Not available Material: Not available Diameter: Not available Screen Length: Not available Material: Not available Diameter: Not available

Slot Size: Not available

**Well Capacity** 

Type of Test: Not available Bail Test Rate: Not available Test Rate: Not available Test

> Drawdown: Not available Static Water Level: 15.0 ft. Bailer Drawdown: Not available

Grouting

Material: Not available **Depth:** From (not available) To (not available) Information

Installation Method: Not available Number of Bags Used: Not available

Well

Sealing Material: Not available **Depth:** From (not available) To (not available) **Abandonment** 

Installation Method: Not available Number of Bags Used: Not available

Administrative Township: 15N County: MARION

> Range: 3E Section: SW of the NE of the NE of Section 6

Topo Map: INDIANAPOLIS WEST Grant: Not available

Field Located By: Not available Field Located On: Not available

Courthouse Location By: Not available Courthouse Location On: Not available

Location Accepted w/o Verification By: Not Location Accepted w/o Verification On: Not

available available

Subdivision Name: Not available Lot Number: Not available

**Ft W of EL**: 1.250.0 Ft N of SL: Not available Ft E of WL: Not available Ft S of NL: 1.400.0 **Ground Elevation:** 725.0 Depth of Bedrock: 108.0

**Bedrock Elevation: 617.0** Aquifer Elevation: Not available

**UTM Northing:** 4403000 **UTM Easting:** 565178.1

Тор	Bottom	Formation	
0.0	4.0	TOPSOIL	
4.0	31.0	S&G	
31.0	39.0	BLUE CLAY	
39.0	40.0	GRAV	
40.0	54.0	BLUE CLAY	

54.0	60.0	S&G
60.0	108.0	BLUE CLAY
108.0	111.0	SH

TEST #2 ONE OF SEVERAL TEST WELLS

Reference
Number
Driving Direction to Well

180428 305 COSSELL DR. Not available

OwnerContractor

Name
Address
Telephone

Owner MRS E COSSELL DR Not available Not available

Driller HARLAN MILLER WELL & PUMP Not available Not available

CO

Operator JOHN HARLAN SR License Not available

Construction Details

Well Use: Home Drilling Method: Cable Tool Pump Type: Not available

Depth: 80.0 Pump Setting Depth: Not available Water Quality: Not available

**Date Completed** 

Casing Length: Not available Material: Not available Diameter: 4.5

Screen Length: Not available Material: Not available Diameter: Not available

Slot Size: Not available

Material: Not available

Well Capacity
Type of Test: Not available
Test Rate: Not available
Bail Test Rate: Not available

Drawdown: Not available

Static Water Level: Not
Bailer Drawdown: Not available

**Depth:** From (not available) To (not available)

available

Information

Installation Method: Not available Number of Bags Used: Not available

Well

Abandonment Sealing Material: Not available Depth: From (not available) To (not available)

Installation Method: Not available Number of Bags Used: Not available

Administrative County: MARION Township: 15N

Range: 3E Section: 6

Topo Map: INDIANAPOLIS WEST Grant: Not available

Field Located By: Not available Field Located On: Not available

Courthouse Location By: Not available Courthouse Location On: Not available

Location Accepted w/o Verification By: Not Location Accepted w/o Verification On: Not

lable availal

Subdivision Name: Not availableLot Number: Not availableFt W of EL: Not availableFt N of SL: Not available

Ft W of EL: Not available

Ft N of SL: Not available

Ft S of NL: Not available

Ground Elevation: Not available

Bedrock Elevation: Not available

UTM Easting: Not available

UTM Northing: Not available

UTM Northing: Not available

Well Log

Grouting

Тор	Bottom	Formation
0.0	72.0	CLAY
72.0	80.0	GRAV

#### Comments



Reference
Number

Driving Direction to Well

Date Completed

180429 100'S. OF N. FENCE , 100 E. OF W. FENCE , 75' S. OF #11 PERMANENT

WELL

5/20/1975

Telephone

Owner-Contractor

Owner DETROIT DIESEL ALLISON DIV. PLANT #3 Not available Driller LAYNE-NORTHERN CO. MISHAWAKA,IN. Not available

Address

Operator E. ALLEN License Not available

**Construction Details** 

Well Use: Not available Drilling Method: Rotary Pump Type: Not available

Depth: 124.0 Pump Setting Depth: Not Water Quality: Not available

available

Casing Length: Not available Material: Not available Diameter: Not available Screen Material: Not available Diameter: Not available Diameter: Not available

Slot Size: Not available

**Well Capacity** 

Test Type of Test: Not available Test Rate: Not available Bail Test Rate: Not available

Drawdown: Not available

Static Water Level: Not

Bailer Drawdown: Not available

available

Grouting Information Material: Not available Depth: From (not available) To (not available)

Installation Method: Not available Number of Bags Used: Not available

Well

Abandonment Sealing Material: Not available Depth: From (not available) To (not available)

Installation Method: Not available Number of Bags Used: Not available

Administrative County: MARION Township: 15N

Range: 3E Section: NE of Section 6
Topo Map: INDIANAPOLIS WEST Grant: Not available

Field Located By: Not available Field Located On: Not available

Courthouse Location By: Not available Courthouse Location On: Not available

Location Accepted w/o Verification By: Not Location Accepted w/o Verification On: Not

able availa

Subdivision Name:Not availableFt W of EL:Not availableFt E of WL:Not availableFt S of NL:Not available

Ground Elevation: Not available

Bedrock Elevation: Not available

UTM Easting: Not available

UTM Northing: Not available

Тор	Bottom	Formation
0.0	4.0	BR CLAY
4.0	25.0	CRS MD & FN GRAV
25.0	27.0	MD TO FN GRAV

27.0	34.0	MD HARD GREY CLAY
34.0	38.0	CRS SAND & FN GRAV
38.0	43.0	MD HARD GREY CLAY
43.0	47.0	SOFT SANDY GREY CLAY
47.0	58.0	FN GRAV W/ CRS SAND
58.0	106.0	MD HARD GRAY CLAY
106.0	124.0	MD&FN GRAV W/CRS SAND
124.0		DARK BR SHALE

TEST WELL 75 I;

Reference **Driving Direction to Well Date Completed** Number

180430 PLANT#3 5/23/1939

Owner-Name Address Telephone Contractor

Owner ALLISON ENGINEERING DIVISION Not available Not available Driller LAYNE-NORTHERN COMPANY MISHAWAKA, INDIANA Not available

Operator JAMES NESS License Not available

**Construction Details** 

Well Use: Test **Drilling Method:** Not available **Pump Type:** Not available

> Pump Setting Depth: Not **Depth:** Not available Water Quality: Not available

available

Casing Length: Not available Material: Not available Diameter: Not available Screen Length: Not available Material: Not available Diameter: Not available

Slot Size: Not available

**Well Capacity** 

Type of Test: Not available Bail Test Rate: Not available Test Rate: Not available Test

> Drawdown: Not available Static Water Level: 15.0 ft. Bailer Drawdown: Not available

Grouting

Material: Not available **Depth:** From (not available) To (not available) Information

Installation Method: Not available Number of Bags Used: Not available

Well

Sealing Material: Not available **Depth:** From (not available) To (not available) **Abandonment** 

Installation Method: Not available Number of Bags Used: Not available

Administrative Township: 15N County: MARION

> Range: 3E Section: SE of the NE of the NE of Section 6

Topo Map: INDIANAPOLIS WEST Grant: Not available

Field Located By: Not available Field Located On: Not available

Courthouse Location By: Not available Courthouse Location On: Not available

Location Accepted w/o Verification By: Not Location Accepted w/o Verification On: Not

available available

Subdivision Name: Not available Lot Number: Not available **Ft W of EL**: 600.0 Ft N of SL: Not available Ft E of WL: Not available Ft S of NL: 1.400.0 **Ground Elevation:** 716.0 Depth of Bedrock: 103.0

**Bedrock Elevation: 613.0** Aquifer Elevation: Not available

**UTM Northing: 4403011 UTM Easting:** 565397.6

Тор	Bottom	Formation
0.0	5.0	SOIL
5.0	37.0	S&G
37.0	48.0	GRITTY CLAY
48.0	57.0	S&G
57.0	103.0	GRITTY CLAY

103.0 | 105.0 | SH

## Comments

TEST #1 ONE OF SEVERAL TEST WELLS

Reference **Driving Direction to Well Date Completed** Number

180433 COSSELL DR 300 BLOCK NORTH 2/27/1960

Owner-Name Address Telephone Contractor

300 COSSELL DR Owner **C&B BUILDERS** Not available Driller HARLAN MILLER 1726 HAMBLEN DR. Not available

Operator ARTHUR BOWEN License Not available

**Construction Details** 

Test

Well Use: Home **Drilling Method:** Cable Tool Pump Type: Not available

Pump Setting Depth: Not **Depth:** 65.0 Water Quality: Not available

available

Casing Length: 62.0 Material: Not available Diameter: 4.0 Screen Length: 5.0 Material: Not available Diameter: 3.0

Slot Size: 60 GAUZE

**Well Capacity** Bail Test Rate: 1.0 gpm for 1.0 Type of Test: Not available Test Rate: Not available

> Drawdown: Not available Static Water Level: 40.0 ft. Bailer Drawdown: 0.0 ft.

Grouting Material: Not available **Depth:** From (not available) To (not available) Information

Installation Method: Not available Number of Bags Used: Not available

Well

Sealing Material: Not available **Depth:** From (not available) To (not available) **Abandonment** 

Installation Method: Not available Number of Bags Used: Not available

Administrative Township: 15N County: MARION Range: 3E Section: 6

Topo Map: INDIANAPOLIS WEST Grant: Not available

Field Located By: Not available Field Located On: Not available

Courthouse Location By: Not available Courthouse Location On: Not available Location Accepted w/o Verification By: Not

Location Accepted w/o Verification On: Not

available available

Subdivision Name: Not available Lot Number: Not available Ft W of EL: Not available Ft N of SL: Not available Ft E of WL: Not available Ft S of NL: Not available

Ground Elevation: Not available Depth of Bedrock: Not available Bedrock Elevation: Not available Aquifer Elevation: Not available

**UTM Northing:** Not available **UTM Easting:** Not available

Well Log

Тор	Bottom	Formation
0.0	59.0	CLAY
59.0	65.0	S & G

Comments

Reference
Number

Driving Direction to Well

Date Completed

115' S. OF FENCE , 115' W. OF CASSELL RD. S.W. OF PLANT #3 , 15' S. 5/20/1975

OF #12 PERMANENT WELL

Owner-ContractorNameAddressTelephoneOwnerDETROIT DIESEL ALLISON DIV.Not availableNot availableDrillerLAYNE-NORTHERN CO.MISHAWAKA,IN.Not available

Operator C. FREEMAN License Not available

**Construction Details** 

Well Use: Not available Drilling Method: Not available Pump Type: Not available

Depth: 118.0 Pump Setting Depth: Not Water Quality: Not available

available

Casing Length: Not available Material: Not available Diameter: Not available Screen Material: Not available Diameter: Not available Diameter: Not available

Slot Size: Not available

Well Capacity

Test Type of Test: Not available Test Rate: Not available Bail Test Rate: Not available

Drawdown: Not available

Static Water Level: Not

Bailer Drawdown: Not available

available

Grouting Information Material: Not available Depth: From (not available) To (not available)

Installation Method: Not available Number of Bags Used: Not available

Well

Abandonment Sealing Material: Not available Depth: From (not available) To (not available)

Installation Method: Not available Number of Bags Used: Not available

Administrative County: MARION Township: 15N

Range: 3E Section: NE of Section 6
Topo Map: INDIANAPOLIS WEST Grant: Not available

Field Located By: Not available Field Located On: Not available

Courthouse Location By: Not available

Location Accepted w/o Verification By:

Courthouse Location On: Not available

Location Accepted w/o Verification On:

BRUNS 3/18/1976

Subdivision Name:Not availableFt W of EL:Not availableFt E of WL:Not availableFt S of NL:Not available

Ground Elevation: 720.0

Bedrock Elevation: Not available

UTM Easting: Not available

UTM Northing: Not available

Тор	Bottom	Formation
0.0	8.0	TOPSOIL,CLAY & FILL
8.0	12.0	S & G
12.0	18.0	CLAY

18.0	33.0	S & G & BOULDERS
33.0	47.0	GREY CLAY
47.0	48.0	GRAV STRIP
48.0	54.0	CLAY
54.0	64.0	S & G
64.0	100.0	CLAY
100.0	110.0	FN S AND & CLAY
110.0	118.0	S & G
118.0		SHALE

TEST WELL 75

H;

Reference **Driving Direction to Well Date Completed** Number

180439 347 N COLE ST E SIDE ST 4800W 3/31/1960

Owner-Name Address Telephone Contractor

O E DAVIS 350 W 16TH ST Owner Not available Driller HARLAN MILLER 1726 W HAMBLEN DR Not available

Operator A BOWEN License Not available

**Construction Details** 

Well Use: Home **Drilling Method:** Cable Tool Pump Type: Not available

Pump Setting Depth: Not **Depth:** 55.0 Water Quality: Not available

available

Casing Length: 52.0 Material: Not available Diameter: 4.0 Screen Length: 5.0 Material: Not available Diameter: 3.5

Slot Size: 6

**Well Capacity** Bail Test Rate: 10.0 gpm for 1.0 Type of Test: Not available Test Rate: Not available

Test

Drawdown: Not available Static Water Level: 10.0 ft. Bailer Drawdown: 0.0 ft.

Grouting Material: Not available **Depth:** From (not available) To (not available) Information

Installation Method: Not available Number of Bags Used: Not available

Well

Sealing Material: Not available **Depth:** From (not available) To (not available) **Abandonment** 

Installation Method: Not available Number of Bags Used: Not available

Administrative Township: 15N County: MARION

> Range: 3E Section: SE of Section 6 Topo Map: INDIANAPOLIS WEST Grant: Not available

Field Located By: Not available Field Located On: Not available

Courthouse Location By: Not available Courthouse Location On: Not available

Location Accepted w/o Verification By: Not Location Accepted w/o Verification On: Not

available available

Subdivision Name: Not available Lot Number: Not available Ft W of EL: Not available Ft N of SL: Not available Ft E of WL: Not available Ft S of NL: Not available

Ground Elevation: Not available Depth of Bedrock: Not available Bedrock Elevation: Not available Aquifer Elevation: Not available

**UTM Northing:** Not available **UTM Easting:** Not available

Well Log

Тор	Bottom	Formation
0.0	44.0	CLAY
44.0	55.0	GRAV

Comments

Reference **Driving Direction to Well Date Completed** Number

180443 104 COSSELL (5100W) DR. N. FROM 36 HI-WAY 9/26/1960

Owner-Name Address Telephone Contractor

C& B BUILDERS 3508 ROCKVILLE RD. Owner Not available Driller HAMILTON BROS.INC. 4025 ROCKVILLE RD. Not available

Operator WHEELER License Not available

**Construction Details** 

Test

Well Use: Home **Drilling Method:** Rotary Pump Type: Not available

Pump Setting Depth: Not **Depth:** 91.0 Water Quality: Not available available

Length: Not available Material: Not available Diameter: 4.3

Casing Screen Length: 3.0 Material: Not available Diameter: 4.3

Slot Size: Not available

**Well Capacity** Bail Test Rate: 10.0 gpm for 1.0 Test Rate: Not available Type of Test: Not available

hrs

Static Water Level: Not Drawdown: Not available Bailer Drawdown: Not available available

Grouting Material: Not available **Depth:** From (not available) To (not available) Information

Installation Method: Not available Number of Bags Used: Not available

Well

Sealing Material: Not available **Depth:** From (not available) To (not available) **Abandonment** 

Installation Method: Not available Number of Bags Used: Not available

Administrative **County: MARION** Township: 15N

Range: 3E Section: 6

Topo Map: INDIANAPOLIS WEST Grant: Not available

Field Located By: Not available Field Located On: Not available Courthouse Location By: Not available

Courthouse Location On: Not available Location Accepted w/o Verification By: Not Location Accepted w/o Verification On: Not

available available

Subdivision Name: Not available Lot Number: Not available Ft W of EL: Not available Ft N of SL: Not available Ft E of WL: Not available Ft S of NL: Not available

Ground Elevation: Not available Depth of Bedrock: Not available Bedrock Elevation: Not available Aguifer Elevation: Not available **UTM Easting:** Not available **UTM Northing:** Not available

Тор	Bottom	Formation
0.0	55.0	CLAY
55.0	58.0	SAND
58.0	77.0	CLAY W/ SMALL SAND STREAKS
77.0	91.0	SAND/ SMALL CLAY STREAKS

Reference
Number

Driving Direction to Well

Date Completed

180448 5020 W VERMONT 400N 1/22/1974

OwnerContractor

Name
Address
Telephone

Owner CARL ADAMS Not available Not available

Driller HAMILTON BROS INC 4025 ROCKVILLE RD Not available

Operator LESTER HARNESS License Not available

**Construction Details** 

Well Use: Home Drilling Method: Rotary Pump Type: Not available

Depth: 76.0 Pump Setting Depth: Not Water Quality: Not available

available

Casing Length: 74.0 Material: Not available Diameter: 4.0 Screen Length: 2.0 Material: Not available Diameter: 4.0

Slot Size: .060

Well Capacity

Test Type of Test: Not available Test Rate: 10.0 gpm for 1.0 hrs.Bail Test Rate: Not available

Drawdown: Not available

Static Water Level: Not
Bailer Drawdown: Not available

available

Grouting Information Material: Not available Depth: From (not available) To (not available)

Installation Method: Not available Number of Bags Used: Not available

Well

Abandonment Sealing Material: Not available Depth: From (not available) To (not available)

Installation Method: Not available Number of Bags Used: Not available

Administrative County: MARION Township: 15N

Range: 3E Section: SE of the NW of Section 6

**Topo Map:** INDIANAPOLIS WEST **Grant:** Not available

Field Located By: Not available Field Located On: Not available

Courthouse Location By: Not available Courthouse Location On: Not available

Location Accepted w/o Verification By: SF

Location Accepted w/o Verification On: Not

available

Subdivision Name: Not availableLot Number: Not availableFt W of EL: Not availableFt N of SL: Not availableFt E of WL: Not availableFt S of NL: Not available

Ground Elevation: Not available

Bedrock Elevation: Not available

UTM Easting: Not available

UTM Northing: Not available

Well Log

Тор	Bottom	Formation
0.0	66.0	CLAY
66.0	76.0	S & G

#### Comments

Reference **Driving Direction to Well Date Completed** Number

180449 325 N. FLEMING W4400 400N 11/20/1985

Owner-Name Address Telephone Contractor

Owner Not available Not available Not available Driller HAMILTON BROS, INC. 4025 ROCKVILLE RD. INDPLS,IN. Not available

Operator JAMES HERMAN License Not available

**Construction Details** 

Well Use: Home **Drilling Method:** Rotary Pump Type: Not available

> Pump Setting Depth: Not **Depth:** 55.0 Water Quality: Not available

available

Casing Length: 51.0 Material: Not available Diameter: 4.0 Screen Length: 4.0 Material: Not available Diameter: 4.0

Slot Size: 60

**Well Capacity** 

Type of Test: Pumping Test Rate: 10.0 gpm for 1.0 hrs. Bail Test Rate: Not available Test

> Drawdown: 20.0 ft. Static Water Level: 10.0 ft. Bailer Drawdown: Not available

Grouting Material: Not available **Depth:** From (not available) To (not available) Information

Installation Method: Not available Number of Bags Used: Not available

Well

Sealing Material: Not available **Depth:** From (not available) To (not available) **Abandonment** 

Installation Method: Not available Number of Bags Used: Not available

Administrative County: MARION Township: 15N

> Range: 3E Section: NE of the SW of Section 6

Topo Map: INDIANAPOLIS WEST Grant: Not available

Field Located By: Not available Field Located On: Not available

Courthouse Location By: Not available Courthouse Location On: Not available

Location Accepted w/o Verification On: Not

Location Accepted w/o Verification By: 1/87 available

Subdivision Name: Not available Lot Number: Not available Ft W of EL: Not available Ft N of SL: Not available Ft E of WL: Not available Ft S of NL: Not available

Ground Elevation: Not available Depth of Bedrock: Not available Bedrock Elevation: Not available Aquifer Elevation: Not available

**UTM Northing:** Not available **UTM Easting:** Not available

Well Log

Тор	Bottom	Formation
0.0	40.0	TOPSOIL & CLAY
40.0	55.0	GRAV

Comments

Reference **Driving Direction to Well Date Completed** Number

180585 Not available Not available

Owner-Name Address Telephone Contractor

TIBBS & WASH. Owner IND. CENT. STATE HOSPITAL Not available Driller Not available Not available Not available

Operator Not available License Not available

**Construction Details** 

Well Use: Not available **Drilling Method:** Not available **Pump Type:** Not available

Pump Setting Depth: Not **Depth:** 400.0 Water Quality: Not available

available

Casing Length: Not available Material: Not available Diameter: 10.0

Screen Length: Not available Material: Not available Diameter: Not available

Slot Size: Not available

**Well Capacity** 

Type of Test: Not available Bail Test Rate: Not available Test Rate: Not available Test

> Drawdown: Not available Static Water Level: 15.3 ft. Bailer Drawdown: Not available

Grouting Material: Not available

**Depth:** From (not available) To (not available) Information

Installation Method: Not available Number of Bags Used: Not available

Well

Sealing Material: Not available **Depth:** From (not available) To (not available) **Abandonment** 

Installation Method: Not available Number of Bags Used: Not available

Administrative Township: 15N County: MARION

> Range: 3E Section: SW of Section 4 Topo Map: INDIANAPOLIS WEST Grant: Not available

Field Located By: Not available Field Located On: Not available

Courthouse Location By: Not available Courthouse Location On: Not available

Location Accepted w/o Verification By: Not Location Accepted w/o Verification On: Not

available available

Subdivision Name: Not available Lot Number: Not available Ft W of EL: Not available Ft N of SL: Not available Ft E of WL: Not available Ft S of NL: Not available

Ground Elevation: Not available Depth of Bedrock: Not available Bedrock Elevation: Not available Aquifer Elevation: Not available **UTM Northing:** Not available **UTM Easting:** Not available

Well Log Comments

Reference
Number

Driving Direction to Well

Date Completed

180590 BETWEEN REONA & HOLT RD. OFF MICHIGAN 10/28/1979

OwnerContractor

Name
Address
Telephone

Owner CLARENCE GREGORY 4239 W. COSSELL Not available

Driller Not available Not available Not available

Operator JOHN AUFDERHEIDE License Not available

**Construction Details** 

Well Use: Home Drilling Method: Cable Tool Pump Type: Not available

Depth: Not available Pump Setting Depth: 40.0 Water Quality: CLEAR

Casing Length: 50.0 Material: Not available Diameter: 4.0 Screen Length: 5.0 Material: Not available Diameter: 3.0

Slot Size: 30

Well Capacity
Test
Type of Test: Bailing
Test Rate: 10.0 gpm for 1.0 hrs.Bail Test Rate: Not available

Drawdown: 12.0 ft. Static Water Level: 23.0 ft. Bailer Drawdown: Not available

**Depth:** From (not available) To (not available)

Grouting Information Material: Not available Depth: From (not available) To (not available)

Installation Method: Not available Number of Bags Used: Not available

Abandonment Installation Method: Not available Number of Bags Used: Not available

Administrative County: MARION Township: 15N

Sealing Material: Not available

Range: 3E Section: SE of the NW of Section 5

**Topo Map:** INDIANAPOLIS WEST **Grant:** Not available

Field Located By: Not available Field Located On: Not available

Courthouse Location By: Not available Courthouse Location On: Not available

Location Accepted w/o Verification By: TCS Location Accepted w/o Verification On: Not

available

Subdivision Name: Not availableLot Number: Not availableFt W of EL: Not availableFt N of SL: Not availableFt E of WL: Not availableFt S of NL: Not available

Ground Elevation: Not available

Bedrock Elevation: Not available

UTM Easting: Not available

UTM Northing: Not available

UTM Northing: Not available

Well Log

Тор	Bottom	Formation
0.0	10.0	CLAY
10.0	35.0	SAND & GRAVEL
35.0	45.0	CLAY
45.0	49.0	SOUPY SAND
49.0	52.0	SAND & GRAVEL

#### Comments



Reference **Driving Direction to Well Date Completed** Number

180595 4200 W 400N 12/27/1960

Owner-Name Address Telephone Contractor

4200 W VERMONT Owner **SWALLEY** Not available Driller HAMILTON BROS INC 4025 ROCKVILLE RD Not available

Operator JOHN GOLLODAY License Not available

**Construction Details** 

Well Use: Home **Drilling Method:** Cable Tool Pump Type: Not available

Pump Setting Depth: Not **Depth:** 150.0 Water Quality: Not available

available

Casing Length: 97.0 Material: Not available Diameter: 4.0 Screen Length: 5.0 Material: Not available Diameter: 2.0

Slot Size: Not available

**Well Capacity** 

Bail Test Rate: Not available Type of Test: Not available Test Rate: 10.0 gpm Test

> Static Water Level: Not Drawdown: 60.0 ft. Bailer Drawdown: Not available

available

Grouting Material: Not available **Depth:** From (not available) To (not available) Information

Installation Method: Not available Number of Bags Used: Not available

Well

Sealing Material: Not available **Depth:** From (not available) To (not available) **Abandonment** 

Installation Method: Not available Number of Bags Used: Not available

Administrative **County: MARION** Township: 15N

Range: 3E Section: 5

Topo Map: INDIANAPOLIS WEST Grant: Not available Field Located By: Not available Field Located On: Not available

Courthouse Location By: Not available Courthouse Location On: Not available

Location Accepted w/o Verification By: Not Location Accepted w/o Verification On: Not

available available

Subdivision Name: Not available Lot Number: Not available Ft W of EL: Not available Ft N of SL: Not available Ft E of WL: Not available Ft S of NL: Not available

Ground Elevation: Not available Depth of Bedrock: Not available Aguifer Elevation: Not available Bedrock Elevation: Not available **UTM Easting:** Not available **UTM Northing:** Not available

Тор	Bottom	Formation	
0.0	6.0	CLAY	
6.0	34.0	GRAV	
34.0	96.0	CLAY	
96.0	100.0	GRAV	

Reference **Driving Direction to Well Date Completed** Number

180600 Not available 1/1/1936

Owner-Name Address Telephone Contractor

Owner Not available Not available Not available Driller Not available Not available Not available

Operator **MERRITT** License Not available

**Construction Details** 

Well Use: Not available **Drilling Method:** Not available **Pump Type:** Not available

> Pump Setting Depth: Not **Depth:** 36.8 Water Quality: Not available

available

Casing Length: Not available Material: Not available Diameter: 4.0

Screen Length: Not available Material: Not available Diameter: Not available

Slot Size: Not available

**Well Capacity** 

Bail Test Rate: Not available Type of Test: Not available Test Rate: Not available Test

> Static Water Level: Not Drawdown: Not available Bailer Drawdown: Not available

available

Grouting

Material: Not available **Depth:** From (not available) To (not available) Information

Installation Method: Not available Number of Bags Used: Not available

Well

Sealing Material: Not available **Depth:** From (not available) To (not available) **Abandonment** 

Installation Method: Not available Number of Bags Used: Not available

Administrative **County: MARION** Township: 15N

> Range: 3E Section: SE of the SE of Section 5

Topo Map: INDIANAPOLIS WEST Grant: Not available

Field Located By: Not available Field Located On: Not available

Courthouse Location By: Not available Courthouse Location On: Not available

Location Accepted w/o Verification By: Not Location Accepted w/o Verification On: Not

available available

Subdivision Name: Not available Lot Number: Not available Ft W of EL: Not available Ft N of SL: Not available Ft E of WL: Not available Ft S of NL: Not available

Ground Elevation: Not available Depth of Bedrock: Not available Bedrock Elevation: Not available Aguifer Elevation: Not available **UTM Easting:** Not available **UTM Northing:** Not available

Well Log

Тор	Bottom	Formation
0.0	35.0	DRIFT
35.0	36.8	GRAVEL

#### Comments

Reference **Driving Direction to Well Date Completed** Number

180605 SEE MAP Not available

Owner-Name Address Telephone Contractor

Owner Not available 3248 MCCLURE Not available Driller WATER WELLS BY WILHITE 7453 N DOBSON Not available

Operator CHARLIE SULLIVAN License: 843

**Construction Details** 

Well Use: Home **Drilling Method:** Rotary Pump Type: Not available

Pump Setting Depth: Not **Depth:** 30.0 Water Quality: CLEAR available

Casing Length: 25.0 Material: PVC Diameter: 4.0

Screen Length: 5.0 Material: PVC Diameter: 4.0

Slot Size: .060

**Well Capacity** 

Type of Test: Air Test Rate: 7.0 gpm for 6.0 hrs. Bail Test Rate: Not available Test

> Drawdown: Not available Static Water Level: 13.0 ft. Bailer Drawdown: Not available

Grouting

Material: WYO-BEN **Depth:** From 0.0 To 20.0 Information

> Installation Method: PUMP Number of Bags Used: 3.0

Well

Sealing Material: Not available **Depth:** From (not available) To (not available) **Abandonment** 

Installation Method: Not available Number of Bags Used: Not available

Administrative Township: 15N County: MARION

> Range: 3E Section: NE of the NE of the NW of Section 5

Topo Map: INDIANAPOLIS WEST Grant: Not available

Field Located By: Not available Field Located On: Not available

Courthouse Location By: Not available Courthouse Location On: Not available

Location Accepted w/o Verification By: Not Location Accepted w/o Verification On: Not

available available

Subdivision Name: Not available Lot Number: Not available Ft W of EL: Not available Ft N of SL: Not available Ft E of WL: Not available Ft S of NL: Not available

Ground Elevation: Not available Depth of Bedrock: Not available Bedrock Elevation: Not available Aquifer Elevation: Not available **UTM Northing:** Not available **UTM Easting:** Not available

Well Log

Тор	Bottom	Formation
0.0	4.0	CLAY
4.0	30.0	GRAV

#### Comments

Reference **Driving Direction to Well Date Completed** Number

180610 Not available 2/1/1943

Owner-Name Address Telephone Contractor

SPEEDWAY WATER CO Owner Not available Not available Driller Not available Not available Not available

Operator **NESS** License Not available

**Construction Details** 

Well Use: Home **Drilling Method:** Not available **Pump Type:** Not available

> Pump Setting Depth: Not **Depth:** 76.0 Water Quality: Not available

available

Casing Length: Not available Material: Not available Diameter: Not available Screen Length: Not available Material: Not available Diameter: Not available

Slot Size: Not available

**Well Capacity** 

Type of Test: Not available Bail Test Rate: Not available Test Rate: Not available Test

> Drawdown: Not available Static Water Level: 8.0 ft. Bailer Drawdown: Not available

Grouting

Material: Not available **Depth:** From (not available) To (not available) Information

Installation Method: Not available Number of Bags Used: Not available

Well

Sealing Material: Not available **Depth:** From (not available) To (not available) **Abandonment** 

Installation Method: Not available Number of Bags Used: Not available

Administrative Township: 15N County: MARION

> Range: 3E Section: SE of the SW of Section 5

Topo Map: INDIANAPOLIS WEST Grant: Not available

Field Located By: JMH Field Located On: 3/1/1961

Courthouse Location By: Not available Courthouse Location On: Not available Location Accepted w/o Verification On:

3/1/1961

Location Accepted w/o Verification By: JMH

Subdivision Name: Not available Lot Number: Not available

Ft W of EL: Not available Ft N of SL: Not available Ft E of WL: Not available Ft S of NL: Not available

Ground Elevation: Not available Depth of Bedrock: Not available Bedrock Elevation: Not available Aquifer Elevation: Not available **UTM Northing:** Not available **UTM Easting:** Not available

Тор	Bottom	Formation
0.0	5.0	SOIL DIRT
5.0	9.0	GRAV
9.0	20.0	HARDCLAY
20.0	45.0	S&G
45.0	74.0	HARDPAN

74.0	76.0	SH
4.0	1/0.0	IOU

TEST WELL #20

Reference **Driving Direction to Well Date Completed** Number

180615 Not available 11/22/1973

Owner-Name Address Telephone Contractor

4060 W VERMONT Owner GERALD PEACOCK Not available Driller HAMILTON BROS INC. 4025 ROCKVILLE RD Not available

Operator JOHN OSBORNE License Not available

**Construction Details** 

Well Use: Home **Drilling Method:** Rotary Pump Type: Not available

Pump Setting Depth: Not **Depth:** 57.0 Water Quality: Not available

available

Casing Length: 55.0 Material: Not available Diameter: 4.0 Screen Length: 2.0 Material: Not available Diameter: 4.0

Slot Size: .060

**Well Capacity** 

Type of Test: Pumping Test Rate: 10.0 gpm for 1.0 hrs. Bail Test Rate: Not available Test

> Static Water Level: Not Drawdown: Not available Bailer Drawdown: Not available

available

Grouting Material: Not available **Depth:** From (not available) To (not available) Information

Installation Method: Not available Number of Bags Used: Not available

Well

Sealing Material: Not available **Depth:** From (not available) To (not available) **Abandonment** 

Installation Method: Not available Number of Bags Used: Not available

Administrative **County: MARION** Township: 15N

> Range: 3E Section: SW of the NW of Section 5

Topo Map: INDIANAPOLIS WEST Grant: Not available

Field Located By: Not available Field Located On: Not available

Courthouse Location By: Not available Courthouse Location On: Not available

Location Accepted w/o Verification On: Not Location Accepted w/o Verification By: SL

available

Subdivision Name: Not available Lot Number: Not available Ft W of EL: Not available Ft N of SL: Not available Ft E of WL: Not available Ft S of NL: Not available

Ground Elevation: Not available Depth of Bedrock: Not available Bedrock Elevation: Not available Aguifer Elevation: Not available UTM Easting: Not available **UTM Northing:** Not available

Well Log

Тор	Bottom	Formation	
0.0	6.0	CLAY	
6.0	40.0	S&G	
40.0	57.0	CLAY	

#### Comments



Reference **Driving Direction to Well Date Completed** Number

SW 1/4 SEC 5; 180' W OF E PROPERTY LINE 660' S OF VERMONT ST; 180620

**TEST #21** 

Owner-Name Address **Telephone** Contractor Owner SPEEDWAY WATER CO Not available Not available Driller **NESS** Not available Not available

Not available License Not available Operator

**Construction Details** 

Well Use: Other Drilling Method: Not available Pump Type: Not available

> Pump Setting Depth: Not **Depth:** 73.0 Water Quality: Not available

2/5/1943

available

Material: Not available Diameter: Not available Casing Length: Not available Screen Length: Not available Material: Not available Diameter: Not available

Slot Size: Not available

**Well Capacity** 

Type of Test: Not available Test Rate: Not available Bail Test Rate: Not available Test

> Static Water Level: 12.0 ft. Drawdown: Not available Bailer Drawdown: Not available

Grouting

Material: Not available **Depth:** From (not available) To (not available) Information

Installation Method: Not available Number of Bags Used: Not available

Well

Sealing Material: Not available **Depth:** From (not available) To (not available) **Abandonment** 

Installation Method: Not available Number of Bags Used: Not available

Administrative **County: MARION** Township: 15N

> Range: 3E Section: SW of Section 5 Topo Map: INDIANAPOLIS WEST Grant: Not available

Field Located By: Not available Field Located On: Not available

Courthouse Location By: Not available Courthouse Location On: Not available

Location Accepted w/o Verification By: Not Location Accepted w/o Verification On: Not

available available

Subdivision Name: Not available Lot Number: Not available Ft W of EL: Not available Ft N of SL: Not available Ft E of WL: Not available Ft S of NL: Not available **Ground Elevation: 710.0** Depth of Bedrock: 73.0

**Bedrock Elevation:** 637.0 Aguifer Elevation: Not available **UTM Easting:** Not available **UTM Northing:** Not available

Тор	Bottom	Formation
0.0	4.0	SOIL DIRT
4.0	31.0	MED GRAV
31.0	40.0	HARD CLAY
40.0	43.0	GRAV

43.0	73.0	HARDPAN
73.0		SH

TEST #21

Reference
Number

Driving Direction to Well

Date Completed

180625 Not available Not available Not available

OwnerContractor

Name
Address
Telephone

Owner INDPLS. PARK BOARD LITTLE EAGLE CREEK PARK Not available Driller Not available Not available Not available

Operator Not available License Not available

Construction Details

Well Use: Not available Drilling Method: Not available Pump Type: Not available

Depth: 65.0 Pump Setting Depth: Not available Water Quality: Not available

Casing Length: Not available Material: Not available Diameter: 2.0

Screen Length: Not available Material: Not available Diameter: Not available

Slot Size: Not available

Well Capacity
Test
Test
Test Rate: Not available
Test Rate: Not available
Bail Test Rate: Not available

Drawdown: Not available

Static Water Level: Not
Bailer Drawdown: Not available

available

Grouting Booth Food (and a citate

Information

Material: Not available

Depth: From (not available) To (not available)

Installation Method: Not available Number of Bags Used: Not available

Well
Abandonment
Sealing Material: Not available
Depth: From (not available) To (not available)

Installation Method: Not available Number of Bags Used: Not available

Administrative County: MARION Township: 15N

Range: 3E Section: NW of the NW of Section 5

Topo Map: INDIANAPOLIS WEST Grant: Not available

Field Located By: Not available Field Located On: Not available

Courthouse Location By: Not available Courthouse Location On: Not available

Location Accepted w/o Verification By: Not Location Accepted w/o Verification On: Not

available available

Subdivision Name: Not availableLot Number: Not availableFt W of EL: Not availableFt N of SL: Not available

Ft W of EL: Not available Ft N of SL: Not available Ft E of WL: Not available Ft S of NL: Not available

Ground Elevation: Not available

Bedrock Elevation: Not available

Aquifer Elevation: Not available

Aquifer Elevation: Not available

UTM Easting: Not available UTM Northing: Not available

Well Log Comments

Reference **Driving Direction to Well Date Completed** Number

180630 **SPEEDWAY** 9/22/1961

Owner-Name Address Telephone Contractor

4042 W VERMONT Owner CHAS GREEN Not available Driller MANFORD DILAN 841 W SUMNER AVE Not available

Operator **NOLES CREED** License Not available

**Construction Details** 

Well Use: Home **Drilling Method:** Cable Tool Pump Type: Not available

Pump Setting Depth: Not **Depth: 35.0** Water Quality: Not available available

Casing Length: 35.0 Material: Not available Diameter: 4.5

Screen Length: 0.5 Material: Not available Diameter: 3.0

Slot Size: 6

**Well Capacity** 

Type of Test: Pumping Test Rate: 10.0 gpm for 1.5 hrs. Bail Test Rate: Not available Test

> Drawdown: 0.0 ft. Static Water Level: 20.0 ft. Bailer Drawdown: Not available

Grouting Material: Not available **Depth:** From (not available) To (not available) Information

Installation Method: Not available Number of Bags Used: Not available

Well

Sealing Material: Not available **Depth:** From (not available) To (not available) **Abandonment** 

Installation Method: Not available Number of Bags Used: Not available

Administrative County: MARION Township: 15N

> Range: 3E Section: SE of the SW of the NW of Section 5

Topo Map: INDIANAPOLIS WEST Grant: Not available

Field Located By: Not available Field Located On: Not available

Courthouse Location By: Not available Courthouse Location On: Not available

Location Accepted w/o Verification By: Not Location Accepted w/o Verification On: Not

available available

Subdivision Name: Not available Lot Number: Not available Ft W of EL: Not available Ft N of SL: Not available Ft E of WL: Not available Ft S of NL: Not available

Ground Elevation: Not available Depth of Bedrock: Not available Bedrock Elevation: Not available Aquifer Elevation: Not available **UTM Northing:** Not available **UTM Easting:** Not available

Well Log

Тор	Bottom	Formation
0.0	5.0	YEL CLAY
5.0	18.0	SANDY HARDPAN
18.0	25.0	DRY SAND
25.0	35.0	S&G

#### Comments



Reference **Driving Direction to Well Date Completed** Number

180645 Not available 1/1/1940

Owner-Name Address Telephone Contractor

IND. CENT. STATE HOSPITAL COLONY, TIBBS AVE Owner Not available Driller **KRAUSS** INDPLS. Not available

Operator Not available License Not available

**Construction Details** 

Well Use: Home **Drilling Method:** Not available **Pump Type:** Not available

Pump Setting Depth: Not **Depth:** 100.0 Water Quality: Not available available

Casing Length: Not available Material: Not available Diameter: 12.0

Screen Length: Not available Material: Not available Diameter: Not available

Slot Size: Not available

**Well Capacity** 

Test Rate: Not available Bail Test Rate: Not available Type of Test: Not available Test

> Static Water Level: Not Drawdown: Not available Bailer Drawdown: Not available

available

Grouting Material: Not available **Depth:** From (not available) To (not available) Information

Installation Method: Not available Number of Bags Used: Not available

Well

Sealing Material: Not available **Depth:** From (not available) To (not available) **Abandonment** 

Installation Method: Not available Number of Bags Used: Not available

Administrative **County: MARION** Township: 15N

> Range: 3E Section: SW of Section 4 Grant: Not available

Topo Map: INDIANAPOLIS WEST

Field Located By: Not available Field Located On: Not available Courthouse Location By: Not available

Courthouse Location On: Not available

Location Accepted w/o Verification By: Not Location Accepted w/o Verification On: Not

available available

Subdivision Name: Not available Lot Number: Not available Ft W of EL: Not available Ft N of SL: Not available

Ft E of WL: Not available Ft S of NL: Not available Ground Elevation: Not available Depth of Bedrock: Not available

Bedrock Elevation: Not available Aguifer Elevation: Not available **UTM Easting:** Not available **UTM Northing:** Not available

Well Log Comments

Reference **Driving Direction to Well Date Completed** Number

180690 15 FEET W OF PUMP HOUSE 7/30/1955

Owner-Name Address Telephone Contractor Owner CENTRAL STATE HOSPITAL Not available Not available Driller LAYNE NORTHERN CO., INC. MISHAWAKA Not available

Operator A.D. HALL License Not available

**Construction Details** 

Well Use: Test **Drilling Method:** Not available **Pump Type:** Not available

> Pump Setting Depth: Not **Depth:** Not available Water Quality: Not available

available

Casing Length: Not available Material: Not available Diameter: Not available Screen Length: Not available Material: Not available Diameter: Not available

Slot Size: Not available

**Well Capacity** 

Test Rate: Not available Bail Test Rate: Not available Type of Test: Not available Test

> Static Water Level: Not Drawdown: Not available Bailer Drawdown: Not available

available

Grouting Material: Not available **Depth:** From (not available) To (not available) Information

Installation Method: Not available Number of Bags Used: Not available

Well

Sealing Material: Not available **Depth:** From (not available) To (not available) **Abandonment** 

Installation Method: Not available Number of Bags Used: Not available

Administrative **County: MARION** Township: 15N

> Range: 3E Section: SW of the NW of the SW of Section 4

Topo Map: INDIANAPOLIS WEST Grant: Not available

Field Located By: Not available Field Located On: Not available

Courthouse Location By: Not available Courthouse Location On: Not available

Location Accepted w/o Verification By: Not Location Accepted w/o Verification On: Not

available available

Subdivision Name: Not available Lot Number: Not available Ft W of EL: Not available Ft N of SL: Not available Ft E of WL: Not available Ft S of NL: Not available

Ground Elevation: Not available Depth of Bedrock: Not available Bedrock Elevation: Not available Aguifer Elevation: Not available **UTM Easting:** Not available **UTM Northing:** Not available

Тор	Bottom	Formation
0.0	1.0	SANDY FILL
1.0	5.0	SOFT BR GRITTY CLAY
5.0	34.0	BR S&G
34.0	47.0	GREY S&G

47.0	51.0	S&G W/BOULDERS
51.0	56.0	CLAY BALLS
56.0	59.0	SAND & CRS GRAV
59.0	61.0	BR SH

Comments COPIED FROM DRILLER'S LOG 3/21/95

Reference **Driving Direction to Well Date Completed** Number

183217 9046 W WALTON LANE 100S 6/21/1982

Owner-Name Address Telephone Contractor

Owner Not available Not available Not available

PO BOX24181,4025 ROCKVILLE Driller HAMILTON BROS INC Not available ROAD, INDIANAPOLIS, IND

**DESTER HARNESS** License Not available Operator

**Construction Details** 

Well Use: Home **Drilling Method: Rotary** Pump Type: Not available

> Pump Setting Depth: Not **Depth:** 103.0 Water Quality: Not available

available

Material: Not available Casing Length: 99.0 Diameter: 4.0 Screen Length: 4.0 Material: Not available Diameter: 4.0

Slot Size: 60

Well Capacity

Type of Test: Not available Test Rate: 10.0 gpm for 1.0 hrs. Bail Test Rate: Not available Test

> Bailer Drawdown: Not available Drawdown: Not available Static Water Level: 60.0 ft.

Grouting

Material: Not available **Depth:** From (not available) To (not available) Information

Installation Method: Not available Number of Bags Used: Not available

Well

Sealing Material: Not available **Depth:** From (not available) To (not available) **Abandonment** 

Installation Method: Not available Number of Bags Used: Not available

Administrative **County: MARION** Township: 15N

> Range: 3E Section: NW of the NW of Section 9

Topo Map: INDIANAPOLIS WEST Grant: Not available

Field Located By: Not available Field Located On: Not available

Courthouse Location By: Not available Courthouse Location On: Not available

Location Accepted w/o Verification By: Location Accepted w/o Verification On: Not

BRUNS 12/29/82 available

Subdivision Name: Not available Lot Number: Not available Ft W of EL: Not available Ft N of SL: Not available Ft E of WL: Not available Ft S of NL: Not available

Ground Elevation: Not available Depth of Bedrock: Not available Bedrock Elevation: Not available Aguifer Elevation: Not available UTM Easting: Not available **UTM Northing:** Not available

#### Well Log

Тор	Bottom	Formation
0.0	96.0	TOPSOIL & CLAY
96.0	98.0	GRAV
98.0	103.0	CLAY

#### Comments



Reference **Driving Direction to Well Date Completed** Number

2000' E & 5129' N OF SW CORNER OF SECTION 10' W OF NW CORNER

OF ALLISON #5 WELL HOUSE, 349' E OF COSSELL RD. 70' S OF 10TH 183285 Not available

ST.

Owner-Address Telephone Name Contractor

Owner ALLISON DIV GMC PLANT#3 Not available Driller LAYNE NORTHERN CO INC. MISHAWAKA Not available

Operator ALLEN MATLOCK License Not available

**Construction Details** 

Well Use: Test Pump Type: Not available **Drilling Method:** Rotary Pump Setting Depth: Not

**Depth:** 127.0 Water Quality: Not available available

Length: Not available Material: Not available Diameter: 4.0 Casing

Length: Not available Material: Not available Diameter: Not available Screen

Slot Size: Not available

**Well Capacity** 

Type of Test: Not available Test Rate: Not available Bail Test Rate: Not available Test

> Static Water Level: Not Drawdown: Not available Bailer Drawdown: Not available

available

Grouting Material: Not available **Depth:** From (not available) To (not available) Information

Installation Method: Not available Number of Bags Used: Not available

Well

Sealing Material: Not available **Depth:** From (not available) To (not available) **Abandonment** 

Installation Method: Not available Number of Bags Used: Not available

Administrative County: MARION Township: 15N

> Range: 3E Section: NW of the NW of the NE of Section 6

Topo Map: INDIANAPOLIS WEST Grant: Not available

Field Located By: Not available Field Located On: Not available

Courthouse Location By: Not available Courthouse Location On: Not available

Location Accepted w/o Verification By: Not Location Accepted w/o Verification On: Not

available available

Subdivision Name: Not available Lot Number: Not available

**Ft W of EL:** 2,400.0 Ft N of SL: Not available

Ft E of WL: Not available Ft S of NL: 50.0

Ground Elevation: 724 0 Depth of Bedrock: 127.0 **Bedrock Elevation:** 597.0 Aquifer Elevation: 597.0 **UTM Easting:** 564844.1 **UTM Northing:** 4403394.5

Тор	Bottom	Formation
0.0	14.0	TOPGRAV
14.0	35.0	BLUE CLAY

35.0	46.0	BLUE CLAY & SAND
46.0	55.0	GRAV
55.0	57.0	BLUE CLAY & SAND
57.0	62.0	GRAV
62.0	80.0	CLAY & SAND BLUE
80.0	87.0	GRAV
87.0	94.5	CLAY & SAND
94.5	96.5	SAND
96.5	107.5	SOFT BLUE CLAY
107.5	122.0	FN GRAV
122.0	127.0	HARD PACK SANDY CLAY
127.0		BEDROCK

Reference **Driving Direction to Well Date Completed** Number

2000' E AND 5129' N OF SW CORNER OF SECT. 10' W OF NW CORNER 183300 Not available

OF ALLISON #5 WELL HOUSE 340' E OF COSSELL RD 70' S OF 10TH ST

Owner-Name Address **Telephone** Contractor

ALLISON DIV. GM CORP. PLANT Not available Owner Not available

Driller LAYNE NORTHERN MISHAWAKA IN Not available

Operator ALLEN MATLOCK License Not available

**Construction Details** 

Well Use: Test Drilling Method: Not available Pump Type: Not available

> Pump Setting Depth: Not Depth: Not available Water Quality: Not available available

Length: Not available Material: Not available Diameter: 4.0 Casing

Length: Not available Material: Not available Diameter: Not available Screen

Slot Size: Not available

**Well Capacity** Type of Test: Not available Test Rate: Not available Bail Test Rate: Not available Test

> Static Water Level: Not Drawdown: Not available Bailer Drawdown: Not available

available

Grouting Material: Not available **Depth:** From (not available) To (not available) Information

Installation Method: Not available Number of Bags Used: Not available

Well

Sealing Material: Not available **Depth:** From (not available) To (not available) **Abandonment** 

Installation Method: Not available Number of Bags Used: Not available

Administrative County: MARION Township: 15N

Range: 3E Section: 6

Topo Map: INDIANAPOLIS WEST Grant: Not available

Field Located By: Not available Field Located On: Not available

Courthouse Location By: Not available Courthouse Location On: Not available

Location Accepted w/o Verification By: Not Location Accepted w/o Verification On: Not

available available

Subdivision Name: Not available Lot Number: Not available Ft W of EL: Not available Ft N of SL: Not available Ft E of WL: Not available Ft S of NL: Not available

**Ground Elevation:** Not available Depth of Bedrock: Not available Bedrock Elevation: Not available Aquifer Elevation: Not available **UTM Easting:** Not available **UTM Northing:** Not available

Тор	Bottom	Formation
0.0	14.0	TOP GRAV
14.0	35.0	BLUE CLAY

35.0	46.0	BLUE CLAY & SAND
46.0	55.0	GRAV
55.0	57.0	BLUE CLAY & SAND
57.0	62.0	GRAV
62.0	80.0	CLAY & SAND BLUE
80.0	87.0	GRAV
87.0	94.5	CLAY & SAND
94.5	96.5	SAND
96.5	107.5	SOFT BLUE CLAY
107.5	122.0	FINE GRAV WATER BEARING
122.0	127.0	HARD PACK SANDY CLAY
127.0		BEDROCK

Comments WELL LOG NO 66A

Reference
Number

Driving Direction to Well

Date Completed

183400 Not available 1/1/1940

OwnerContractor

Name
Address
Telephone

Owner ALLISON ENGR CO SPEEDWAY CITY Not available
Driller LAYNE NORTHERN Not available
Not available

Operator Not available License Not available

**Construction Details** 

Well Use: Industry Drilling Method: Not available Pump Type: Not available

Depth: 57.5 Pump Setting Depth: Not Water Quality: Not available

available

Casing Length: Not available Material: Not available Diameter: 18.0

Screen Length: 10.0 Material: Not available Diameter: 18.0

Slot Size: #4

Well Capacity

Test Type of Test: Not available Test Rate: Not available Bail Test Rate: Not available

Drawdown: Not available Static Water Level: 19.0 ft. Bailer Drawdown: Not available

Grouting Information

Material: Not available Depth: From (not available) To (not available)

Installation Method: Not available Number of Bags Used: Not available

Well

Abandonment Sealing Material: Not available Depth: From (not available) To (not available)

Installation Method: Not available Number of Bags Used: Not available

Administrative County: MARION Township: 15N

Range: 3E Section: NE of Section 6
Topo Map: INDIANAPOLIS WEST Grant: Not available

Field Located By: Not available Field Located On: Not available

Courthouse Location By: Not available Courthouse Location On: Not available

Location Accepted w/o Verification By: Not Location Accepted w/o Verification On: Not

available available

Subdivision Name:Not availableLot Number:Not availableFt W of EL:Not availableFt N of SL:Not availableFt E of WL:Not availableFt S of NL:Not available

Ground Elevation: Not available

Bedrock Elevation: Not available

UTM Easting: Not available

UTM Northing: Not available

UTM Northing: Not available

Тор	Bottom	Formation
0.0	5.0	SOIL
5.0	32.0	S&G
32.0	35.0	BLUE CLAY
35.0	37.0	GRAV
37.0	46.0	BLUE CLAY

46.0	48.0	FINE GRAV
48.0	60.0	S&G
60.0	85.0	TOUGH BLUE CLAY

Reference **Driving Direction to Well Date Completed** Number

201638 707 N. LYNHURST 3/16/1995

Owner-Name Address Telephone Contractor

Owner Not available Not available Not available Driller HAMILTON BROS., INC. 4050 ROCKVILLE RD., INDPLS., IN (000)241-2571

Operator ROBERT D. SCHELLENBERG License: 36

**Construction Details** 

Use: Industry Well **Drilling Method:** Rotary Pump Type: Submersible **Depth:** 78.0 Pump Setting Depth: 60.0 Water Quality: CLEAR

Length: 74.0 Material: PVC Diameter: 4.0 Casing Length: 4.0 Screen Material: PVC Diameter: 4.0

Slot Size: .060

**Well Capacity** 

Type of Test: Bailing Test Rate: 15.0 gpm for 1.0 hrs. Bail Test Rate: Not available Test

> Drawdown: 30.0 ft. Static Water Level: 30.0 ft. Bailer Drawdown: Not available

Grouting

Material: ENVIROPLUG **Depth:** From 0.0 To 58.0 Information

> Installation Method: TREM Number of Bags Used: 5.0

Well

Sealing Material: Not available **Depth:** From (not available) To (not available) **Abandonment** 

Installation Method: Not available Number of Bags Used: Not available

Administrative **County: MARION** Township: 15N

Range: 3E Section: 6

Topo Map: INDIANAPOLIS WEST Grant: Not available

Field Located By: Not available Field Located On: Not available

Courthouse Location By: Not available Courthouse Location On: Not available Location Accepted w/o Verification By: Not Location Accepted w/o Verification On: Not

available available

Subdivision Name: Not available Lot Number: Not available Ft W of EL: Not available Ft N of SL: Not available Ft E of WL: Not available Ft S of NL: Not available

Ground Elevation: Not available **Depth of Bedrock:** Not available Bedrock Elevation: Not available Aguifer Elevation: Not available UTM Easting: Not available **UTM Northing:** Not available

Well Log

Тор	Bottom	Formation
0.0	43.0	TOPSOIL & CLAY
43.0	47.0	GRAV
47.0	58.0	CLAY
58.0	78.0	GRAV

Comments SEE MAP

Reference
Number

Driving Direction to Well

Date Completed

252308 3125 W EPLER 7/15/1991

OwnerContractor

Name
Address
Telephone

Owner JOHN GAMMON 3125 W EPLER Not available Driller HAMMS WELL DRILLING RR 4 FRANKLIN Not available

Operator JERRY GLASSBURN License Not available

Construction Details

Test

Well Use: Home Drilling Method: Cable Tool Pump Type: Submersible Depth: 66.0 Pump Setting Depth: 40.0 Water Quality: CLEAR

Casing Length: 66.0 Material: Not available Diameter: 4.0 Screen Length: 5.0 Material: Not available Diameter: 3.0

Slot Size: 020

Well Capacity Tana of Tanta Net available Tant Data Net available Bail Test Rate: 10.0 gpm for 1.0

Type of Test: Not available Test Rate: Not available hrs.

Drawdown: Not available Static Water Level: 15.0 ft. Bailer Drawdown: 3.0 ft.

Grouting Information Material: Not available Depth: From (not available) To (not available)

Installation Method: Not available Number of Bags Used: Not available

Well

Abandonment Sealing Material: Not available Depth: From (not available) To (not available)

Installation Method: Not available Number of Bags Used: Not available

Administrative County: MARION Township: 15N

Range: 3E Section: SE of the SW of the NW of Section 4

Topo Map:INDIANAPOLIS WESTGrant:Not available

Field Located By: Not available Field Located On: Not available

Courthouse Location By: Not available

Location Accepted w/o Verification By: Not

Location Accepted w/o Verification On: Not

available available

Subdivision Name:Not availableLot Number:Not availableFt W of EL:Not availableFt N of SL:Not available

Ft E of WL: Not available

Ft S of NL: Not available

Ground Elevation: Not available

Bedrock Elevation: Not available

UTM Easting: Not available

UTM Northing: Not available

UTM Northing: Not available

Well Log Comments

Reference **Driving Direction to Well Date Completed** Number

265016 170' E OF W FENCE, 45' N OF S FENCE. 3/27/1975

Owner-Name Address Telephone Contractor

Owner DETROIT DIESEL ALLISON DIV. Not available Not available Driller LAYNE NORTHERN CO. MISHAWAKA IN Not available

Operator E. ALLEN License Not available

**Construction Details** 

Well Use: Test **Drilling Method:** Rotary Pump Type: Not available

Pump Setting Depth: Not **Depth:** 106.0 Water Quality: Not available available

Casing Length: Not available Material: Not available Diameter: 12.0

Screen Length: 10.0 Material: Not available Diameter: 12.0

Slot Size: Not available

**Well Capacity** Bail Test Rate: Not available Type of Test: Pumping Test Rate: 50.0 gpm Test

Static Water Level: Not Drawdown: Not available Bailer Drawdown: Not available

available

Grouting Material: Not available **Depth:** From (not available) To (not available) Information

Installation Method: Not available Number of Bags Used: Not available

Well

Sealing Material: Not available **Depth:** From (not available) To (not available) **Abandonment** 

Installation Method: Not available Number of Bags Used: Not available

Administrative **County: MARION** Township: 15N

> Range: 3E Section: NW of Section 5 Topo Map: INDIANAPOLIS WEST Grant: Not available

Field Located By: Not available Field Located On: Not available

Courthouse Location By: Not available Courthouse Location On: Not available **Location Accepted w/o Verification On:** 

7/1/1975

Location Accepted w/o Verification By: TMB

Subdivision Name: Not available Lot Number: Not available Ft W of EL: Not available Ft N of SL: Not available Ft E of WL: Not available Ft S of NL: Not available

Ground Elevation: Not available Depth of Bedrock: Not available Bedrock Elevation: Not available Aguifer Elevation: Not available **UTM Easting:** Not available **UTM Northing:** Not available

Тор	Bottom	Formation
0.0	7.0	TOPSOIL & SAND
7.0	29.0	MD S&G W/BOULDER
29.0	45.0	CLAY
45.0	50.0	DIRTY S&G SOME CLAY

50.0	98.0	BLANK
98.0	106.0	CLAY

DETROIT DIESEL 75-12-A TEST;

Reference **Driving Direction to Well Date Completed** Number

264407 ALLISON PLANT #3 - TEST WELL 3, 670 'S. OF W. 10TH. ST. 5/22/1939

Owner-Name Address Telephone Contractor

ALLISON ENGINEERING W. 10TH. ST, INDPLS, IN. (SPEEDWAY Owner Not available

DIV, GMC. IN.)

Driller LAYNE-NORTHERN CO. MISHAWAKA, IN. Not available

C.E. POOLE & C. KIMBLE License Not available Operator

**Construction Details** 

Well Use: Test Drilling Method: Not available Pump Type: Not available

> Pump Setting Depth: Not **Depth:** 100.0 Water Quality: Not available

available

Material: Not available Diameter: Not available Casing Length: Not available

Screen Length: Not available Material: Not available Diameter: Not available

Slot Size: Not available

Well Capacity

Type of Test: Not available Test Rate: Not available Bail Test Rate: Not available Test

> Drawdown: Not available Static Water Level: 15.0 ft. Bailer Drawdown: Not available

Grouting

Material: Not available **Depth:** From (not available) To (not available) Information

Installation Method: Not available Number of Bags Used: Not available

Well

Sealing Material: Not available **Depth:** From (not available) To (not available) **Abandonment** 

Installation Method: Not available Number of Bags Used: Not available

Administrative **County: MARION** Township: 15N

> Range: 3E Section: NE of the NE of the NE of Section 6

Topo Map: INDIANAPOLIS WEST Grant: Not available

Field Located By: Not available Field Located On: Not available

Courthouse Location By: Not available Courthouse Location On: Not available

Location Accepted w/o Verification By: Not Location Accepted w/o Verification On: Not

available available

Subdivision Name: Not available Lot Number: Not available

Ft W of EL: 600.0 Ft N of SL: Not available Ft E of WL: Not available Ft S of NL: 650.0

**Ground Elevation: 722.0** Depth of Bedrock: Not available

Bedrock Elevation: Not available Aguifer Elevation: 622.0 **UTM Easting:** 565407.4 **UTM Northing:** 4403225.5

Тор	Bottom	Formation
0.0	5.0	TOPSOIL
5.0	6.0	BOULDERS
6.0	21.0	GRAV
21.0	49.0	BLUE CLAY
	10.0	

49.0	62.0	S & G
62.0	100.0	BLUE CLAY

Reference **Driving Direction to Well Date Completed** Number

264412 ALLISON PLANT #3 - TEST WELL #4 5/26/1939

Owner-Name Address Telephone Contractor

ALLISON ENGINEERING DIV. Owner W. 10TH. ST. SPEEDWAY, IN. INDPLS. Not available

GMC.

Driller LAYNE-NORTHERN CO. MISHAWAKA, IN. Not available

JAMES NESS License Not available Operator

**Construction Details** 

Well Use: Test Drilling Method: Not available Pump Type: Not available

> Pump Setting Depth: Not **Depth:** 82.0 Water Quality: Not available

available

Material: Not available Diameter: Not available Casing Length: Not available Screen Length: Not available Material: Not available Diameter: Not available

Slot Size: Not available

**Well Capacity** 

Type of Test: Not available Test Rate: Not available Bail Test Rate: Not available Test

> Static Water Level: Not Drawdown: Not available Bailer Drawdown: Not available

available

Grouting Material: Not available **Depth:** From (not available) To (not available) Information

Installation Method: Not available Number of Bags Used: Not available

Well

Sealing Material: Not available **Depth:** From (not available) To (not available) **Abandonment** 

Installation Method: Not available Number of Bags Used: Not available

Administrative **County: MARION** Township: 15N

> Range: 3E Section: NE of the NW of the NE of Section 6

Topo Map: INDIANAPOLIS WEST Grant: Not available

Field Located By: Not available Field Located On: Not available

Courthouse Location By: Not available Courthouse Location On: Not available

Location Accepted w/o Verification By: Not Location Accepted w/o Verification On: Not

Subdivision Name: Not available Lot Number: Not available

**Ft W of EL:** 1,550.0 Ft N of SL: Not available

Ft E of WL: Not available Ft S of NL: 700.0

Ground Elevation: 723.0 Depth of Bedrock: Not available

Bedrock Elevation: Not available Aguifer Elevation: 641.0 **UTM Northing:** 4403208.5

**UTM Easting:** 565098.7

Тор	Bottom	Formation	
0.0	6.0	SOIL	
6.0	13.0	S & G	
13.0	33.0	GRITTY CLAY	

33.0	36.0	GRAV
36.0	37.0	SAND
37.0	53.0	GRITTY CLAY
53.0	57.0	MD GRAV
57.0	82.0	CLAY

Reference **Driving Direction to Well Date Completed** Number

264417 ALLISON PLANT #3 TEST WELL #5 5/25/1939

Owner-Name Address Telephone Contractor

Owner ALLISON ENGINEERING DIV, GMC W. 10TH. ST, SPEEDWAY, IN. INDPLS. Not available

LAYNE-NORTHERN CO. Driller MISHAWAKA, IN. Not available

Operator C. KIMBLE & C.E. POOLE License Not available

**Construction Details** 

Well Use: Test **Drilling Method:** Not available **Pump Type:** Not available

> Pump Setting Depth: Not **Depth:** 85.0 Water Quality: Not available

available

Casing Length: Not available Material: Not available Diameter: Not available Screen Length: Not available Material: Not available Diameter: Not available

Slot Size: Not available

**Well Capacity** 

Type of Test: Not available Bail Test Rate: Not available Test Rate: Not available Test

> Drawdown: Not available Static Water Level: 15.0 ft. Bailer Drawdown: Not available

Grouting

Material: Not available **Depth:** From (not available) To (not available) Information

Installation Method: Not available Number of Bags Used: Not available

Well

Sealing Material: Not available **Depth:** From (not available) To (not available) **Abandonment** 

Installation Method: Not available Number of Bags Used: Not available

Administrative Township: 15N County: MARION

> Range: 3E Section: NW of the NW of the NE of Section 6

Topo Map: INDIANAPOLIS WEST Grant: Not available

Field Located By: Not available Field Located On: Not available

Courthouse Location By: Not available Courthouse Location On: Not available

Location Accepted w/o Verification By: Not Location Accepted w/o Verification On: Not

available available

Subdivision Name: Not available Lot Number: Not available **Ft W of EL**: 2.000.0 Ft N of SL: Not available

Ft E of WL: Not available Ft S of NL: 600.0

**Ground Elevation:** 723.0 Depth of Bedrock: Not available

Bedrock Elevation: Not available Aguifer Elevation: 638.0

**UTM Northing:** 4403233 **UTM Easting:** 564959.7

Тор	Bottom	Formation
0.0	4.0	TOPSOIL
4.0	15.0	S & G
15.0	39.0	BLUE CLAY
39.0	43.0	S & G
43.0	52.0	BLUE CLAY

52.0	61.0	MUDDY S & G
61.0	85.0	BLUE CLAY

TEST #5;

Reference **Driving Direction to Well Date Completed** Number

264422 ALLISON PLANT #3 - TEST WELL #6 5/27/1939

Owner-Name Address Telephone Contractor ALLISON ENGINEERING

Owner W. 10TH. ST. SPEEDWAY, IN. INDPLS. Not available DIV, GMC.

Driller LAYNE-NORTHERN CO. MISHAWAKA, IN. Not available

C. KIMBLE & C.E. POOLE License Not available Operator

**Construction Details** 

Well Use: Test Drilling Method: Not available Pump Type: Not available

> Pump Setting Depth: Not **Depth:** 75.0 Water Quality: Not available

available

Material: Not available Diameter: Not available Casing Length: Not available Screen Length: Not available Material: Not available Diameter: Not available

Slot Size: Not available

Well Capacity

Type of Test: Not available Test Rate: Not available Bail Test Rate: Not available Test

> Drawdown: Not available Static Water Level: 14.0 ft. Bailer Drawdown: Not available

Grouting Material: Not available **Depth:** From (not available) To (not available) Information

Installation Method: Not available Number of Bags Used: Not available

Well

Sealing Material: Not available **Depth:** From (not available) To (not available) **Abandonment** 

Installation Method: Not available Number of Bags Used: Not available

Administrative **County: MARION** Township: 15N

> Range: 3E Section: SW of the NW of the NE of Section 6

Topo Map: INDIANAPOLIS WEST Grant: Not available

Field Located By: Not available Field Located On: Not available

Courthouse Location By: Not available Courthouse Location On: Not available

Location Accepted w/o Verification By: Not Location Accepted w/o Verification On: Not

available available

Subdivision Name: Not available Lot Number: Not available

**Ft W of EL:** 2.400.0 Ft N of SL: Not available Ft E of WL: Not available Ft S of NL: 900.0

**Ground Elevation: 721.0** Depth of Bedrock: Not available

Bedrock Elevation: Not available Aguifer Elevation: 646.0 **UTM Easting:** 564844.6 **UTM Northing:** 4403136

Well Log Comments

Reference **Driving Direction to Well Date Completed** Number

264427 ALLISON PLANT #3 - TEST WELL #7 5/30/1939

Owner-Name Address Telephone Contractor

ALLISON ENGINEERING Owner W.10TH. ST. SPEEDWAY, IN. INDPLS. Not available DIV.GMC.

Driller LAYNE-NORTHERN CO. MISHAWAKA, IN. Not available

JAMES NESS License Not available Operator

**Construction Details** 

Well Use: Test Drilling Method: Not available Pump Type: Not available

> Pump Setting Depth: Not **Depth: 85.0** Water Quality: Not available

available

Material: Not available Diameter: Not available Casing Length: Not available Screen Length: Not available Material: Not available Diameter: Not available

Slot Size: Not available

Well Capacity

Type of Test: Not available Test Rate: Not available Bail Test Rate: Not available Test

> Drawdown: Not available Static Water Level: 13.0 ft. Bailer Drawdown: Not available

Grouting

Material: Not available **Depth:** From (not available) To (not available) Information

Installation Method: Not available Number of Bags Used: Not available

Well

Sealing Material: Not available **Depth:** From (not available) To (not available) **Abandonment** 

Installation Method: Not available Number of Bags Used: Not available

Administrative **County: MARION** Township: 15N

> Range: 3E Section: NW of the NW of the NE of Section 6

Topo Map: INDIANAPOLIS WEST Grant: Not available

Field Located By: Not available Field Located On: Not available

Courthouse Location By: Not available Courthouse Location On: Not available

Location Accepted w/o Verification By: Not Location Accepted w/o Verification On: Not

available available

Subdivision Name: Not available Lot Number: Not available Ft W of EL: Not available Ft N of SL: Not available Ft E of WL: Not available Ft S of NL: Not available

Ground Elevation: Not available Depth of Bedrock: Not available Bedrock Elevation: Not available Aguifer Elevation: Not available UTM Easting: Not available **UTM Northing:** Not available

Тор	Bottom	Formation
0.0	5.0	SOIL
5.0	32.0	S & G
32.0	35.0	CLAY
35.0	37.0	GRAV

37.0	46.0	CLAY
46.0	48.0	FN GRAV
48.0	60.0	S & G
60.0	85.0	TOUGH CLAY

Reference **Driving Direction to Well Date Completed** Number

264432 ALLISON PLANT #3 - TEST WELL #8 5/30/1939

Owner-Name Address Telephone Contractor

ALLISON ENGINEERING Owner W. 10TH. ST. SPEEDWAY, IN. INDPLS. Not available DIV, GMC.

Driller LAYNE-NORTHERN CO. MISHAWAKA, IN. Not available

C.E. POOLE & C. CARTER License Not available Operator

**Construction Details** 

Well Use: Test Drilling Method: Not available Pump Type: Not available

> Pump Setting Depth: Not **Depth:** 83.0 Water Quality: Not available

available

Material: Not available Diameter: Not available Casing Length: Not available Screen Length: Not available Material: Not available Diameter: Not available

Slot Size: Not available

Well Capacity

Type of Test: Not available Test Rate: Not available Bail Test Rate: Not available Test

> Drawdown: Not available Static Water Level: 20.0 ft. Bailer Drawdown: Not available

Grouting

Material: Not available **Depth:** From (not available) To (not available) Information

Installation Method: Not available Number of Bags Used: Not available

Well

Sealing Material: Not available **Depth:** From (not available) To (not available) **Abandonment** 

Installation Method: Not available Number of Bags Used: Not available

Administrative **County: MARION** Township: 15N

> Range: 3E Section: SE of the NW of the NE of Section 6

Topo Map: INDIANAPOLIS WEST Grant: Not available

Field Located By: Not available Field Located On: Not available

Courthouse Location By: Not available Courthouse Location On: Not available

Location Accepted w/o Verification By: Not Location Accepted w/o Verification On: Not

available available

Subdivision Name: Not available Lot Number: Not available **Ft W of EL:** 1.800.0 Ft N of SL: Not available

Ft E of WL: Not available Ft S of NL: 1,300.0

**Ground Elevation: 725.0** Depth of Bedrock: Not available

Bedrock Elevation: Not available Aguifer Elevation: 642.0 **UTM Easting:** 565041.5 **UTM Northing:** 4403024.5

Тор	Bottom	Formation
0.0	9.0	TOPSOIL
9.0	37.0	S & G
37.0	42.0	BLUE CLAY
42.0	43.0	S & G

43.0	53.0	BLUE CLAY
53.0	61.0	S & G
61.0	69.0	BLUE CLAY
69.0	71.0	S & G
71.0	83.0	BLUE CLAY

Reference **Driving Direction to Well Date Completed** Number

264437 ALLISON PLANT #3-TEST WELL 9. 6/21/1939

Owner-Name Address Telephone Contractor

Owner ALLISON ENGEERING DIV GMC W 10TH ST, SPEEDWAY, INDPLS IN Not available Driller LAYNE NORTHERN CO. MISHAWAKA IN Not available

Operator C KIMBLE&CE POOLE License Not available

**Construction Details** 

Well Use: Test **Drilling Method:** Not available **Pump Type:** Not available

> Pump Setting Depth: Not **Depth:** 90.0 Water Quality: Not available

available

Casing Length: Not available Material: Not available Diameter: Not available Screen Length: Not available Material: Not available Diameter: Not available

Slot Size: Not available

**Well Capacity** 

Type of Test: Not available Bail Test Rate: Not available Test Rate: Not available Test

> Drawdown: Not available Static Water Level: 14.0 ft. Bailer Drawdown: Not available

Grouting Material: Not available **Depth:** From (not available) To (not available) Information

Installation Method: Not available Number of Bags Used: Not available

Well

Sealing Material: Not available **Depth:** From (not available) To (not available) **Abandonment** 

Installation Method: Not available Number of Bags Used: Not available

Administrative Township: 15N County: MARION

> Range: 3E Section: SE of the NE of the NE of Section 6

Topo Map: INDIANAPOLIS WEST Grant: Not available

Field Located By: Not available Field Located On: Not available

Courthouse Location By: Not available Courthouse Location On: Not available

Location Accepted w/o Verification By: Not Location Accepted w/o Verification On: Not

available available

Subdivision Name: Not available Lot Number: Not available **Ft W of EL**: 100.0 Ft N of SL: Not available Ft E of WL: Not available Ft S of NL: 1.400.0

**Ground Elevation:** 715.0 Depth of Bedrock: Not available

Bedrock Elevation: Not available Aguifer Elevation: 625.0

**UTM Northing:** 4403021.5 **UTM Easting:** 565551.6

Тор	Bottom	Formation
0.0	3.0	TOPSOIL
3.0	36.0	S&G
36.0	43.0	BLUE CLAY
43.0	58.0	S&G
58.0	90.0	BLUE CLAY

Reference **Driving Direction to Well Date Completed** Number

264442 ALLISON PLANT #3-TEST WELL 10. 6/9/1939

Owner-Name Address Telephone Contractor

Owner ALLISON ENGINEERING DIV GMCW 10TH ST, SPEEDWAY, INDPLS IN Not available Driller LAYNE NORTHERN CO. MISHAWAKA IN Not available

Operator CHARLES KIMBLE License Not available

**Construction Details** 

Well Use: Test **Drilling Method:** Not available **Pump Type:** Not available

> Pump Setting Depth: Not **Depth:** 80.0 Water Quality: Not available

available

Casing Length: Not available Material: Not available Diameter: Not available Screen Length: Not available Material: Not available Diameter: Not available

Slot Size: Not available

**Well Capacity** 

Bail Test Rate: Not available Type of Test: Not available Test Rate: Not available Test

> Static Water Level: Not Drawdown: Not available Bailer Drawdown: Not available

available

Grouting Material: Not available **Depth:** From (not available) To (not available) Information

Installation Method: Not available Number of Bags Used: Not available

Well

Sealing Material: Not available **Depth:** From (not available) To (not available) **Abandonment** 

Installation Method: Not available Number of Bags Used: Not available

Administrative **County: MARION** Township: 15N

> Range: 3E Section: NE of the NE of the NE of Section 6

Topo Map: INDIANAPOLIS WEST Grant: Not available

Field Located By: Not available Field Located On: Not available

Courthouse Location By: Not available Courthouse Location On: Not available

Location Accepted w/o Verification By: Not Location Accepted w/o Verification On: Not

available available

Subdivision Name: Not available Lot Number: Not available Ft W of EL: 100.0 Ft N of SL: Not available

Ft E of WL: Not available Ft S of NL: 750.0

**Ground Elevation: 715.0** Depth of Bedrock: Not available

Bedrock Elevation: Not available Aguifer Elevation: 635.0 **UTM Easting:** 565547.9 **UTM Northing:** 4403215.5

Bottom	Formation
5.0	SOIL
14.0	GRAV & SAND
40.0	BLUE CLAY
41.0	GRAV
	5.0 14.0 40.0

41.0	48.0	CLAY
48.0	56.0	S&G
56.0	62.0	BLUE CLAY
62.0	80.0	BLUE CLAY

Reference
Number

Driving Direction to Well

Date Completed

264447 ALLISON PLANT #3-TEST WELL 11. 180' S OF TEST #10. 7/7/1939

OwnerContractor

Name
Address
Telephone

Owner ALLISON ENGINEERING DIV GMC Not available Not available

Driller LAYNE NORTHERN CO. MISHAWAKA IN Not available

Operator CHARLES KIMBLE License Not available

**Construction Details** 

Well Use: Test Drilling Method: Not available Pump Type: Not available

Depth: 80.0 Pump Setting Depth: Not Water Quality: Not available

available

Casing Length: Not available Material: Not available Diameter: Not available Screen Length: Not available Material: Not available Diameter: Not available

Slot Size: Not available

**Well Capacity** 

Test Type of Test: Not available Test Rate: Not available Bail Test Rate: Not available

Drawdown: Not available Static Water Level: 11.0 ft. Bailer Drawdown: Not available

Grouting Information

Material: Not available Depth: From (not available) To (not available)

Installation Method: Not available Number of Bags Used: Not available

Well

Abandonment Sealing Material: Not available Depth: From (not available) To (not available)

Installation Method: Not available Number of Bags Used: Not available

Administrative County: MARION Township: 15N

Range: 3E Section: SE of the NE of Section 6

Topo Map: INDIANAPOLIS WEST Grant: Not available

Field Located By: Not available Field Located On: Not available

Courthouse Location By: Not available Courthouse Location On: Not available

Location Accepted w/o Verification By: Not Location Accepted w/o Verification On: Not

available available

Subdivision Name: Not available

Ft W of EL: 100.0

Lot Number: Not available

Ft N of SL: Not available

Ft E of WL: Not available Ft S of NL: 950.0

Ground Elevation: 715.0 Depth of Bedrock: Not available

**Bedrock Elevation:** Not available **Aquifer Elevation:** 635.0

**UTM Easting:** 565561.5 **UTM Northing:** 4403138.5

Тор	Bottom	Formation
0.0	2.0	TOPSOIL
2.0	12.0	GRAV & BOULDERS
12.0	44.0	BLUE CLAY
44.0	72.0	GRAV
72.0	80.0	BLUE CLAY

Reference **Driving Direction to Well Date Completed** Number

ALLISON PLANT #3-TEST WELL 13. 25'W, 25'S FROM NE CORNER OF 264452 8/12/1939

FENCE.

Owner-Name Address **Telephone** Contractor

Owner ALLISON ENGINEERING DIV GMCW 10TH ST, SPEEDWAY, INDPLS IN Not available Driller LAYNE NORTHERN CO. MISHAWAKA IN Not available

JAMES NESS License Not available Operator

**Construction Details** 

Well Use: Test Drilling Method: Not available Pump Type: Not available

> Pump Setting Depth: Not **Depth:** 70.0 Water Quality: Not available

available

Material: Not available Diameter: Not available Casing Length: Not available Screen Length: Not available Material: Not available Diameter: Not available

Slot Size: Not available

**Well Capacity** 

Type of Test: Not available Test Rate: Not available Bail Test Rate: Not available Test

> Drawdown: Not available Static Water Level: 15.0 ft. Bailer Drawdown: Not available

Grouting

Material: Not available **Depth:** From (not available) To (not available) Information

Installation Method: Not available Number of Bags Used: Not available

Well

Sealing Material: Not available **Depth:** From (not available) To (not available) **Abandonment** 

Installation Method: Not available Number of Bags Used: Not available

Administrative **County: MARION** Township: 15N

> Range: 3E Section: NE of the NE of the NE of Section 6

Topo Map: INDIANAPOLIS WEST Grant: Not available

Field Located By: Not available Field Located On: Not available

Courthouse Location By: Not available Courthouse Location On: Not available

Location Accepted w/o Verification By: Not Location Accepted w/o Verification On: Not

available available

Subdivision Name: Not available Lot Number: Not available Ft W of EL: 100.0 Ft N of SL: Not available

Ft E of WL: Not available Ft S of NL: 100.0

**Ground Elevation: 717.0** Depth of Bedrock: Not available

Bedrock Elevation: Not available Aguifer Elevation: 647.0

**UTM Easting:** 565551.8 **UTM Northing:** 4403402

Тор	Bottom	Formation
0.0	14.0	SOIL CLAY
14.0	17.0	GRAV
17.0	27.0	CLAY
27.0	29.0	GRAV

29.0	33.0	CLAY
33.0	35.0	CLAY
35.0	49.0	CLAY
49.0	53.0	GRAV
53.0	55.0	CLAY
55.0	56.0	SAND FN
56.0	70.0	CLAY

Reference **Driving Direction to Well Date Completed** Number

ALLISON PLANT NO 3-TEST WELL 14, 25'W & 125'S FROM SW CORNER 264457

OF BLDG.

8/15/1939

Owner-Name Address **Telephone** Contractor

Owner ALLISON ENGINEERING DIV GMCW 10TH ST, SPEEDWAY INDPLS IN Not available Driller LAYNE NORTHERN CO. MISHAWAKA IN Not available

JAMES NESS License Not available Operator

**Construction Details** 

Well Use: Test Drilling Method: Not available Pump Type: Not available

> Pump Setting Depth: Not **Depth:** 60.0 Water Quality: Not available

available

Material: Not available Diameter: Not available Casing Length: Not available Screen Length: Not available Material: Not available Diameter: Not available

Slot Size: Not available

Well Capacity

Type of Test: Not available Test Rate: Not available Bail Test Rate: Not available Test

> Drawdown: Not available Static Water Level: 11.0 ft. Bailer Drawdown: Not available

Grouting

Material: Not available **Depth:** From (not available) To (not available) Information

Installation Method: Not available Number of Bags Used: Not available

Well

Sealing Material: Not available **Depth:** From (not available) To (not available) **Abandonment** 

Installation Method: Not available Number of Bags Used: Not available

Administrative **County: MARION** Township: 15N

> Range: 3E Section: NW of the NE of the NE of Section 6

Topo Map: INDIANAPOLIS WEST Grant: Not available

Field Located By: Not available Field Located On: Not available

Courthouse Location By: Not available Courthouse Location On: Not available

Location Accepted w/o Verification By: Not Location Accepted w/o Verification On: Not

available available

Subdivision Name: Not available Lot Number: Not available **Ft W of EL:** 1.000.0 Ft N of SL: Not available

Ft E of WL: Not available Ft S of NL: 850.0

**Ground Elevation: 723.0** Depth of Bedrock: Not available

Bedrock Elevation: Not available Aguifer Elevation: 663.0 **UTM Easting:** 565283.5 **UTM Northing:** 4403164

Тор	Bottom	Formation
0.0	11.0	SOIL GRAV
11.0	33.0	CLAY
33.0	35.0	BOULDERS
35.0	43.0	CLAY

43.0	54.0	GRAV FN
54.0	60.0	CLAY

Reference **Driving Direction to Well Date Completed** Number

264462 ALLISON PLANT #3-TEST WELL 18 HALFWAY BETWEEN #4 & #5 TEST. 6/1/1940

Owner-Name Address Telephone Contractor

Owner ALLISON ENGINEERING DIV GMCW 10TH ST, SPEEDWAY, INDPLS IN Not available Driller LAYNE NORTHERN CO. MISHAWAKA IN Not available

Operator JAMES NESS License Not available

**Construction Details** 

Well Use: Test **Drilling Method:** Not available **Pump Type:** Not available

> Pump Setting Depth: Not **Depth:** 60.0 Water Quality: Not available

available

Casing Length: Not available Material: Not available Diameter: Not available Screen Length: Not available Material: Not available Diameter: Not available

Slot Size: Not available

**Well Capacity** 

Type of Test: Not available Bail Test Rate: Not available Test Rate: Not available Test

> Drawdown: Not available Static Water Level: 17.0 ft. Bailer Drawdown: Not available

Grouting

Material: Not available **Depth:** From (not available) To (not available) Information

Installation Method: Not available Number of Bags Used: Not available

Well

Sealing Material: Not available **Depth:** From (not available) To (not available) **Abandonment** 

Installation Method: Not available Number of Bags Used: Not available

Administrative Township: 15N County: MARION

> Range: 3E Section: NE of the NW of the NE of Section 6

Topo Map: INDIANAPOLIS WEST Grant: Not available

Field Located By: Not available Field Located On: Not available

Courthouse Location By: Not available Courthouse Location On: Not available

Location Accepted w/o Verification By: Not Location Accepted w/o Verification On: Not

available available

Subdivision Name: Not available Lot Number: Not available **Ft W of EL:** 1.700.0 Ft N of SL: Not available

Ft E of WL: Not available Ft S of NL: 650.0

**Ground Elevation:** 723.0 Depth of Bedrock: Not available

Bedrock Elevation: Not available Aguifer Elevation: 663.0

**UTM Northing:** 4403223 **UTM Easting:** 565079.3

Тор	Bottom	Formation
0.0	8.0	SOIL DIRT
8.0	12.0	GRAV
12.0	37.0	HARDPAN
37.0	38.0	GRAV
38.0	49.0	HARDPAN

49.0	54.0	GRAV
54.0	60.0	HARDPAN

Reference **Driving Direction to Well Date Completed** Number

ALLISON PLANT #3-TEST WELL 19, 10TH ST. 350' E OF NW CORNER OF 264467

GROUND.

6/11/1940

Owner-Name Address **Telephone** Contractor

Owner ALLISON ENGINEERING DIV GMCW 10TH ST, SPEEDWAY INDPLS IN Not available Driller LAYNE NORTHERN CO. MISHAWAKA IN Not available

HARRY NESS License Not available Operator

**Construction Details** 

Well Use: Test Drilling Method: Not available Pump Type: Not available

> Pump Setting Depth: Not **Depth:** 66.0 Water Quality: Not available

available

Material: Not available Diameter: Not available Casing Length: Not available Screen Length: Not available Material: Not available Diameter: Not available

Slot Size: Not available

Well Capacity

Type of Test: Not available Test Rate: Not available Bail Test Rate: Not available Test

> Drawdown: Not available Static Water Level: 18.0 ft. Bailer Drawdown: Not available

Grouting

Material: Not available **Depth:** From (not available) To (not available) Information

Installation Method: Not available Number of Bags Used: Not available

Well

Sealing Material: Not available **Depth:** From (not available) To (not available) **Abandonment** 

Installation Method: Not available Number of Bags Used: Not available

Administrative **County: MARION** Township: 15N

> Range: 3E Section: NW of the NW of the NE of Section 6

Topo Map: INDIANAPOLIS WEST Grant: Not available

Field Located By: Not available Field Located On: Not available

Courthouse Location By: Not available Courthouse Location On: Not available

Location Accepted w/o Verification By: Not Location Accepted w/o Verification On: Not

available available

Subdivision Name: Not available Lot Number: Not available **Ft W of EL:** 2.300.0 Ft N of SL: Not available

Ft E of WL: Not available Ft S of NL: 50.0

**Ground Elevation: 725.0** Depth of Bedrock: Not available

Bedrock Elevation: Not available Aguifer Elevation: 659.0 **UTM Easting:** 564861.8 **UTM Northing:** 4403401

Тор	Bottom	Formation
0.0	3.0	TOPSOIL
3.0	12.0	CLAY & GRAV
12.0	38.0	CLAY
38.0	46.0	S&G

46.0	48.0	CLAY
48.0	61.0	GRAV & SAND
61.0	66.0	CLAY

SHOULD DO 30 GAL PER FOOT; MERRIDE AGREED TO DRILL #5 WELL HERE 6/12/40;

Reference **Driving Direction to Well Date Completed** Number

264472 ALLISON PLANT #3-TEST WELL 20. 7/9/1940

Owner-Name Address Telephone Contractor

Owner ALLISON ENGINEERING DIV GMC Not available Not available Driller LAYNE NORTHERN CO. MISHAWAKA IN Not available

Operator JAMES NESS License Not available

**Construction Details** 

Well Use: Test **Drilling Method:** Not available **Pump Type:** Not available

> Pump Setting Depth: Not **Depth:** 60.0 Water Quality: Not available

available

Casing Length: Not available Material: Not available Diameter: Not available Screen Length: Not available Material: Not available Diameter: Not available

Slot Size: Not available

**Well Capacity** 

Type of Test: Not available Bail Test Rate: Not available Test Rate: Not available Test

> Drawdown: Not available Static Water Level: 16.0 ft. Bailer Drawdown: Not available

Grouting Information

Material: Not available **Depth:** From (not available) To (not available)

Installation Method: Not available Number of Bags Used: Not available

Well

Sealing Material: Not available **Depth:** From (not available) To (not available) **Abandonment** 

Installation Method: Not available Number of Bags Used: Not available

Administrative Township: 15N County: MARION

> Range: 3E Section: NW of the NW of the NE of Section 6

Topo Map: INDIANAPOLIS WEST Grant: Not available

Field Located By: Not available Field Located On: Not available

Courthouse Location By: Not available Courthouse Location On: Not available

Location Accepted w/o Verification By: Not Location Accepted w/o Verification On: Not

available available

Subdivision Name: Not available Lot Number: Not available **Ft W of EL**: 2.300.0 Ft N of SL: Not available

Ft E of WL: Not available Ft S of NL: 100.0

**Ground Elevation:** 725.0 Depth of Bedrock: Not available

Bedrock Elevation: Not available Aguifer Elevation: 665.0

**UTM Northing: 4403401 UTM Easting:** 564886.2

Тор	Bottom	Formation
0.0	9.0	SOIL & CLAY
5.0	12.0	GRAV/DRY
12.0	28.5	HARDPAN
28.5	30.0	GRAV
30.0	37.0	HARDPAN

37.0	44.0	GRAV
44.0	48.0	HARDPAN/VERY HARD
48.0	60.0	MD GRAV & SAND

WELL #5 WILL BE LOCATED HERE;

Reference **Driving Direction to Well Date Completed** Number

264477 ALLISON PLANT #3-TEST WELL 21 600'S OF #6 WELL. 8/29/1940

Owner-Name Address Telephone Contractor

Owner ALLISON ENGINEERING DIV GMCW 10TH ST, SPEEDWAY, INDPLS IN Not available Not available

Driller LAYNE NORTHERN CO. MISHAWAKA IN

Operator JAMES YOUNG License Not available

**Construction Details** 

Well Use: Test **Drilling Method:** Not available **Pump Type:** Not available

> Pump Setting Depth: Not **Depth:** 59.0 Water Quality: Not available

available

Casing Length: Not available Material: Not available Diameter: Not available Screen Length: Not available Material: Not available Diameter: Not available

Slot Size: Not available

**Well Capacity** 

Type of Test: Not available Bail Test Rate: Not available Test Rate: Not available Test

> Drawdown: Not available Static Water Level: 16.0 ft. Bailer Drawdown: Not available

Grouting

Material: Not available **Depth:** From (not available) To (not available) Information

Installation Method: Not available Number of Bags Used: Not available

Well

Sealing Material: Not available **Depth:** From (not available) To (not available) **Abandonment** 

Installation Method: Not available Number of Bags Used: Not available

Administrative Township: 15N County: MARION

> Range: 3E Section: NW of the NW of the NE of Section 6

Topo Map: INDIANAPOLIS WEST Grant: Not available

Field Located By: Not available Field Located On: Not available

Courthouse Location By: Not available Courthouse Location On: Not available

Location Accepted w/o Verification By: Not Location Accepted w/o Verification On: Not

available available

Subdivision Name: Not available Lot Number: Not available **Ft W of EL**: 2.650.0 Ft N of SL: Not available

Ft E of WL: Not available Ft S of NL: 600.0

**Ground Elevation:** 717.0 Depth of Bedrock: Not available

Bedrock Elevation: Not available Aguifer Elevation: 658.0

**UTM Northing:** 4403223 **UTM Easting:** 564762.1

Тор	Bottom	Formation
0.0	6.0	TOPSOIL
6.0	25.0	S&G
25.0	30.0	S&G MD
30.0	35.0	SAND & LOOSE GRAV
35.0	39.0	SAND & LOOSE GRAV

39.0	46.0	CLAY
46.0	56.0	MD CRS S&G
56.0	59.0	CRS S&G

#### Comments SITE OF #7 WELL;

Reference **Driving Direction to Well Date Completed** Number

264482 ALLISON PLANT #3-TEST WELL 22, 9'S OF #8 WELL. 8/26/1940

Owner-Name Address Telephone Contractor

Owner ALLISON ENGINEERING DIV GMCW 10TH ST, SPEEDWAY INDPLS IN Not available Not available

Driller LAYNE NORTHERN CO. MISHAWAKA IN

Operator JAMES NESS License Not available

**Construction Details** 

Well Use: Test **Drilling Method:** Not available **Pump Type:** Not available

> Pump Setting Depth: Not **Depth:** 60.0 Water Quality: Not available

available

Casing Length: Not available Material: Not available Diameter: Not available Screen Length: Not available Material: Not available Diameter: Not available

Slot Size: Not available

**Well Capacity** 

Type of Test: Not available Bail Test Rate: Not available Test Rate: Not available Test

> Drawdown: Not available Static Water Level: 16.0 ft. Bailer Drawdown: Not available

Grouting Information

Material: Not available **Depth:** From (not available) To (not available)

Installation Method: Not available Number of Bags Used: Not available

Well

Sealing Material: Not available **Depth:** From (not available) To (not available) **Abandonment** 

Installation Method: Not available Number of Bags Used: Not available

Administrative Township: 15N County: MARION

> Range: 3E Section: NW of the NW of the NE of Section 6

Topo Map: INDIANAPOLIS WEST Grant: Not available

Field Located By: Not available Field Located On: Not available

Courthouse Location By: Not available Courthouse Location On: Not available

Location Accepted w/o Verification By: Not Location Accepted w/o Verification On: Not

available available

Subdivision Name: Not available Lot Number: Not available **Ft W of EL**: 2.300.0 Ft N of SL: Not available

Ft E of WL: Not available Ft S of NL: 1.000.0

**Ground Elevation:** 716.0 Depth of Bedrock: Not available

Bedrock Elevation: Not available Aguifer Elevation: 656.0 **UTM Northing:** 4403107.5 **UTM Easting:** 564870.4

Тор	Bottom	Formation
0.0	3.0	SOIL & CLAY
3.0	20.0	GRAV
20.0	32.0	MD GRAV
32.0	44.0	MUDDY GRAV
44.0	47.0	CLAY

47.0	59.0	FN GRAV
59.0	60.0	TOUGH CLAY

Reference **Driving Direction to Well Date Completed** Number

ALLISON PLANT #3-TEST WELL 23. 430' W OF E PROPERTY LINE, 10' N 264487 10/17/1940

OF S BOUNDARY LINE.

Owner-Address Name **Telephone** Contractor

Owner ALLISON ENGINEERING DIV GMC Not available Not available Driller LAYNE NORTHERN CO. MISHAWAKA IN Not available

WILLIAM WAGNER License Not available Operator

**Construction Details** 

Well Use: Test Drilling Method: Not available Pump Type: Not available

> Pump Setting Depth: Not **Depth:** 75.0 Water Quality: Not available

available

Material: Not available Diameter: Not available Casing Length: Not available Screen Length: Not available Material: Not available Diameter: Not available

Slot Size: Not available

**Well Capacity** 

Type of Test: Not available Test Rate: Not available Bail Test Rate: Not available Test

> Drawdown: Not available Static Water Level: 25.5 ft. Bailer Drawdown: Not available

Grouting

Material: Not available **Depth:** From (not available) To (not available) Information

Installation Method: Not available Number of Bags Used: Not available

Well

Sealing Material: Not available **Depth:** From (not available) To (not available) **Abandonment** 

Installation Method: Not available Number of Bags Used: Not available

Administrative **County: MARION** Township: 15N

> Range: 3E Section: SE of the NE of the NE of Section 6

Topo Map: INDIANAPOLIS WEST Grant: Not available

Field Located By: Not available Field Located On: Not available

Courthouse Location By: Not available Courthouse Location On: Not available

Location Accepted w/o Verification By: Not Location Accepted w/o Verification On: Not

available available

Subdivision Name: Not available Lot Number: Not available Ft W of EL: 450.0 Ft N of SL: Not available

Ft E of WL: Not available Ft S of NL: 1,400.0

**Ground Elevation: 715.0** Depth of Bedrock: Not available

Bedrock Elevation: Not available Aguifer Elevation: 640.0 **UTM Easting:** 565452.8 **UTM Northing:** 4403007.5

Тор	Bottom	Formation
0.0	3.0	GRAV FILL
3.0	4.0	TOPSOIL
4.0	31.0	S&G
31.0	33.0	SANDY CLAY

33.0	34.0	S&G
34.0	38.0	GRITTY CLAY
38.0	39.0	SAND
39.0	46.0	GRITTY CLAY
46.0	47.0	SAND
47.0	50.0	SANDY CLAY
50.0	58.0	SAND W/STRIPS OF CLAY
58.0	60.0	GRITTY CLAY
60.0	65.0	SAND W/STRIPS OF CLAY
65.0	71.0	GRITTY CLAY
71.0	74.0	S&G
74.0	75.0	CLAY

TEST #23;PILOT WELL #1;

Reference
Number

Driving Direction to Well

Date Completed

264492 ALLISON PLANT #3-TEST WELL 25. 11/14/1940

OwnerContractor

Name
Address
Telephone

Owner ALLISON ENGINEERING DIV GMCW 10TH ST, SPEEDWAY INDPLS IN Not available

Driller LAYNE NORTHERN CO. MISHAWAKA IN Not available

Operator BILL WAGNER & CE DODE License Not available

**Construction Details** 

Well Use: Test Drilling Method: Not available Pump Type: Not available

Depth: 102.0 Pump Setting Depth: Not Water Quality: Not available

available

Casing Length: Not available Material: Not available Diameter: Not available Screen Length: Not available Material: Not available Diameter: Not available

Slot Size: Not available

**Well Capacity** 

Test Type of Test: Not available Test Rate: Not available Bail Test Rate: Not available

Drawdown: Not available Static Water Level: 2.0 ft. Bailer Drawdown: Not available

Grouting Information

Material: Not available Depth: From (not available) To (not available)

Installation Method: Not available Number of Bags Used: Not available

Well

Abandonment Sealing Material: Not available Depth: From (not available) To (not available)

Installation Method: Not available Number of Bags Used: Not available

Administrative County: MARION Township: 15N

Range: 3E Section: 6

Topo Map: INDIANAPOLIS WEST Grant: Not available

Field Located By: Not available Field Located On: Not available

Courthouse Location By: Not available Courthouse Location On: Not available

Location Accepted w/o Verification By: Not Location Accepted w/o Verification On: Not

available available

Subdivision Name: Not availableLot Number: Not availableFt W of EL: Not availableFt N of SL: Not available

Ft E of WL: Not available

Ground Elevation: Not available

Bedrock Elevation: Not available

Ft S of NL: Not available

Depth of Bedrock: Not available

Aquifer Elevation: Not available

UTM Easting: Not available

UTM Northing: Not available

UTM Northing: Not available

Тор	Bottom	Formation
0.0	8.0	GRAV & BOULDERS
8.0	26.0	CRS GRAV
26.0	32.0	S&G
32.0	34.0	CLAY
34.0	44.0	SAND & CRS GRAV

44.0	)	101.0	CLAY
101	.0	102.0	SHALE

Comments DRILLED TO BEDROCK;

Reference **Driving Direction to Well Date Completed** Number

ALLISON PLANT #3-TEST WELL 26. 210' S OF #1 WELL, 25' W OF 264497 5/24/1941

GRANDE AVE.

Owner-Name Address **Telephone** Contractor

Owner ALLISON ENGINEERING DIV GMCW 10TH ST, SPEEDWAY INDPLS IN Not available Driller LAYNE NORTHERN CO. MISHAWAKA IN Not available

WILLIAM WAGNER License Not available Operator

**Construction Details** 

Well Use: Test Drilling Method: Not available Pump Type: Not available

> Pump Setting Depth: Not **Depth:** 80.0 Water Quality: Not available

available

Material: Not available Diameter: Not available Casing Length: Not available Screen Length: Not available Material: Not available Diameter: Not available

Slot Size: Not available

**Well Capacity** 

Type of Test: Not available Test Rate: Not available Bail Test Rate: Not available Test

> Drawdown: Not available Static Water Level: 21.0 ft. Bailer Drawdown: Not available

Grouting

Material: Not available **Depth:** From (not available) To (not available) Information

Installation Method: Not available Number of Bags Used: Not available

Well

Sealing Material: Not available **Depth:** From (not available) To (not available) **Abandonment** 

Installation Method: Not available Number of Bags Used: Not available

Administrative **County: MARION** Township: 15N

> Range: 3E Section: SE of the NE of the NE of Section 6

Topo Map: INDIANAPOLIS WEST Grant: Not available

Field Located By: Not available Field Located On: Not available

Courthouse Location By: Not available Courthouse Location On: Not available

Location Accepted w/o Verification By: Not Location Accepted w/o Verification On: Not

available available

Subdivision Name: Not available Lot Number: Not available

Ft W of EL: 50.0 Ft N of SL: Not available Ft E of WL: Not available Ft S of NL: 1,150.0

**Ground Elevation: 715.0** Depth of Bedrock: Not available

Bedrock Elevation: Not available Aguifer Elevation: 635.0

**UTM Easting:** 565559.3 **UTM Northing: 4403081** 

Тор	Bottom	Formation
0.0	2.0	CLAY
2.0	8.0	HARD GRITTY CLAY
8.0	12.0	S&G/NO WATER
12.0	29.0	HARD GRITTY CLAY
	T .	

29.0	35.0	S&G
35.0	42.0	HARD GRITTY CLAY
42.0	44.0	FN SALTY SILTY SAND
44.0	48.0	MD SAND
48.0	55.0	S&G
55.0	65.0	HARD CLAY
65.0	66.0	S&G
66.0	80.0	SANDY CLAY

Reference **Driving Direction to Well Date Completed** Number

264512 ALLISON PLANT #3-TEST WELL 29, 400' E OF TEST WELL #28. 8/29/1951

Owner-Name Address Telephone Contractor

Owner ALLISON ENGINEERING DIV GMCW 10TH ST, SPEEDWAY INDPLS IN Not available

Driller LAYNE NORTHERN CO. MISHAWAKA IN Not available

Operator JOHN SHEPHERD License Not available

**Construction Details** 

Well Use: Test **Drilling Method:** Cable Tool Pump Type: Not available

> Pump Setting Depth: Not **Depth:** 65.0 Water Quality: Not available

available

Casing Length: Not available Material: Not available Diameter: Not available Screen Length: Not available Material: Not available Diameter: Not available

Slot Size: Not available

**Well Capacity** 

Type of Test: Not available Bail Test Rate: Not available Test Rate: Not available Test

> Drawdown: Not available Static Water Level: 12.5 ft. Bailer Drawdown: Not available

Grouting

Material: Not available **Depth:** From (not available) To (not available) Information

Installation Method: Not available Number of Bags Used: Not available

Well

Sealing Material: Not available **Depth:** From (not available) To (not available) **Abandonment** 

Installation Method: Not available Number of Bags Used: Not available

Administrative Township: 15N **County: MARION** 

> Range: 3E Section: SE of the NW of the NW of Section 6

Topo Map: INDIANAPOLIS WEST Grant: Not available

Field Located By: Not available Field Located On: Not available

Courthouse Location By: Not available Courthouse Location On: Not available

Location Accepted w/o Verification By: Not Location Accepted w/o Verification On: Not

available available

Subdivision Name: Not available Lot Number: Not available

Ft W of EL: Not available **Ft N of SL**: 4.400.0 Ft E of WL: 875.0 Ft S of NL: Not available

**Ground Elevation: 725.0** Depth of Bedrock: Not available

Bedrock Elevation: Not available Aguifer Elevation: 660.0

**UTM Northing:** 4403039 **UTM Easting:** 565305.1

Тор	Bottom	Formation
7.0	30.0	HARD BLUE GRITTY CLAY
30.0	31.5	CLEAN FN S&G
31.5	32.0	CLAY STRIP
32.0	38.0	CLEAN S&G ACTIVE
38.0	42.0	HARD BLUE GRITTY CLAY

44.0	49.0	CRS S&G
49.0	52.0	CRS SAND
52.0	65.0	HARD BLUE GRITTY CLAY

Reference **Driving Direction to Well Date Completed** Number

ALLISON PLANT #3-TEST WELL 30, 70' E OF CASSEL RD, 75' S OF 10TH 264517

ST.

9/17/1951

Owner-Name Address **Telephone** Contractor

Owner ALLISON ENGINEERING DIV GMCW 10TH ST, SPEEDWAY INDPLS IN Not available Driller LAYNE NORTHERN CO. MISHAWAKA IN Not available

JAMES NESS License Not available Operator

**Construction Details** 

Well Use: Test Drilling Method: Cable Tool Pump Type: Not available

> Pump Setting Depth: Not **Depth:** 80.0 Water Quality: Not available

available

Material: Not available Diameter: Not available Casing Length: Not available Screen Length: Not available Material: Not available Diameter: Not available

Slot Size: Not available

**Well Capacity** 

Type of Test: Not available Test Rate: Not available Bail Test Rate: Not available Test

> Static Water Level: 12.0 ft. Drawdown: Not available Bailer Drawdown: Not available

Grouting

Material: Not available **Depth:** From (not available) To (not available) Information

Installation Method: Not available Number of Bags Used: Not available

Well

Sealing Material: Not available **Depth:** From (not available) To (not available) **Abandonment** 

Installation Method: Not available Number of Bags Used: Not available

Administrative **County: MARION** Township: 15N

> Range: 3E Section: NW of the NW of the NE of Section 6

Topo Map: INDIANAPOLIS WEST Grant: Not available

Field Located By: Not available Field Located On: Not available

Courthouse Location By: Not available Courthouse Location On: Not available

Location Accepted w/o Verification By: Not Location Accepted w/o Verification On: Not

available available

Subdivision Name: Not available Lot Number: Not available Ft W of EL: Not available Ft N of SL: Not available Ft E of WL: Not available Ft S of NL: Not available

Ground Elevation: Not available Depth of Bedrock: Not available Bedrock Elevation: Not available Aguifer Elevation: Not available **UTM Easting:** Not available **UTM Northing:** Not available

Тор	Bottom	Formation
0.0	4.0	SOIL CLAY
4.0	20.0	MD GRAV
20.0	25.0	CRS S&G
25.0	33.0	HARD GRITTY CLAY

33.0	39.0	MD SAND
39.0	49.0	HARD GRITTY CLAY
49.0	57.0	FN TO MD GRAV
57.0	72.0	HARD GRITTY CLAY
72.0	80.0	BLUE SHALE

Comments DRILLED BO BEDROCK;

Reference
Number

Driving Direction to Well

Date Completed

265011 E OF GRANDE ST, S OF 10TH ST, 5' N OF W WELL 75-13A. 4/7/1975

Owner-ContractorNameAddressTelephoneOwnerDETROIT DIESEL ALLISON DIV.Not availableNot availableDrillerLAYNE NORTHERN CO.MISHAWAKA INNot available

Operator E. ALLEN License Not available

**Construction Details** 

Well Use: Test Drilling Method: Rotary Pump Type: Not available
Pump Setting Depth: Not

Depth: 50.0 Water Quality: Not available

Casing Length: 51.0 Material: Not available Diameter: 4.0

Screen Length: 5.0 Material: Not available Diameter: 4.0

Slot Size: Not available

Well Capacity
Test
Test
Test Rate: Not available
Test Rate: Not available
Bail Test Rate: Not available

Drawdown: Not available

Static Water Level: Not
Bailer Drawdown: Not available

available

Grouting
Information

Material: Not available

Depth: From (not available) To (not available)

Installation Method: Not available Number of Bags Used: Not available

Well Sooling Mo

Abandonment Sealing Material: Not available Depth: From (not available) To (not available)

Installation Method: Not available Number of Bags Used: Not available

Administrative County: MARION Township: 15N

Range: 3E Section: NW of Section 5
Topo Map: INDIANAPOLIS WEST Grant: Not available

Field Located By: Not available Field Located On: Not available

Courthouse Location By: Not available Courthouse Location On: Not available Location Accepted w/o Verification On:

Location Accepted w/o Verification By: TMB 7/1/1975

Subdivision Name:Not availableFt W of EL:Not availableFt E of WL:Not availableFt E of WL:Not availableFt S of NL:Not available

Ground Elevation: 715.0 Depth of Bedrock: Not available Bedrock Elevation: Not available UTM Easting: Not available UTM Northing: Not available UTM Northing: Not available

Тор	Bottom	Formation
0.0	7.0	TOPSOIL & SAND
7.0	29.0	MD S&G W/BOULDER
29.0	45.0	BLANK
45.0	50.0	CLAY

DETROIT DIESEL 75-4-A TEST;

Reference **Driving Direction to Well Date Completed** Number

265021 E OF GRANDE ST, S OF 10TH ST, 65' N OF LINE & 12' W OF E FENCE. 4/11/1975

Owner-Name Address Telephone Contractor Not available Owner DETROIT DIESEL ALLISON DIV Not available

Operator E. ALLEN License Not available

LAYNE NORTHERN CO.

**Construction Details** 

Driller

Well Use: Not available **Drilling Method:** Not available **Pump Type:** Not available

> Pump Setting Depth: Not **Depth**: 24.0 Water Quality: Not available

Not available

MISHAWAKA IN

available

Casing Length: 25.0 Material: Not available Diameter: 12.0

Screen Length: 10.0 Material: Not available Diameter: 12.0

Slot Size: Not available

**Well Capacity** Test Rate: Not available Bail Test Rate: Not available Type of Test: Not available Test

Static Water Level: Not Drawdown: Not available Bailer Drawdown: Not available

available

Grouting Material: Not available **Depth:** From (not available) To (not available) Information

Installation Method: Not available Number of Bags Used: Not available

Well

Sealing Material: Not available **Depth:** From (not available) To (not available) **Abandonment** 

Installation Method: Not available Number of Bags Used: Not available

Administrative **County: MARION** Township: 15N

> Range: 3E Section: NW of Section 5 Topo Map: INDIANAPOLIS WEST Grant: Not available

Field Located By: Not available Field Located On: Not available

Courthouse Location By: Not available Courthouse Location On: Not available

Location Accepted w/o Verification By: Not Location Accepted w/o Verification On: Not

available available

Subdivision Name: Not available Lot Number: Not available Ft W of EL: Not available Ft N of SL: Not available Ft E of WL: Not available Ft S of NL: Not available

Ground Elevation: Not available Depth of Bedrock: Not available Bedrock Elevation: Not available Aguifer Elevation: Not available **UTM Easting:** Not available **UTM Northing:** Not available

Тор	Bottom	Formation
0.0	10.0	BR CLAY & LT TRACE MD GRAV
10.0	11.5	CRS MD TO FN GRAV
11.5	15.0	SOFT GRAY CLAY NO GRAV
15.0	24.0	CRS MD TO FN GRAV

DETROIT DIESEL TEST 75-12-B; TENTATIVE LOC BY TMB;

Reference
Number

Driving Direction to Well

Date Completed

265023 FROM WHITE RIVER BRIDGE AT HARDING ST, 900' N FROM N END OF

BRIDGE. 500' E FROM HARDING ST.

7/30/1948

Not available

Owner-<br/>ContractorNameAddressTelephoneOwnerAMERICAN AGGREGATE CORP. Not availableNot available

Operator JAMES NESS License Not available

LAYNE NORTHERN CO INC.

**Construction Details** 

Driller

Well Use: Test Drilling Method: Cable Tool Pump Type: Not available

MISHAWAKA

Depth: 75.0 Pump Setting Depth: Not Water Quality: Not available

available

Casing Length: Not available Material: Not available Diameter: Not available Screen Length: Not available Material: Not available Diameter: Not available

Slot Size: Not available

Well Capacity Tyme

Test Type of Test: Not available Test Rate: Not available Bail Test Rate: Not available

Drawdown: Not available

Static Water Level: Not
Bailer Drawdown: Not available

available

Grouting Information Material: Not available Depth: From (not available) To (not available)

Installation Method: Not available Number of Bags Used: Not available

Well

Abandonment Sealing Material: Not available Depth: From (not available) To (not available)

Installation Method: Not available Number of Bags Used: Not available

Administrative County: MARION Township: 15N

Range: 3E Section: NW of the NW of the NE of Section 6

Topo Map: INDIANAPOLIS WEST Grant: Not available

Field Located By: Not available Field Located On: Not available

Courthouse Location By: Not available Courthouse Location On: Not available

Location Accepted w/o Verification By: Not Location Accepted w/o Verification On: Not

able availa

Subdivision Name: Not availableLot Number: Not availableFt W of EL: Not availableFt N of SL: Not availableFt E of WL: Not availableFt S of NL: Not available

Ground Elevation: 723.0 Depth of Bedrock: Not available Bedrock Elevation: Not available UTM Easting: Not available UTM Northing: Not available UTM Northing: Not available

Тор	Bottom	Formation
0.0	4.0	SOIL
4.0	15.0	MD GRAV
15.0	20.0	FN GRAV

20.0	30.0	CRS SAND
30.0	35.0	MD GRAV
35.0	45.0	FN GRAV
45.0	50.0	MUDDY SAND
50.0	60.0	FN GRAV
60.0	70.0	MD GRAV
70.0	75.0	FN GRAV

Reference
Number

Driving Direction to Well

Date Completed

265026 E OF GRANDE ST, S OF 10TH ST, 150' N OF S FENCE, 12' W OF E

FENCE.

OwnerContractor

Name
Address
Telephone

Owner DETROIT DIESEL ALLISON DIV Not available Not available Driller LAYNE NORTHERN CO. MISHAWAKA IN Not available

Operator E. ALLEN License Not available

**Construction Details** 

Well Use: Not available Drilling Method: Not available Pump Type: Not available

Depth: 108.0 Pump Setting Depth: Not Water Quality: Not available

available water Quality: N

Casing Length: Not available Material: Not available Diameter: Not available Screen Length: Not available Material: Not available Diameter: Not available

Slot Size: Not available

**Well Capacity** 

Test Type of Test: Not available Test Rate: Not available Bail Test Rate: Not available

Drawdown: Not available

Static Water Level: Not

Bailer Drawdown: Not available

available

Grouting Information Material: Not available Depth: From (not available) To (not available)

Installation Method: Not available Number of Bags Used: Not available

Well

Abandonment Sealing Material: Not available Depth: From (not available) To (not available)

Installation Method: Not available Number of Bags Used: Not available

Administrative County: MARION Township: 15N

Range: 3E Section: NW of Section 5
Topo Map: INDIANAPOLIS WEST Grant: Not available

Field Located By: Not available Field Located On: Not available

Courthouse Location By: Not available Courthouse Location On: Not available Location Accepted w/o Verification On:

Location Accepted w/o Verification By: TMB 7/1/1975

Subdivision Name:Not availableFt W of EL:Not availableFt E of WL:Not availableFt S of NL:Not available

Ground Elevation: Not available

Bedrock Elevation: Not available

UTM Easting: Not available

UTM Northing: Not available

Тор	Bottom	Formation
0.0	10.0	BR CLAY
10.0	13.0	GRAY CLAY
13.0	28.0	CRS MD TO FN GRAV

28.0	42.0	GRAY CLAY
42.0	50.0	DK GRAY CLAY W/S TRACE OF G
50.0	96.0	GRAY CLAY
96.0	106.0	LT GRAV W/GRAY CLAY
106.0	108.0	GRAY CLAY
108.0		BR SHALE

Comments DETROIT DIESEL 75-D;

Reference **Driving Direction to Well Date Completed** Number

265031 E OF GRANDE ST, S OF 10TH ST, 25' N OF 75B. 4/12/1975

Owner-Name Address Telephone Contractor Not available Owner DETROIT DIESEL ALLISON Not available Driller LAYNE NORTHERN CO. MISHAWAKA IN Not available

Operator E. ALLEN License Not available

**Construction Details** 

Well Use: Test **Drilling Method:** Rotary Pump Type: Not available Pump Setting Depth: Not

**Depth:** 100.0 Water Quality: Not available available

Casing Length: 91.0 Material: Not available Diameter: 12.0 Screen Length: 10.0 Material: Not available Diameter: 12.0

Slot Size: .050

**Well Capacity** Test Rate: Not available Bail Test Rate: Not available Type of Test: Not available Test

> Static Water Level: Not Drawdown: Not available Bailer Drawdown: Not available

available

Grouting Material: Not available **Depth:** From (not available) To (not available) Information

Installation Method: Not available Number of Bags Used: Not available

Well

Sealing Material: Not available **Depth:** From (not available) To (not available) **Abandonment** 

Installation Method: Not available Number of Bags Used: Not available

Administrative **County: MARION** Township: 15N

> Range: 3E Section: NW of Section 5 Topo Map: INDIANAPOLIS WEST Grant: Not available

Field Located By: Not available Field Located On: Not available

Courthouse Location By: Not available Courthouse Location On: Not available Location Accepted w/o Verification By: Not Location Accepted w/o Verification On: Not

available available

Subdivision Name: Not available Lot Number: Not available Ft W of EL: Not available Ft N of SL: Not available Ft E of WL: Not available Ft S of NL: Not available

Ground Elevation: Not available Depth of Bedrock: Not available Bedrock Elevation: Not available Aguifer Elevation: Not available **UTM Easting:** Not available **UTM Northing:** Not available

Тор	Bottom	Formation
0.0	6.0	SOFT BR CLAY
6.0	41.0	CRS MD & FN GRAV
41.0	90.0	SOFT GRAY CLAY NO GRAV
90.0	100.0	CRS MD&FN GRAV W/GRAY CLAY

DETROIT DIESEL 75-12-B; TENTATIVE LOC BY TMB 7-75;

Reference
Number

Driving Direction to Well

Date Completed

265036 E OF GRANDE ST, S OF 10TH ST, 65' N OF U LINE & 12' W OF E FENCE. 3/26/1975

 Owner-Contractor
 Name
 Address
 Telephone

 Owner
 DETROIT DIESEL ALLISON DIV
 Not available
 Not available

Driller LAYNE NORTHERN CO. MISHAWAKA IN Not available

Operator E. ALLEN License Not available

**Construction Details** 

Well Use: Test Drilling Method: Rotary Pump Type: Not available

Depth: 100.0 Pump Setting Depth: Not Water Quality: Not available

available available

Casing Length: Not available Material: Not available Diameter: Not available Screen Length: Not available Material: Not available Diameter: Not available

Slot Size: Not available

Well Capacity
Test
Type of Test: Not available
Test Rate: Not available
Test Rate: Not available

Drawdown: Not available

Static Water Level: Not
Bailer Drawdown: Not available

available

Grouting Information Material: Not available Depth: From (not available) To (not available)

Installation Method: Not available Number of Bags Used: Not available

Well

Abandonment Sealing Material: Not available Depth: From (not available) To (not available)

Installation Method: Not available Number of Bags Used: Not available

Administrative County: MARION Township: 15N

Range: 3E Section: NW of Section 5
Topo Map: INDIANAPOLIS WEST Grant: Not available

Field Located By: Not available Field Located On: Not available

Courthouse Location By: Not available Courthouse Location On: Not available Location Accepted w/o Verification On:

7/1/1975

Location Accepted w/o Verification By: TMB

Subdivision Name: Not available

Ft W of EL: Not available

Ft N of SL: Not available

Ft N of SL: Not available

Ft W of EL: Not available

Ft E of WL: Not available

Ground Elevation: 715.0

Ft N of SL: Not available

Ft S of NL: Not available

Depth of Bedrock: Not available

Bedrock Elevation: Not available
UTM Easting: Not available
UTM Northing: Not available

Тор	Bottom	Formation
0.0	10.0	BR CLAY< TRACE MD GRAV
10.0	11.5	CRS TO FN GRAV
11.5	15.0	SOFT GRAY CLAY NO GRAV
15.0	24.0	CRS TO FN GRAV

24.0	34.0	SOFT GRAY CLAY
34.0	44.0	S&G W/CLAY GRAY
44.0	90.0	SOFT GRAY CLAY
90.0	100.0	S&G W/LT TRACE SOFT GR CLAY
100.0		DARK BR SHALE

Comments
DETROIT
DIESEL 75-B
TEST;

Reference
Number

Driving Direction to Well

Date Completed

265041 E OF GEANDE ST, S OF 10TH ST. 12' E OF W FENCE, 10' OF N GATE. 3/25/1975

Owner-ContractorNameAddressTelephoneOwnerDETROIT DEISEL ALLISON DIVNot availableNot availableDrillerLAYNE NORTHERN CO.MISHAWAKA INNot available

Operator E. ALLEN License Not available

**Construction Details** 

Well Use: Test Drilling Method: Rotary Pump Type: Not available Pump Setting Depth: Not Water Coality Not available

Depth: 136.0 Water Quality: Not available

Casing Length: 25.0 Material: Not available Diameter: 8.8

Screen Length: Not available Material: Not available Diameter: Not available

Slot Size: Not available

Well Capacity
Test

Type of Test: Not available

Test Rate: Not available

Bail Test Rate: Not available

Drawdown: Not available

Static Water Level: Not
Bailer Drawdown: Not available

available

Grouting
Information

Material: Not available

Depth: From (not available) To (not available)

Installation Method: Not available Number of Bags Used: Not available

Installation Method: Not available Number of Bags Used: Not available

Abandonment Sealing Material: Not available Depth: From (not available) To (not available)

Administrative County: MARION Township: 15N

Range: 3E Section: NW of Section 5
Topo Map: INDIANAPOLIS WEST Grant: Not available

Field Located By: Not available Field Located On: Not available

Courthouse Location By: Not available Courthouse Location On: Not available Location Accepted w/o Verification On:

Location Accepted w/o Verification By: TMB 7/1/1975

Subdivision Name: Not available

Lot Number: Not available

Ft W of EL: Not availableFt N of SL: Not availableFt E of WL: Not availableFt S of NL: Not available

Ground Elevation: Not available

Bedrock Elevation: Not available

UTM Easting: Not available

UTM Northing: Not available

Well Log Comments DETROIT DIESEL 75-C TEST;

Reference **Driving Direction to Well Date Completed** Number

13' SW OF #6 WELL HOUSE, S OF 10TH ST, E OF COSSELL RD. 265056 1/11/1969

Owner-Name Address Telephone Contractor Not available Owner ALLISON DIV GMC Not available Driller LAYNE NORTHERN CO INC. MISHAWAKA Not available

Operator LEON ENGLISH License Not available

**Construction Details** 

Well Use: Test **Drilling Method:** Rotary Pump Type: Not available

Pump Setting Depth: Not **Depth:** 126.0 Water Quality: Not available

available

Casing Length: 117.0 Material: Not available Diameter: 8.0 Screen Length: 10.0 Material: Not available Diameter: 8.0

Slot Size: Not available

**Well Capacity** 

Type of Test: Not available Bail Test Rate: Not available Test Rate: Not available Test

> Drawdown: Not available Static Water Level: 41.0 ft. Bailer Drawdown: Not available

Grouting

Material: Not available **Depth:** From (not available) To (not available) Information

Installation Method: Not available Number of Bags Used: Not available

Well

Sealing Material: Not available **Depth:** From (not available) To (not available) **Abandonment** 

Installation Method: Not available Number of Bags Used: Not available

Administrative Township: 15N **County: MARION** 

> Range: 3E Section: NW of the NW of the NE of Section 6

Topo Map: INDIANAPOLIS WEST Grant: Not available

Field Located By: Not available Field Located On: Not available

Courthouse Location By: Not available Courthouse Location On: Not available

Location Accepted w/o Verification By: Not Location Accepted w/o Verification On: Not

available available

Subdivision Name: Not available Lot Number: Not available Ft W of EL: Not available Ft N of SL: Not available Ft E of WL: Not available Ft S of NL: Not available **Ground Elevation: 724.0** Depth of Bedrock: 116.0

**Bedrock Elevation: 608.0** Aquifer Elevation: Not available **UTM Northing:** Not available **UTM Easting:** Not available

Тор	Bottom	Formation
0.0	1.0	TOPSOIL & FILL
1.0	6.0	BR CLAY
6.0	29.0	SAND & CRS LARGE GRAV
29.0	34.0	GRAY CLAY
34.0	38.0	SAND & CRS MD GRAV

38.0	46.0	GRAY CLAY
46.0	58.0	MD S&G
58.0	101.0	GRAY CALY
101.0	103.0	VERY DIRTY SAND
103.0	116.0	SAND & CRS MD GRAV
116.0	126.0	BLUE SHALE

# Comments ALLISON GMC

ALLISON GMC PLANT #3; PLOTTED ON MARION CO BEDROCK MAP BY UCH 1-12-71;

Reference **Driving Direction to Well Date Completed** Number

ALISONS-2100' E & 4650 N OF SW CORNER OF SECTION, 40' E OF 265061 11/13/1966

COSSELL RD, 800' S OF 10TH ST, 10' S OF #8 PUMP HOUSE.

Owner-Name Address **Telephone** Contractor Owner ALLISONS DIV OF GMC PLANT#3 Not available Driller LAYNE NORTHERN CO INC. **MISHAWAKA** Not available

ALLEN MATLOCK License Not available Operator

**Construction Details** 

Well Use: Test **Drilling Method: Rotary** Pump Type: Not available

Pump Setting Depth: Not **Depth:** 121.5 Water Quality: Not available available

Length: 120.0 Material: Not available Diameter: 4.0 Casing

Length: Not available Screen Material: Not available Diameter: Not available

Slot Size: Not available

**Well Capacity** 

Type of Test: Not available Test Rate: Not available Bail Test Rate: Not available Test

> Drawdown: Not available Static Water Level: 55.0 ft. Bailer Drawdown: Not available

Grouting

Material: Not available **Depth:** From (not available) To (not available) Information

Installation Method: Not available Number of Bags Used: Not available

Well

Sealing Material: Not available **Depth:** From (not available) To (not available) **Abandonment** 

Installation Method: Not available Number of Bags Used: Not available

Administrative **County: MARION** Township: 15N

> Range: 3E Section: NW of the NW of the NE of Section 6

Topo Map: INDIANAPOLIS WEST Grant: Not available

Field Located By: Not available Field Located On: Not available

Courthouse Location By: Not available Courthouse Location On: Not available

Location Accepted w/o Verification By: Not Location Accepted w/o Verification On: Not

available available

Subdivision Name: Not available Lot Number: Not available Ft W of EL: Not available Ft N of SL: Not available Ft E of WL: Not available Ft S of NL: Not available

**Ground Elevation: 723.0** Depth of Bedrock: Not available Bedrock Elevation: Not available Aguifer Elevation: Not available UTM Easting: Not available **UTM Northing:** Not available

Тор	Bottom	Formation
0.0	2.5	TOPSOIL
2.5	9.0	SANDY CLAY
9.0	59.0	CRS GRAV
59.0	64.0	SANDY CLAY

64.0	68.0	GRITTY CLAY
68.0	69.0	FN GRAV
69.0	111.5	BLUE GRITTY CLAY
111.5	118.5	S&G WATER BEARING
118.5	121.5	SHALE & HARDPAN

## Comments

None

Reference
Number

Driving Direction to Well

Date Completed

276641 WASHINGTON ST W TO COLLIER GO S TO 870S COLLIER 8/7/1996

OwnerContractor

Address
Telephone

Owner JACK HAWKINS 870 S COLLIER, INDPLS, IN (000)244-4882 Driller HAMILTON WELL & PUMP 2440 E FINLER, INDPLS, IN (000)788-4607

Operator VICTOR HAMILTON License: 646

**Construction Details** 

Well Use: Home Drilling Method: Cable Tool Pump Type: Submersible

Depth: Not available Pump Setting Depth: 20.0 Water Quality: Not available

Casing Length: 41.0 Material: SS Diameter: 4.0 Screen Length: 5.0 Material: PVC Diameter: 3.0

Slot Size: 025

Well Capacity
Test

Type of Test: Pumping

Test Rate: 20.0 gpm for 2.0 hrs.Bail Test Rate: Not available

Drawdown: 12.0 ft. Static Water Level: 6.0 ft. Bailer Drawdown: Not available

Grouting Information Material: BENTONITE Depth: From 0.0 To 46.0

Installation Method: POUR IN Number of Bags Used: 3.0

Well
Abandonment
Sealing Material: Not available
Depth: From (not available) To (not available)

Installation Method: Not available Number of Bags Used: Not available

Administrative County: MARION Township: 15N

Range: 3E Section: NW of Section 8
Topo Map: INDIANAPOLIS WEST Grant: Not available

Field Located By: Not available Field Located On: Not available

Courthouse Location By: Not available

Location Accepted w/o Verification By: Not

Location Accepted w/o Verification On: Not

available available

Subdivision Name: Not availableLot Number: Not availableFt W of EL: Not availableFt N of SL: Not availableFt E of WL: Not availableFt S of NL: Not available

Ground Elevation: Not available

Bedrock Elevation: Not available

UTM Easting: Not available

UTM Northing: Not available

UTM Northing: Not available

Well Log

Тор	Bottom	Formation
0.0	3.0	TOPSOIL
3.0	12.0	CLAY
12.0	22.0	SAND
22.0	24.0	CLAY
24.0	46.0	GRAV

### Comments

Reference **Driving Direction to Well Date Completed** Number

FROM HOLT RD & WASHINGTON ST, W ON WASHINGTON TO FOLTZ, S 276643

ON FOLTZ TO 1002

12/1/1995

Owner-Name Address **Telephone** Contractor

Owner M/M RICHARD STAMM 1002 S FOLTZ, INDPLS (317)241-7823 Driller J HUSER SERVICES INC 5728 S EMERSON AVE, INDPLS, IN (317)784-4264

SHAWN R COREY License: 436 Operator

**Construction Details** 

Well Use: Home **Drilling Method: Rotary** Pump Type: Submersible

> Pump Setting Depth: Not **Depth:** 40.0 Water Quality: OK available

**Length: 38.0** Material: PVC Diameter: 4.0 Casing

Screen Length: 3.0 Material: SS Diameter: 4.0

Slot Size: .035

**Well Capacity** 

Type of Test: Air Test Rate: 20.0 gpm for 1.0 hrs. Bail Test Rate: Not available Test

> Drawdown: Not available Static Water Level: 15.0 ft. Bailer Drawdown: Not available

Grouting

Material: BENTONITE **Depth:** From 4.0 To 30.0 Information

> Installation Method: PUMP Number of Bags Used: 1.5

Well

Sealing Material: Not available **Depth:** From (not available) To (not available) **Abandonment** 

Installation Method: Not available Number of Bags Used: Not available

Administrative **County: MARION** Township: 15N

> Range: 3E Section: NW of Section 8 Topo Map: INDIANAPOLIS WEST Grant: Not available

Field Located By: Not available Field Located On: Not available

Courthouse Location By: Not available Courthouse Location On: Not available

Location Accepted w/o Verification By: Not Location Accepted w/o Verification On: Not

available available

Subdivision Name: Not available Lot Number: Not available Ft W of EL: Not available Ft N of SL: Not available Ft E of WL: Not available Ft S of NL: Not available

Ground Elevation: Not available Depth of Bedrock: Not available Bedrock Elevation: Not available Aguifer Elevation: Not available **UTM Easting:** Not available **UTM Northing:** Not available

Тор	Bottom	Formation
0.0	6.0	CLAY
6.0	12.0	SAND
12.0	28.0	CLAY
28.0	40.0	S&G

## Comments

None

Reference
Number

Driving Direction to Well

Date Completed

290037 SW 1/4 SE 1/4 7/1/1938

OwnerContractor

Name
Address
Telephone

Owner ELECTRIC STEEL CASTINGS CO SPEEDWAY Not available

Driller ROBERT L CLARK 2620 COLLEGE Not available

Operator Not available License Not available

**Construction Details** 

Well Use: Industry Drilling Method: Not available Pump Type: Not available

Depth: 124.0 Pump Setting Depth: Not Water Quality: Not available

available

Casing Length: 124.0 Material: Not available Diameter: 10.0

Screen Length: Not available Material: Not available Diameter: Not available

Slot Size: Not available

Well Capacity

Test Test Rate: 20.0 gpm Bail Test Rate: Not available

Drawdown: Not available Static Water Level: 40.0 ft. Bailer Drawdown: Not available

Grouting Information

Material: Not available Depth: From (not available) To (not available)

Installation Method: Not available Number of Bags Used: Not available

Well

Abandonment Sealing Material: Not available Depth: From (not available) To (not available)

Installation Method: Not available Number of Bags Used: Not available

Administrative County: MARION Township: 16N

Range: 3E Section: SW of the SE of Section 31

Topo Map: INDIANAPOLIS WEST Grant: Not available

Field Located By: Not available Field Located On: Not available

Courthouse Location By: Not available Courthouse Location On: Not available

Location Accepted w/o Verification By: Not Location Accepted w/o Verification On: Not

available available

Subdivision Name:Not availableFt W of EL:Not availableFt E of WL:Not availableGround Elevation:725.0Tot Number:Not availableTt N of SL:Not availableFt S of NL:Not availableDepth of Bedrock:125.0

Bedrock Elevation: 600.0 Aquifer Elevation: Not available
UTM Easting: Not available
UTM Northing: Not available

Тор	Bottom	Formation
0.0	9.0	GRAV
9.0	20.0	CLAY GRAY
20.0	30.0	SAND SM WATER
30.0	34.0	HARDPAN
34.0	46.0	CLAY GRAY

46.0	48.0	SAND
48.0	53.0	GRAY CLAY
53.0	60.0	GRAV WATER
60.0	75.0	CLAY GRAY
75.0	76.0	GRAV
76.0	98.0	CLAY GRAY
98.0	102.0	SAND
102.0	109.0	SAND AND WATER
109.0	119.0	S&G CRS
119.0	122.0	GRAV
122.0	124.0	GRAV CRS

### Comments AIR LINE AND ALT GAGE

Reference **Driving Direction to Well Date Completed** Number

290038 SW 1/4 SE 1/4 3/1/1945

Owner-Name Address Telephone Contractor Owner ELECTRIC STEEL CASTINGS CO Not available Not available Driller R L CLARK Not available Not available

Operator Not available License Not available

**Construction Details** 

Well Use: Not available **Drilling Method:** Not available **Pump Type:** Not available

> Pump Setting Depth: Not **Depth:** 124.5 Water Quality: Not available

available

Casing Length: Not available Material: Not available Diameter: 6.0

Length: Not available Screen Material: Not available Diameter: Not available

Slot Size: Not available

**Well Capacity** 

Test Rate: Not available Bail Test Rate: Not available Type of Test: Not available Test

> Static Water Level: Not Drawdown: Not available Bailer Drawdown: Not available

available

Grouting Material: Not available **Depth:** From (not available) To (not available) Information

Installation Method: Not available Number of Bags Used: Not available

Well

Sealing Material: Not available **Depth:** From (not available) To (not available) **Abandonment** 

Installation Method: Not available Number of Bags Used: Not available

Administrative **County: MARION** Township: 16N

> Range: 3E Section: SW of the SE of Section 31

Topo Map: INDIANAPOLIS WEST Grant: Not available

Field Located By: Not available Field Located On: Not available

Courthouse Location By: Not available Courthouse Location On: Not available

Location Accepted w/o Verification By: Not Location Accepted w/o Verification On: Not

available available

Subdivision Name: Not available Lot Number: Not available Ft W of EL: Not available Ft N of SL: Not available Ft E of WL: Not available Ft S of NL: Not available

Ground Elevation: Not available Depth of Bedrock: Not available Bedrock Elevation: Not available Aguifer Elevation: Not available **UTM Easting:** Not available **UTM Northing:** Not available

Тор	Bottom	Formation
0.0	2.0	CINDERS
2.0	4.5	CLAY YEL
4.5	19.0	CLAY YEL & GRAV
19.0	35.0	S&G

35.0	39.0	SAND SM WATER
39.0	48.0	S&G
45.5	49.0	CLAY GRAY
48.0	45.5	GRAV HARD
49.0	59.0	CLAY MUDDY
59.0	60.0	GRAV
60.0	102.5	MUD
102.5	106.0	SAND
106.0	117.0	SILT GRAY
117.0	122.5	GRAV WATER
122.5	124.5	SAND

### Comments SEE OTHER DATA ON FILE

Reference **Driving Direction to Well Date Completed** Number

290042 SW 1/4 SE 1/4 1/1/1955

Owner-Name Address Telephone Contractor

STOP & SHOP MARKET 1180 MAIN ST Owner Not available Driller HAMILTON BROS Not available Not available

Operator Not available License Not available

**Construction Details** 

Well Use: Domestic **Drilling Method:** Not available **Pump Type:** Not available

> Pump Setting Depth: Not **Depth:** 60.0 Water Quality: Not available available

Casing Length: Not available Material: Not available Diameter: 8.0

Screen Length: Not available Material: Not available Diameter: Not available

Slot Size: Not available

**Well Capacity** 

Test Rate: Not available Bail Test Rate: Not available Type of Test: Pumping Test

> Static Water Level: Not Drawdown: 30.0 ft. Bailer Drawdown: Not available

available

Grouting Material: Not available **Depth:** From (not available) To (not available) Information

Installation Method: Not available Number of Bags Used: Not available

Well

Sealing Material: Not available **Depth:** From (not available) To (not available) **Abandonment** 

Installation Method: Not available Number of Bags Used: Not available

Administrative **County: MARION** Township: 16N

> Range: 3E Section: SW of the SE of Section 31

Topo Map: INDIANAPOLIS WEST Grant: Not available

Field Located By: Not available Field Located On: Not available

Courthouse Location By: Not available Courthouse Location On: Not available

Location Accepted w/o Verification By: Not Location Accepted w/o Verification On: Not

available available

Subdivision Name: Not available Lot Number: Not available Ft W of EL: Not available Ft N of SL: Not available Ft E of WL: Not available Ft S of NL: Not available

Ground Elevation: Not available Depth of Bedrock: Not available Bedrock Elevation: Not available Aguifer Elevation: Not available **UTM Easting:** Not available **UTM Northing:** Not available

Тор	Bottom	Formation
0.0	11.0	CLAY
11.0	30.0	DRY GRAV
30.0	53.0	SANDY CLAY
53.0	60.0	S&G

### Comments SCREEN COOK 40 6'

Reference
Number

Driving Direction to Well

Date Completed

298818 Not available 10/1/1997

OwnerContractor

Name
Address
Telephone

Owner KEN BOGER 4110 W VERMONT, INDPLS., IN (317)244-9707

Driller DEAN WELL DRILLING INC. 841 W JUMNER AVE., INDPLS., IN (317)787-4146

Operator JOHN AUFDERHEIDE License: 231

**Construction Details** 

Well Use: Home Drilling Method: Rotary Pump Type: Submersible Depth: 40.0 Pump Setting Depth: 35.0 Water Quality: CLEAR

Casing Length: 38.0 Material: PVC Diameter: 5.0 Screen Length: 2.0 Material: SS Diameter: 4.0

Slot Size: 040

**Well Capacity** 

Test Rate: 12.0 gpm for 2.0 hrs.Bail Test Rate: Not available

Drawdown: 10.0 ft. Static Water Level: 24.0 ft. Bailer Drawdown: Not available

Grouting Information Material: BENT Depth: From 0.0 To 35.0

Installation Method: TREMIE Number of Bags Used: 3.0

Well

Abandonment Sealing Material: Not available Depth: From (not available) To (not available)

Installation Method: Not available Number of Bags Used: Not available

Administrative County: MARION Township: 15N

Range: 3E Section: 5

Topo Map: INDIANAPOLIS WESTGrant: Not available

Field Located By: Not available

Courthouse Location By: Not available

Courthouse Location On: Not available

Courthouse Location On: Not available

Location Accepted w/o Verification By: Not Location Accepted w/o Verification On: Not

available available

Subdivision Name: Not availableLot Number: Not availableFt W of EL: Not availableFt N of SL: Not availableFt E of WL: Not availableFt S of NL: Not available

Ground Elevation: Not available

Bedrock Elevation: Not available

UTM Easting: Not available

UTM Northing: Not available

UTM Northing: Not available

Well Log

Тор	Bottom	Formation
0.0	4.0	SILTY DK BRN CLAY
4.0	41.0	S&G
41.0		SANDY BRN CLAY

#### Comments

None

Reference
Number

Driving Direction to Well

Date Completed

300765 VILLAGE PANTRY AT TIBBS & MICHIGAN 7/28/1997

OwnerContractor

Name
Address
Telephone

Owner VILLAGE PANTRY TIBBS & MICHIGAN Not available
Driller AMERICAN ENVIRONMENTAL 8500 GEORGETOWN RD. INDPLS., IN. (317)871-4090

Operator RON MATTES License: 294

**Construction Details** 

Well Use: Test Drilling Method: Not available Pump Type: Not available

Depth: 50.0 Pump Setting Depth: Not available Water Quality: Not available

Casing Length: 30.0 Material: PVC Diameter: 2.0

Screen Length: 20.0 Material: PVC Diameter: 2.0

Slot Size: .010

Well Capacity

Test Type of Test: Not available Test Rate: Not available Bail Test Rate: Not available

Drawdown: Not available

Static Water Level: Not
Bailer Drawdown: Not available

available available

Grouting Information Material: BENTONITE Depth: From 0.0 To 25.0

Installation Method: TREMIE Number of Bags Used: 4.0

Well

Abandonment Sealing Material: Not available Depth: From (not available) To (not available)

Installation Method: Not available Number of Bags Used: Not available

Administrative County: MARION Township: 15N

Range: 3E Section: NW of Section 4
Topo Map: INDIANAPOLIS WEST Grant: Not available

Field Located By: Not available Field Located On: Not available

Courthouse Location By: Not available Courthouse Location On: Not available

Location Accepted w/o Verification By: Not Location Accepted w/o Verification On: Not

available available

Subdivision Name: Not availableLot Number: Not availableFt W of EL: Not availableFt N of SL: Not availableFt E of WL: Not availableFt S of NL: Not available

Ground Elevation: Not available

Bedrock Elevation: Not available

UTM Easting: Not available

UTM Northing: Not available

UTM Northing: Not available

Тор	Bottom	Formation
0.0	1.0	ASPHALT,CONCRETE,STONE
1.0	10.0	BR SANDY SILTY CLAY
10.0	25.0	BRS&G
25.0	50.0	BR WET S & G

### Comments

SEE MAP;

Reference **Driving Direction to Well Date Completed** Number

307448 6332 SHAKERWOOD DR 9/20/1991

Owner-Name Address Telephone Contractor

Owner SCOTT Not available Not available HAMILTON BROS INC Driller 4050 ROCKVILLE RD, INDPLS, IN (000)241-2571

Operator MARK A MYERS License: 726

**Construction Details** 

Well Use: Home **Drilling Method:** Rotary Pump Type: Submersible **Depth:** 81.0 Pump Setting Depth: 60.0 Water Quality: CLEAR

**Length: 45.0** Material: PVC Diameter: 5.0 Casing

Screen Length: Not available Material: Not available Diameter: Not available

Slot Size: Not available

**Well Capacity** 

Type of Test: Bailing Test Rate: 10.0 gpm for 1.0 hrs. Bail Test Rate: Not available Test

> Drawdown: 40.0 ft. Static Water Level: 20.0 ft. Bailer Drawdown: Not available

Grouting

Material: ENVIROPLUG **Depth:** From 0.0 To 45.0 Information

> Installation Method: TREMIE Number of Bags Used: 2.0

Well

Sealing Material: Not available **Depth:** From (not available) To (not available) **Abandonment** 

Installation Method: Not available Number of Bags Used: Not available

Administrative **County: MARION** Township: 15N

Range: 3E Section: 5

Topo Map: INDIANAPOLIS WEST Grant: Not available

Field Located By: Not available Field Located On: Not available

Courthouse Location By: Not available Courthouse Location On: Not available

Location Accepted w/o Verification By: Not Location Accepted w/o Verification On: Not

available available

Subdivision Name: Not available Lot Number: Not available Ft W of EL: Not available Ft N of SL: Not available Ft E of WL: Not available Ft S of NL: Not available

Ground Elevation: Not available **Depth of Bedrock:** Not available Bedrock Elevation: Not available Aguifer Elevation: Not available UTM Easting: Not available **UTM Northing:** Not available

Well Log

Тор	Bottom	Formation
0.0	45.0	TOPSOIL & CLAY
45.0	81.0	SH

Comments ?LOC

Reference **Driving Direction to Well Date Completed** Number

307449 6432 SHAKERWOOD DR; IS THIS IN A NEW SUB? 9/20/1991

Owner-Name Address Telephone Contractor

Owner **ELLIOTT** 1421 S HOLD RD, INDPLS, IN (317)241-9903 Driller HAMILTON BROS INC 4050 ROCKVILLE RD, INDPLS, IN (000)241-2571

Operator MARK A MYERS License: 726

**Construction Details** 

Well Use: Home **Drilling Method:** Rotary Pump Type: Submersible **Depth:** 110.0 Pump Setting Depth: 65.0 Water Quality: CLEAR

Length: 58.0 Material: PVC Diameter: 5.0 Casing

Screen Length: Not available Material: Not available Diameter: Not available

Slot Size: Not available

**Well Capacity** 

Type of Test: Bailing Test Rate: 5.0 gpm for 1.0 hrs. Bail Test Rate: Not available Test

> Drawdown: 40.0 ft. Static Water Level: 25.0 ft. Bailer Drawdown: Not available

Grouting

Material: ENVIROPLUG **Depth:** From 0.0 To 58.0 Information

> Installation Method: TREMIE Number of Bags Used: 4.0

Well

Sealing Material: Not available **Depth:** From (not available) To (not available) **Abandonment** 

Installation Method: Not available Number of Bags Used: Not available

Administrative **County: MARION** Township: 15N

Range: 3E Section: 5

Topo Map: INDIANAPOLIS WEST Grant: Not available

Field Located By: Not available Field Located On: Not available

Courthouse Location By: Not available Courthouse Location On: Not available Location Accepted w/o Verification By: Not Location Accepted w/o Verification On: Not

available available

Subdivision Name: Not available Lot Number: Not available Ft W of EL: Not available Ft N of SL: Not available Ft E of WL: Not available Ft S of NL: Not available

Ground Elevation: Not available **Depth of Bedrock:** Not available Bedrock Elevation: Not available Aguifer Elevation: Not available UTM Easting: Not available **UTM Northing:** Not available

Тор	Bottom	Formation
0.0	20.0	TOPSOIL & CLAY
20.0	22.0	SAND
22.0	31.0	CLAY
31.0	34.0	GRAV
34.0	58.0	CLAY
58.0	110.0	SH

Com	me	nts
-----	----	-----

?LOC

Reference **Driving Direction to Well Date Completed** Number

309165 619 S LYONS DR 5/21/1998

Owner-Name Address Telephone Contractor

Owner Not available Not available Not available (317)241-2571 Driller HAMILTON BROS INC 4050 ROCKVILLE RD, INDPLS, IN

Operator ROBERT D SCHELLENBERG License: 36

**Construction Details** 

Well Use: Home **Drilling Method:** Rotary Pump Type: Submersible **Depth**: 56.0 Pump Setting Depth: 40.0 Water Quality: CLEAR

Length: 52.0 Material: PVC Diameter: 4.0 Casing Screen Length: 4.0 Material: PVC Diameter: 4.0

Slot Size: .060

**Well Capacity** 

Type of Test: Bailing Test Rate: 10.0 gpm for 1.0 hrs. Bail Test Rate: Not available Test

> Drawdown: 20.0 ft. Static Water Level: 20.0 ft. Bailer Drawdown: Not available

Grouting

Material: ENVIROPLUG **Depth:** From 0.0 To 45.0 Information

> Installation Method: TREMIE Number of Bags Used: 4.0

Well

Sealing Material: Not available **Depth:** From (not available) To (not available) **Abandonment** 

Installation Method: Not available Number of Bags Used: Not available

Administrative **County: MARION** Township: 15N

Range: 3E Section: NW of Section 8 Topo Map: INDIANAPOLIS WEST Grant: Not available

Field Located By: Not available Field Located On: Not available

Courthouse Location By: Not available Courthouse Location On: Not available Location Accepted w/o Verification By: Not Location Accepted w/o Verification On: Not

available

available

Subdivision Name: Not available Lot Number: Not available Ft W of EL: Not available Ft N of SL: Not available Ft E of WL: Not available Ft S of NL: Not available

Ground Elevation: Not available **Depth of Bedrock:** Not available Bedrock Elevation: Not available Aguifer Elevation: Not available UTM Easting: Not available **UTM Northing:** Not available

Well Log

Тор	Bottom	Formation
0.0	5.0	TOPSOIL & CLAY
5.0	25.0	GRAV
25.0	45.0	CLAY
45.0	56.0	GRAV

Reference
Number

Driving Direction to Well

Date Completed

310337 Not available 4/26/1954

OwnerContractor

Name
Address
Telephone

Owner HEWSON 300 N. COLE (4800W) Not available Driller HAMILTON BROS. Not available Not available

Operator Not available License Not available

**Construction Details** 

Well Use: Home Drilling Method: Not available Pump Type: Not available

Depth: 77.0 Pump Setting Depth: Not Water Quality: Not available

available

Casing Length: 75.0 Material: Not available Diameter: 4.0

Screen Length: Not available Material: Not available Diameter: Not available

Slot Size: Not available

Well Capacity

Test Type of Test: Not available Test Rate: 10.0 gpm Bail Test Rate: Not available

Drawdown: Not available

Static Water Level: Not
Bailer Drawdown: Not available

available

Grouting
Information

Material: Not available

Depth: From (not available) To (not available)

Installation Method: Not available Number of Bags Used: Not available

Well

Abandonment Sealing Material: Not available Depth: From (not available) To (not available)

Installation Method: Not available Number of Bags Used: Not available

Administrative County: MARION Township: 15N

Range: 3E Section: 6
Topo Map: INDIANAPOLIS WEST Grant: Not available

Field Located By: Not available Field Located On: Not available

Courthouse Location By: Not available Courthouse Location On: Not available

Location Accepted w/o Verification By: Not Location Accepted w/o Verification On: Not

available available

Subdivision Name:Not availableFt W of EL:Not availableFt E of WL:Not availableFt S of NL:Not available

Ground Elevation: Not available

Bedrock Elevation: Not available

UTM Easting: Not available

UTM Northing: Not available

Well Log

Тор	Bottom	Formation
0.0	48.0	OLD WELL
48.0	70.0	SAND CLAY
70.0	77.0	S&G

#### Comments



Reference **Driving Direction to Well Date Completed** Number

310363 WELL #7 Not available

Owner-Name Address Telephone Contractor

ALLISON ENGR. CO. SPEEDWAY CITY Owner Not available Driller LAYNE NORTHERN Not available Not available

Operator Not available License Not available

**Construction Details** 

Well Use: Not available **Drilling Method:** Not available **Pump Type:** Not available

> Pump Setting Depth: Not **Depth:** Not available Water Quality: Not available

available

Casing Length: Not available Material: Not available Diameter: Not available Screen Length: Not available Material: Not available Diameter: Not available

Slot Size: Not available

**Well Capacity** 

Test Rate: Not available Bail Test Rate: Not available Type of Test: Not available Test

> Static Water Level: Not Drawdown: Not available Bailer Drawdown: Not available

available

Grouting Material: Not available **Depth:** From (not available) To (not available) Information

Installation Method: Not available Number of Bags Used: Not available

Well

Sealing Material: Not available **Depth:** From (not available) To (not available) **Abandonment** 

Installation Method: Not available Number of Bags Used: Not available

Administrative **County: MARION** Township: 15N

> Range: 3E Section: NE of Section 6 Topo Map: INDIANAPOLIS WEST Grant: Not available

Field Located By: Not available Field Located On: Not available

Courthouse Location By: Not available Courthouse Location On: Not available

Location Accepted w/o Verification By: Not Location Accepted w/o Verification On: Not

available available

Subdivision Name: Not available Lot Number: Not available Ft W of EL: Not available Ft N of SL: Not available Ft E of WL: Not available Ft S of NL: Not available

Ground Elevation: Not available Depth of Bedrock: Not available Bedrock Elevation: Not available Aguifer Elevation: Not available **UTM Easting:** Not available **UTM Northing:** Not available

Тор	Bottom	Formation
0.0	5.0	SOIL
5.0	32.0	S&G
32.0	35.0	BLUE CLAY
35.0	37.0	GRAVEL
		I .

37.0	46.0	BLUE CLAY
46.0	48.0	FN GRAV
48.0	60.0	S&G
60.0	85.0	TOUGH BLUE CLAY

Comments LOGS FOR WELLS 8-11 AVAIL.

Reference **Driving Direction to Well** Number

310364 Not available Not available

Owner-

Name Address Telephone Contractor SPEEDWAY CITY Owner ALLISON ENGR. CO. Not available Driller LAYNE NORTHERN Not available Not available

Operator JAS. YOUNG License Not available

**Construction Details** 

Well Use: Not available **Drilling Method:** Not available **Pump Type:** Not available

> Pump Setting Depth: Not **Depth:** 52.0 Water Quality: Not available

**Date Completed** 

available

Casing Length: Not available Material: Not available Diameter: 18.0

Screen Length: Not available Material: Not available Diameter: Not available

Slot Size: Not available

**Well Capacity** 

Type of Test: Not available Bail Test Rate: Not available Test Rate: Not available Test

> Drawdown: Not available Static Water Level: 10.0 ft. Bailer Drawdown: Not available

Grouting Information

Material: Not available **Depth:** From (not available) To (not available)

Installation Method: Not available Number of Bags Used: Not available

Well

Sealing Material: Not available **Depth:** From (not available) To (not available) **Abandonment** 

Installation Method: Not available Number of Bags Used: Not available

Administrative Township: 15N County: MARION

> Range: 3E Section: NE of Section 6 Topo Map: INDIANAPOLIS WEST Grant: Not available

Field Located By: Not available Field Located On: Not available

Courthouse Location By: Not available Courthouse Location On: Not available

Location Accepted w/o Verification By: Not Location Accepted w/o Verification On: Not

available available

Subdivision Name: Not available

Lot Number: Not available Ft W of EL: Not available Ft N of SL: Not available Ft E of WL: Not available Ft S of NL: Not available

Ground Elevation: Not available Depth of Bedrock: Not available Bedrock Elevation: Not available Aquifer Elevation: Not available **UTM Northing:** Not available **UTM Easting:** Not available

Well Log Comments

None

Reference
Number

Driving Direction to Well

Date Completed

323909 Not available 9/24/1998

OwnerContractor

Name
Address
Telephone

Owner BILL THURMAN 818 S. RYBOLT INDPLS, IN Not available Driller HARNESS WELL DRILLING 2139 W. CR350S DANVILLE (317)539-6848

Operator DESTER HARNESS License: 137

**Construction Details** 

Well Use: Home Drilling Method: Not available Pump Type: Submersible

Depth: 54.0 Pump Setting Depth: 40.0 Water Quality: CLEAR
Casing Length: 50.0 Material: PVC Diameter: 4.0

Casing Length: 50.0 Material: PVC Diameter: 4.0 Screen Length: 4.0 Material: PVC Diameter: 4.0

Slot Size: .040

Well Capacity \_

Test Rate: 10.0 gpm for 1.0 hrs.Bail Test Rate: Not available

Drawdown: 0.0 ft. Static Water Level: 20.0 ft. Bailer Drawdown: Not available

Grouting Information Material: BENTONITE Depth: From 45.0 To 3.0

Installation Method: GROUTER Number of Bags Used: 2.0

Well

Abandonment Sealing Material: Not available Depth: From (not available) To (not available)

Installation Method: Not available Number of Bags Used: Not available

Administrative County: MARION Township: 15N

Range: 3E Section: NW of Section 5
Topo Map: INDIANAPOLIS WEST Grant: Not available

Field Located By: Not available Field Located On: Not available

Courthouse Location By: Not available

Location Accepted w/o Verification By: Not

Location Accepted w/o Verification On: Not

available available

Subdivision Name:Not availableFt W of EL:Not availableFt E of WL:Not availableFt E of WL:Not availableFt S of NL:Not available

Ground Elevation: Not available

Bedrock Elevation: Not available

UTM Easting: Not available

UTM Northing: Not available

UTM Northing: Not available

Well Log

Тор	Bottom	Formation
0.0	1.0	BLANK
1.0	45.0	CLAY GREY
45.0	54.0	GRAVEL

Reference **Driving Direction to Well Date Completed** Number

323917 328 N FLEMING 9/30/1998

Owner-Name Address Telephone Contractor

(000)273-8196 Owner SAMUEL WERTH 7349 W. ROGERS INDPLS, IN Driller HAMILTON BROS, INC 4050 ROCKVILLE RD INDPLS, IN (000)241-2571

Operator ROBERT D. SCHELLENBERG License: 36

**Construction Details** 

Well Use: Home **Drilling Method:** Rotary Pump Type: Submersible **Depth**: 55.0 Pump Setting Depth: 40.0 Water Quality: CLEAR

Length: 51.0 Material: PVC Diameter: 4.0 Casing Material: PVC Screen Length: 4.0 Diameter: 4.0

Slot Size: .060

**Well Capacity** 

Type of Test: Bailing Test Rate: 10.0 gpm for 1.0 hrs. Bail Test Rate: Not available Test

> Drawdown: 20.0 ft. Static Water Level: 20.0 ft. Bailer Drawdown: Not available

Grouting

Material: ENVIROPLUG **Depth:** From 45.0 To 0.0 Information

> Installation Method: TREMIE Number of Bags Used: 4.0

Well

Depth: From 52 To 0 Sealing Material: HOLE PLUG **Abandonment** 

> Installation Method: POUR Number of Bags Used: 3.0

Administrative **County: MARION** Township: 15N

> Range: 3E Section: SE of Section 6 Topo Map: INDIANAPOLIS WEST Grant: Not available

Field Located By: Not available Field Located On: Not available

Courthouse Location By: Not available Courthouse Location On: Not available Location Accepted w/o Verification By: Not Location Accepted w/o Verification On: Not

available available

Subdivision Name: Not available Lot Number: Not available Ft W of EL: Not available Ft N of SL: Not available Ft E of WL: Not available Ft S of NL: Not available

Ground Elevation: Not available **Depth of Bedrock:** Not available Bedrock Elevation: Not available Aguifer Elevation: Not available UTM Easting: Not available **UTM Northing:** Not available

Well Log

Тор	Bottom	Formation
0.0	10.0	TOPSOIL & CLAY
10.0	25.0	GRAVEL
25.0	45.0	CLAY
45.0	55.0	GRAVEL

Reference **Driving Direction to Well Date Completed** Number

323918 3301 S. LOCKBURN 9/19/1998

Owner-Name Address Telephone Contractor

Owner Not available Not available Not available Driller HAMILTON BROS, INC 4050 ROCKVILLE RD INDPLS, IN (000)241-2571

Operator ROBERT D. SCHELLENBERG License: 36

**Construction Details** 

Well Use: Home **Drilling Method:** Rotary Pump Type: Submersible **Depth**: 51.0 Pump Setting Depth: 35.0 Water Quality: CLEAR

Length: 47.0 Material: PVC Diameter: 4.0 Casing Screen Length: 4.0 Material: PVC Diameter: 4.0

Slot Size: .060

**Well Capacity** 

Type of Test: Bailing Test Rate: 10.0 gpm for 1.0 hrs. Bail Test Rate: Not available Test

> Drawdown: 20.0 ft. Static Water Level: 15.0 ft. Bailer Drawdown: Not available

Grouting

Material: ENVIROPLUG **Depth:** From 45.0 To 0.0 Information

> Installation Method: TREMIE Number of Bags Used: 4.0

Well

Sealing Material: Not available **Depth:** From (not available) To (not available) **Abandonment** 

Installation Method: Not available Number of Bags Used: Not available

Administrative **County: MARION** Township: 15N

> Range: 3E Section: NW of Section 5 Topo Map: INDIANAPOLIS WEST Grant: Not available

Field Located By: Not available Field Located On: Not available

Courthouse Location By: Not available Courthouse Location On: Not available Location Accepted w/o Verification By: Not Location Accepted w/o Verification On: Not

available available

Subdivision Name: Not available Lot Number: Not available Ft W of EL: Not available Ft N of SL: Not available Ft E of WL: Not available Ft S of NL: Not available

Ground Elevation: Not available **Depth of Bedrock:** Not available Bedrock Elevation: Not available Aguifer Elevation: Not available UTM Easting: Not available **UTM Northing:** Not available

Well Log

Тор	Bottom	Formation
0.0	10.0	TOPSOIL & CLAY
10.0	25.0	GRAVEL
25.0	45.0	CLAY
45.0	51.0	GRAVEL

Reference Number	Driving Direction to Well	Date Completed
	10TH STREET EAST OT COSSELL, COSSELL TO GASOLINE ALLEY	
323957	STEET, TURN RIGHT TO Y IN RD - STAY LEFT TO SPEEDWAY WASTE	11/12/1998
	WATER TREATMENT PLANT	

Owner- Contractor	Name	Address	Telephone
Owner	SPEEDWAY WASTE WATER	4251 WEST VERMONT STREET	Not available
Driller	AMERICAN ENVIRONMENTAL	8500 GEORGETOWN RD	(317)871-4090
Operator	RON MATHES	License: 294	

### **Construction Details**

Well	<b>Use:</b> Other	Drilling Method: HSA	Pump Type: Submersible
	<b>Depth:</b> 34.0	Pump Setting Depth: 33.0	Water Quality: CLEAR
Casing	Length: 20.0	Material: GALV	Diameter: 8.0
Screen	Length: 15.0	Material: SS	Diameter: 8.0
	Slot Size: .030		

Well Capacity	Type of Tests Dumning
Tost	Type of Test: Pumping

Type of Test: Pumping	Test Rate: Not available	Bail Test Rate: Not available
Drawdown: 25.2 ft	Static Water Level: 20.3 ft	Bailer Drawdown: Not available

Grouting Information	Material: BENTONITE	<b>Depth:</b> From 17.0 To 5.0
	Installation Method: DROPPED	Number of Bags Used: 20.0

Well Abandonment	Sealing Material: Not available	Depth: From (not available) To (not available)
Abandonment		

Installation	Method: N	lot available	Number of	f Bags Used:	Not available

Administrative	County: MARION	Township: 15N
	Range: 3E	Section: NW of Section 5
	Topo Map: INDIANAPOLIS WEST	Grant: Not available
	Field Located By: Not available	Field Located On: Not available
	Courthouse Location By: Not available	Courthouse Location On: Not available

Location Accepted w/o Verification By: Not Location Accepted w/o Verification On: Not available available

Subdivision Name: Not available Lot Number: Not available Ft W of EL: Not available Ft N of SL: Not available Ft E of WL: Not available Ft S of NL: Not available **Ground Elevation:** Not available Depth of Bedrock: Not available

Bedrock Elevation: Not available Aquifer Elevation: Not available **UTM Northing:** Not available **UTM Easting:** Not available

Тор	Bottom	Formation
0.0	5.0	SANDY SILTY CLAY
5.0	20.0	BR MED SAND
20.0	34.0	WET GRAY S & G W/ COBBLES
34.0	35.0	GRAY SANDY SILTY CLAY

### Comments

SEE MAP

Reference **Driving Direction to Well Date Completed** Number

170 TO HOLT RD, NORTH TO 1ST STOP LIGHT, OLIVER ST, LEFT TO 323962 11/1/1998

LYONS & 3RD ST.

Owner-Name Address **Telephone** Contractor Owner DON & MAXINE WARD 634 S. LYON Not available 8810 KNOTTY PINE CT INDIANAPOLIS, Driller BRATAGER DRILLING CO. (317)881-8060

Operator CHARLES BRATAGER License: 1469

**Construction Details** 

Well Use: Home **Drilling Method: Rotary** Pump Type: Submersible Pump Setting Depth: 35.0 Water Quality: CLEAR **Depth:** 46.0

Length: 41.0 Material: PVC Diameter: 5.0 Casing Screen Length: 5.0 Material: PVC Diameter: 5.0

Slot Size: .040

**Well Capacity** 

Type of Test: Air Test Rate: 25.0 gpm for 2.0 hrs. Bail Test Rate: Not available Test

> Drawdown: 20.0 ft. Static Water Level: 15.0 ft. Bailer Drawdown: Not available

Grouting

Material: BNSL **Depth:** From 30.0 To 0.0 Information

> Installation Method: TREMIE Number of Bags Used: 2.0

Well

Sealing Material: BNSL Depth: From 30 To 0 **Abandonment** 

> Number of Bags Used: 1.0 Installation Method: TOPLOAD

Administrative **County: MARION** Township: 15N

> Range: 3E Section: NW of Section 8 Topo Map: INDIANAPOLIS WEST Grant: Not available

Field Located By: Not available Field Located On: Not available

Courthouse Location By: Not available Courthouse Location On: Not available Location Accepted w/o Verification By: Not Location Accepted w/o Verification On: Not

available available

Subdivision Name: Not available Lot Number: Not available Ft W of EL: Not available Ft N of SL: Not available Ft E of WL: Not available Ft S of NL: Not available

Ground Elevation: Not available Depth of Bedrock: Not available Bedrock Elevation: Not available Aguifer Elevation: Not available **UTM Easting:** Not available **UTM Northing:** Not available

Тор	Bottom	Formation
0.0	12.0	CLAY
12.0	16.0	SAND
16.0	26.0	CLAY
26.0	46.0	SAND & GRAVEL

### Comments

SEE MAP

Reference
Number

Driving Direction to Well

Date Completed

340771 Not available 4/21/2000

OwnerContractor

Name
Address
Telephone

Owner WILL ROULSTON 335 N FLEMMING ST INDPLS Not available

Driller CC HAMILTON WELL DRLG 3930 S EMERSON (000)284-5810

Operator CHARLES HAMILTON License: 1680

**Construction Details** 

Well Use: Home Drilling Method: Rotary Pump Type: Submersible

Depth: 52.0 Pump Setting Depth: 35.0 Water Quality: Not available Casing Length: 48.0 Material: PVC Diameter: 5.0

Casing Length: 48.0 Material: PVC Diameter: 5.0 Screen Length: 4.0 Material: PVC Diameter: 5.0

Slot Size: .030

Well Capacity \_\_\_\_

Test Rate: 10.0 gpm for 2.0 hrs.Bail Test Rate: Not available

Drawdown: 0.0 ft. Static Water Level: 12.0 ft. Bailer Drawdown: Not available

Grouting Material: BENSEAL Depth: From 0.0 To 42.0

Installation Method: P Number of Bags Used: 2.0

Well

Abandonment Sealing Material: Not available Depth: From (not available) To (not available)

Installation Method: Not available Number of Bags Used: Not available

Administrative County: MARION Township: 15N

Range: 3E Section: SE of Section 6
Topo Map: INDIANAPOLIS WEST Grant: Not available

Field Located By: Not available Field Located On: Not available

Courthouse Location By: Not available

Location Accepted w/o Verification By: Not

Location Accepted w/o Verification On: Not

available available

Subdivision Name:Not availableFt W of EL:Not availableFt E of WL:Not availableFt S of NL:Not available

Ground Elevation: Not available

Bedrock Elevation: Not available

UTM Easting: Not available

UTM Northing: Not available

UTM Northing: Not available

Well Log

Тор	Bottom	Formation
0.0	8.0	CLAY
8.0	52.0	S&G

Reference **Driving Direction to Well Date Completed** Number

347546 Not available 11/9/2000

Owner-Name Address Telephone Contractor

(000)248-9406 Owner DON FAUCETT 1003 S RYBOLT INDPLS., IN Driller CC HAMILTON 3930 S EMERSON, INDPLS., IN (000)784-5810

Operator CHARLES HAMILTON License: 1680

**Construction Details** 

Well Use: Home **Drilling Method:** Rotary Pump Type: Submersible **Depth**: 45.0 Pump Setting Depth: 30.0 Water Quality: CLEAR

Length: 41.0 Material: PVC Diameter: 4.0 Casing Length: 4.0 Material: PVC Screen Diameter: 4.0

Slot Size: 30

**Well Capacity** 

Type of Test: Air Test Rate: 10.0 gpm for 2.0 hrs. Bail Test Rate: Not available Test

> Drawdown: 0.0 ft. Static Water Level: 10.0 ft. Bailer Drawdown: Not available

Grouting

Material: BNSL **Depth:** From 4.0 To 20.0 Information

> Installation Method: P Number of Bags Used: 1.0

Well

Sealing Material: Not available **Depth:** From (not available) To (not available) **Abandonment** 

Installation Method: Not available Number of Bags Used: Not available

Administrative **County: MARION** Township: 15N

Range: 3E Section: NW of Section 5 Topo Map: INDIANAPOLIS WEST Grant: Not available

Field Located By: Not available Field Located On: Not available

Courthouse Location By: Not available Courthouse Location On: Not available Location Accepted w/o Verification By: Not Location Accepted w/o Verification On: Not

available available

Subdivision Name: Not available Lot Number: Not available Ft W of EL: Not available Ft N of SL: Not available Ft E of WL: Not available Ft S of NL: Not available

Ground Elevation: Not available **Depth of Bedrock:** Not available Bedrock Elevation: Not available Aguifer Elevation: Not available UTM Easting: Not available **UTM Northing:** Not available

Well Log

Тор	Bottom	Formation
0.0	6.0	CLAY
6.0	19.0	SAND
19.0	22.0	CLAY
22.0	45.0	SAND

Comments SEE MAP

Reference **Driving Direction to Well Date Completed** Number

356686 **VERMONT & VINE** 7/23/2001

Owner-Name Address Telephone Contractor

345 N VINE ST INDPLS IN (000)244-8132 Owner LOUIS ANDRONIA Driller C&J W D CO PO BOX 747 BROWNSBURG IN (317)257-2393

Operator JOSH ABDNOUR License: 1437

**Construction Details** 

Well Use: Home **Drilling Method:** Rotary Pump Type: Submersible **Depth**: 55.0 Pump Setting Depth: 40.0 Water Quality: CLEAR

Length: 51.0 Material: PVC Diameter: 4.0 Casing Material: PVC Screen Length: 4.0 Diameter: 4.0

Slot Size: .050

**Well Capacity** 

Type of Test: Air Test Rate: 25.0 gpm for 1.0 hrs. Bail Test Rate: Not available Test

> Drawdown: 40.0 ft. Static Water Level: 15.0 ft. Bailer Drawdown: Not available

Grouting Material: BENT

**Depth:** From 0.0 To (not available) Information

> Installation Method: PRESS Number of Bags Used: 2.0

Well

Sealing Material: Not available **Depth:** From (not available) To (not available) **Abandonment** 

Installation Method: Not available Number of Bags Used: Not available

Administrative **County: MARION** Township: 15N

> Range: 3E Section: SE of Section 6 Topo Map: INDIANAPOLIS WEST Grant: Not available

Field Located By: Not available Field Located On: Not available

Courthouse Location By: Not available Courthouse Location On: Not available Location Accepted w/o Verification By: Not Location Accepted w/o Verification On: Not

available available

Subdivision Name: Not available Lot Number: Not available Ft W of EL: Not available Ft N of SL: Not available Ft E of WL: Not available Ft S of NL: Not available

Ground Elevation: Not available **Depth of Bedrock:** Not available Bedrock Elevation: Not available Aguifer Elevation: Not available UTM Easting: Not available **UTM Northing:** Not available

Well Log

Тор	Bottom	Formation
0.0	2.0	TOPSOI
2.0	19.0	S7G
19.0	48.0	CLAY
48.0	55.0	GRAVEL

#### Comments

None

Reference **Driving Direction to Well Date Completed** Number

GASOLINE ALLY TO W VERMONT GO E ON W VERMONT TO 4130 363476 8/11/2002 WHICH IS ONN N SIDE OF ST; WELL IS LOCATED IN FRONT YARD

Owner-Name Address **Telephone** Contractor

7214 PARSONS WAY MOORESVILLE Owner JIMMY L PARSONS JR (317)834-9189

7214 PARSONS WAY MOORESVILLE Driller JIMMY L PARSONS JR (317)834-9189 IN

Operator JIMMY L PARSONS JR License: 1639

**Construction Details** 

Well Use: Home **Drilling Method:** Cable Tool Pump Type: Not available

> Pump Setting Depth: Not **Depth:** 70.0 Water Quality: CLEAR

available

Material: SS Diameter: 4.0 Length: 70.0 Casing Length: 4.0 Screen Material: SS Diameter: 4.0

Slot Size: 40

**Well Capacity** 

Type of Test: Bailing Test Rate: 5.0 gpm for 2.0 hrs. Bail Test Rate: Not available Test

> Bailer Drawdown: Not available Drawdown: Not available Static Water Level: 28.0 ft.

Grouting

Material: BENTONITE **Depth:** From 0.0 To 70.0 Information

> Installation Method: POUR IN Number of Bags Used: 1.0

Well

Sealing Material: Not available **Depth:** From (not available) To (not available) **Abandonment** 

Installation Method: Not available Number of Bags Used: Not available

Administrative County: MARION Township: 15N

Range: 3E Section: 6

Topo Map: INDIANAPOLIS WEST Grant: Not available

Field Located By: Not available Field Located On: Not available

Courthouse Location By: Not available Courthouse Location On: Not available

Location Accepted w/o Verification By: Not Location Accepted w/o Verification On: Not

available available

Subdivision Name: Not available Lot Number: Not available Ft W of EL: Not available Ft N of SL: Not available

Ft E of WL: Not available Ft S of NL: Not available

**Ground Elevation:** Not available Depth of Bedrock: Not available Bedrock Elevation: Not available Aquifer Elevation: Not available **UTM Easting:** Not available **UTM Northing:** Not available

Тор	Bottom	Formation
0.0	20.0	BR CLAY
20.0	30.0	S&G

30.0	36.0	GRAY CLAY
36.0	55.0	SAND
55.0	70.0	GREY CLAY

## Comments

None

Reference **Driving Direction to Well Date Completed** Number

TAKE I-70 TO HOLT RD GO NORTH TO WASHINGTON ST. GO WEST TO

RYBOLT AVE. GO SOUTH ABOUT 5 BLOCKS, OLDER WHITE HOME ON 400228 8/15/2006

**WEST SIDE** 

Owner-Address **Telephone** Name Contractor

Owner ROBERT BROWN 840 S RYBOLT AVE INDIANAPOLIS, IN (317)243-2819 246 MAIN ST PO BOX 45 MAXWELL, IN (317)326-3675 Driller JACKSON WELL DRILLING

Operator **GUS JACKSON** License: 385

**Construction Details** 

Well Use: Home **Drilling Method: Rotary** Pump Type: Submersible Pump Setting Depth: 40.0 **Depth:** 55.0 Water Quality: CLEAR

Length: 50.0 Material: PVC Diameter: 4.0 Casing Screen Length: 5.0 Material: PVC Diameter: 4.0

Slot Size: .040

**Well Capacity** 

Type of Test: Air Test Rate: 30.0 gpm for 1.0 hrs. Bail Test Rate: Not available Test

> Drawdown: 25.0 ft. Static Water Level: 20.0 ft. Bailer Drawdown: Not available

Grouting

Material: GROUT WELL **Depth:** From 0.0 To 45.0 Information

Installation Method: WILDEN AIR Number of Bags Used: 2.0

**PUMP** 

Well

Sealing Material: Not available **Depth:** From (not available) To (not available) **Abandonment** 

Installation Method: Not available Number of Bags Used: Not available

Administrative **County: MARION** Township: 15N

> Range: 3E Section: NW of Section 5 Topo Map: MAYWOOD Grant: Not available

Field Located By: Not available Field Located On: Not available

Courthouse Location By: Not available Courthouse Location On: Not available

Location Accepted w/o Verification By: Not Location Accepted w/o Verification On: Not

Subdivision Name: Not available Lot Number: Not available Ft W of EL: Not available Ft N of SL: Not available Ft E of WL: Not available Ft S of NL: Not available

Ground Elevation: Not available Depth of Bedrock: Not available Bedrock Elevation: Not available Aguifer Elevation: Not available UTM Easting: Not available **UTM Northing:** Not available

Тор	Bottom	Formation
0.0	10.0	BROWN CLAY
10.0	20.0	SAND
20.0	35.0	GREY CLAY

35.0 | GOOD GRAVEL

Comments
SEE MAP C;
C.REPLACEMENT
WELL

Reference **Driving Direction to Well Date Completed** Number

410194 Not available 9/18/2007

Owner-Name Address **Telephone** Contractor

FLORAL PARK FUNERAL Owner 3940 COSSELL RD INDIANAPOLIS, IN Not available CENTER

Driller C & J WELL DRILLING CO PO BOX 747 BROWNSBURG, IN (317)892-2100

WALTER ANDERSON License: 2081 Operator

**Construction Details** 

Well **Use:** Irrigation **Drilling Method: Rotary** Pump Type: Submersible **Depth:** 33.0 Pump Setting Depth: 31.0 Water Quality: CLEAR

Length: 31.0 Material: PVC Casing Diameter: 5.0 Length: 2.0 Material: STAINLESS ST Diameter: 5.0 Screen

Slot Size: .050

**Well Capacity** 

Type of Test: Air Test Rate: 25.0 gpm for 1.0 hrs. Bail Test Rate: Not available Test

> Drawdown: 0.0 ft. Static Water Level: 30.0 ft. Bailer Drawdown: Not available

Grouting Material: BENTONITE **Depth:** From 0.0 To 12.0 Information

Installation Method: PRESSURE Number of Bags Used: 3.0

Well

Sealing Material: Not available **Depth:** From (not available) To (not available) **Abandonment** 

Installation Method: Not available Number of Bags Used: Not available

Administrative Township: 15N County: MARION

> Range: 3E Section: NE of the NW of the SW of Section 5

Topo Map: INDIANAPOLIS WEST Grant: Not available

Field Located By: DRILLER Field Located On: Not available

Courthouse Location By: Not available Courthouse Location On: Not available

Location Accepted w/o Verification By: Not Location Accepted w/o Verification On: Not

available available

Subdivision Name: Not available Lot Number: Not available Ft W of EL: Not available **Ft N of SL**: 2.600.0 **Ft E of WL:** 1.300.0 Ft S of NL: Not available

**Ground Elevation:** 725.0 Depth of Bedrock: Not available

Bedrock Elevation: Not available Aguifer Elevation: 692.0

**UTM Northing:** 4402510 **UTM Easting:** 566286

Well Log

Тор	Bottom	Formation
0.0	3.0	TOP SOIL
3.0	12.0	CLAY
12 0	33.0	GRAVEL

#### Comments

None

Reference **Driving Direction to Well Date Completed** Number

410206 Not available 10/10/2007

Owner-Name Address Telephone Contractor

JOE CIRILLO Owner 4130 W VERMONT INDIANAPOLIS, IN Not available Driller C & J WELL DRILLING CO PO BOX 747 BROWNSBURG, IN (317)892-2100

Operator DON BAUGHMAN License: 178

**Construction Details** 

Well Use: Home **Drilling Method:** Rotary Pump Type: Submersible **Depth:** 37.0 Pump Setting Depth: 0.0 Water Quality: CLEAR

Length: 35.0 Material: PVC Diameter: 5.0 Casing Material: STAINLESS ST Screen Length: 2.0 Diameter: 5.0

Slot Size: .050

**Well Capacity** 

Type of Test: Air Test Rate: 30.0 gpm for 1.0 hrs. Bail Test Rate: Not available Test

> Drawdown: 0.0 ft. Static Water Level: 20.0 ft. Bailer Drawdown: Not available

Grouting

Material: BENTONITE **Depth:** From 0.0 To 20.0 Information

Installation Method: PRESSURE Number of Bags Used: 5.0

Well

Depth: From 0 To 60 Sealing Material: HOLEPLUG **Abandonment** 

> Installation Method: HAND Number of Bags Used: 8.0

Administrative **County: MARION** Township: 15N

Range: 3E Section: NE of the NW of the SW of Section 5

> Topo Map: INDIANAPOLIS WEST Grant: Not available

Field Located By: DRILLER Field Located On: 10/10/2007

Courthouse Location By: Not available Courthouse Location On: Not available Location Accepted w/o Verification By: Not Location Accepted w/o Verification On: Not

available available

Subdivision Name: Not available Lot Number: Not available Ft W of EL: Not available Ft N of SL: Not available Ft E of WL: 900.0 **Ft S of NL**: 1.800.0

**Ground Elevation: 718.0 Depth of Bedrock:** Not available

Bedrock Elevation: Not available Aguifer Elevation: 681.0 **UTM Northing:** 4402521

**UTM Easting:** 565893

Well Log

Тор	Bottom	Formation
0.0	15.0	CLAY
15.0	37.0	SAND & GRAVEL

#### Comments

None

Reference **Driving Direction to Well Date Completed** Number

344563 Not available 9/25/2000

Owner-Name Address Telephone Contractor

Owner **RON MARTIN** 3201 S. FOLTZ ST., INDPLS., IN (000)858-3721 Driller CC HAMILTON WELL DRLNG 3930 S. EMERSON, INDPLS., IN (000)784-5810

Operator CHARLES HAMILTON License: 1680

**Construction Details** 

Well Use: Home **Drilling Method:** Rotary Pump Type: Submersible **Depth:** 42.0 Pump Setting Depth: 30.0 Water Quality: CLEAR

Length: 38.0 Material: PVC Diameter: 4.0 Casing Length: 4.0 Material: PVC Screen Diameter: 4.0

Slot Size: .030

**Well Capacity** 

Type of Test: Air Test Rate: 10.0 gpm for 2.0 hrs. Bail Test Rate: Not available Test

> Drawdown: 0.0 ft. Static Water Level: 12.0 ft. Bailer Drawdown: Not available

Grouting

Material: BNSL **Depth:** From 4.0 To 30.0 Information

> Installation Method: P Number of Bags Used: 2.0

Well

Sealing Material: Not available **Depth:** From (not available) To (not available) **Abandonment** 

Installation Method: Not available Number of Bags Used: Not available

Administrative **County: MARION** Township: 15N

> Range: 3E Section: NW of Section 8 Topo Map: INDIANAPOLIS WEST Grant: Not available

Field Located By: Not available Field Located On: Not available

Courthouse Location By: Not available Courthouse Location On: Not available Location Accepted w/o Verification By: Not Location Accepted w/o Verification On: Not

available available

Lot Number: Not available Subdivision Name: Not available Ft W of EL: Not available Ft N of SL: Not available Ft E of WL: Not available Ft S of NL: Not available

Ground Elevation: Not available **Depth of Bedrock:** Not available Bedrock Elevation: Not available Aguifer Elevation: Not available UTM Easting: Not available **UTM Northing:** Not available

Well Log

Тор	Bottom	Formation
0.0	12.0	CLAY
12.0	21.0	SAND
21.0	25.0	CLAY
25.0	42.0	S&G

Comments SEE MAP

Reference **Driving Direction to Well Date Completed** Number

355650 4020 ROCKVILLE RD 4/18/2001

Owner-Name Address Telephone Contractor

Owner B&K 4020 ROCKVILLE RD., INDPLS., IN (000)243-6100 Driller HAMILTON BROS. INC. 4050 ROCKVILLE RD., INDPLS., IN (000)241-2571

Operator CLINTON C. STEVENS JR License: 1653

**Construction Details** 

Well Use: Not available **Drilling Method:** Not available **Pump Type:** Not available

> Pump Setting Depth: Not **Depth:** Not available Water Quality: Not available

available

Casing Length: Not available Material: Not available Diameter: Not available Screen Length: Not available Material: Not available Diameter: Not available

Slot Size: Not available

**Well Capacity** 

Test Rate: Not available Bail Test Rate: Not available Type of Test: Not available Test

> Static Water Level: Not Drawdown: Not available Bailer Drawdown: Not available

available

Grouting Material: Not available **Depth:** From (not available) To (not available) Information

Installation Method: Not available Number of Bags Used: Not available

Well

Sealing Material: HOLE PLUG Depth: From 0 To 54 **Abandonment** 

> Number of Bags Used: 25.0 Installation Method: POUR IN

Administrative **County: MARION** Township: 15N

> Range: 3E Section: NW of Section 8 Topo Map: INDIANAPOLIS WEST Grant: Not available

Field Located By: Not available Field Located On: Not available Courthouse Location By: Not available

Courthouse Location On: Not available

Location Accepted w/o Verification By: Not Location Accepted w/o Verification On: Not

available available

Subdivision Name: Not available Lot Number: Not available Ft W of EL: Not available Ft N of SL: Not available

Ft E of WL: Not available Ft S of NL: Not available

Ground Elevation: Not available Depth of Bedrock: Not available Aguifer Elevation: Not available Bedrock Elevation: Not available

**UTM Easting:** Not available **UTM Northing:** Not available

Well Log Comments

None

Reference Number

**Driving Direction to Well** 

Date Completed

27627

4409 W MORRIS REAR

7/11/1993

Owner-

Name Contractor Owner

Address

Telephone

Not available Driller HAMILTON BROS INC

4025 ROCKVILLE RD INDPLS IN

Not available

Operator

ROBERT D. SCHELLENBERG

License: 36

Not available

(317)241-2571

Construction Details

Well

Use: Other Depth: 66.0 Length: 56.0 Drilling Method: Rotary Pump Setting Depth: 50.0 Pump Type: Submersible Water Quality: CLEAR

Casing Screen

Length: 10.0 Slot Size: .060 Material: PVC Material: SS

Diameter: 6.0 Diameter: 6.0

Well Capacity

Test

Type of Test: Bailing

Test Rate: 150.0 gpm for 1.0 hrs.

Bail Test Rate: Not available

Drawdown: 30.0 ft.

Static Water Level: 20.0 ft.

Bailer Drawdown: Not available

Grouting

Information

Material: ENVIROPLUG

Depth: From 31.0 To 56.0

Installation Method: TREMIE

Number of Bags Used: 14.0

Well

Abandonment

Sealing Material: Not available

Depth: From (not available) To (not available)

Installation Method: Not available Number of Bags Used: Not available

Administrative

County: MARION

Range: 3E

Township: 15N Section: SE of Section 7 Grant: Not available

Topo Map: INDIANAPOLIS WEST

Field Located By: Not available Field Located On: Not available

Courthouse Location By: Not available

Courthouse Location On: Not available

Location Accepted w/o Verification By: Not

Location Accepted w/o Verification On: Not

available

available

Subdivision Name: Not available

Ground Elevation: Not available

Lot Number: Not available Ft N of SL: Not available Ft S of NL: Not available

Ft W of EL: Not available Ft E of WL: Not available

Depth of Bedrock: Not available Aquifer Elevation: Not available

Bedrock Elevation: Not available UTM Easting: Not available

UTM Northing: Not available

Well Log

Тор	Bottom	Formation	
0.0	56.0	TOPSOIL AND CLAY	
56.0	66.0	GRAVEL	

Comments SKETCH MAP

Reference Number

**Driving Direction to Well** 

Date Completed

54018

Not available

1/1/1936

Owner-

Contractor Owner NATIONAL MALLEABLE & STEEL INDPLS Driller

Name

Address Telephone

Not available

Operator

LAYNE NORTHERN Not available

License Not available

Not available

Not available

Construction Details

Well Use: Industry Drilling Method: Not available Pump Type: Not available

Depth: 89.0

Pump Setting Depth: Not available

Water Quality: Not available

Casing

Test

Length: Not available

Material: Not available

Diameter: 18.0

Screen Length: Not available Slot Size: Not available Material: Not available

Diameter: Not available

Well Capacity

Type of Test: Not available

Test Rate: 300.0 gpm

Bail Test Rate: Not available

Drawdown: Not available

Static Water Level: 23.0 ft.

Bailer Drawdown: Not available

Grouting Information

Material: Not available

Depth: From (not available) To (not available)

Installation Method: Not available Number of Bags Used: Not available

Well

Abandonment

Sealing Material: Not available

Depth: From (not available) To (not available)

available

Installation Method: Not available Number of Bags Used: Not available

Administrative

County: MARION

Township: 15N Range: 3E Section: NW of the SW of the NE of Section 4

Topo Map: INDIANAPOLIS WEST Grant: Not available

Field Located By: MCBN Field Located On: 1/1/1992

Courthouse Location By: Not available Courthouse Location On: Not available

Location Accepted w/o Verification By: Not Location Accepted w/o Verification On: Not

available

Subdivision Name: Not available Lot Number: Not available Ft W of EL: Not available Ft N of SL: Not available Ft E of WL: Not available Ft S of NL: Not available

Ground Elevation: 708.0 Depth of Bedrock: Not available

Bedrock Elevation: Not available Aguifer Elevation: 607.0

UTM Northing: 4402957 UTM Easting: 568037

Тор	Bottom	Formation
0.0	4.0	CINDER FILL
4.0	43.0	SOIL & GRAV
43.0	59.0	CLAY
59.0	62.0	CRS SAND
62.0	101.0	CRS GRAV

Comments MC 607

Reference **Driving Direction to Well** Date Completed Number

54043 1320' W. OF GRANDE AVE. & 200' S. OF EAGLE CREEK 4/12/1962

Owner-Name Address Telephone Contractor

BD. OF PK. COMM. 1426 W. 29TH. ST. CITY OF INDPLS. Not available Owner

INDPLS, IN.

Driller CLARK DRILLING, CO. 1015 E. 28TH. ST. INDPLS 5,IN. Not available

R. HANSEN License Not available Operator

**Construction Details** 

Well Use: Public Supply Drilling Method: Cable Tool Pump Type: Not available

> Pump Setting Depth: Not Depth: 53.0 Water Quality: Not available

available

Material: Not available Casing Length: 43.7 Diameter: 8.0 Screen Length: 10.0 Material: Not available Diameter: 8.0

Slot Size: 60

Test Rate: 153.0 gpm for 4.0 Well Capacity

Type of Test: Pumping Bail Test Rate: Not available

Drawdown: 18.5 ft. Bailer Drawdown: Not available Static Water Level: 9.5 ft.

Grouting

Material: Not available Depth: From (not available) To (not available) Information

Installation Method: Not available Number of Bags Used: Not available

Well

Test

Sealing Material: Not available Depth: From (not available) To (not available) Abandonment

Installation Method: Not available Number of Bags Used: Not available

Administrative County: MARION Township: 15N

> Range: 3E Section: SE of the SW of the NE of Section 6

Topo Map: INDIANAPOLIS WEST Grant: Not available

Field Located By: MCBN Field Located On: 1/1/1992

Courthouse Location By: Not available Courthouse Location On: Not available

Location Accepted w/o Verification By: Not Location Accepted w/o Verification On: Not

available available

Subdivision Name: Not available Lot Number: Not available Ft W of EL: Not available Ft N of SL: Not available Ft E of WL: Not available Ft S of NL: Not available

Ground Elevation: 714.0 Depth of Bedrock: Not available

Bedrock Elevation: Not available Aguifer Elevation: 644.0

UTM Easting: 565135 UTM Northing: 4402710

Тор	Bottom	Formation
0.0	1.0	TOP SOIL
1.0	6.0	SANDY BR CLAY
6.0	13.0	MUD SAND
13.0	20.0	SANDY BR CLAY

20.0	22.0	S & G
22.0	28.0	BLUE CLAY
28.0	34.0	S & G
34.0	37.0	GRAY CLAY
37.0	41.0	MD CRS SAND
41.0	48.0	CLEAN MD S & G
48.0	52.5	CRS S&G ACTIVE,CLEAN37'-52'.6"
52.5	67.0	CLAY
67.0	70.0	HARD GREY CLAY

Comments MC 644; BACKFILLED HOLE 70 'TO 53 'W/ SAND & GRAV;

Reference Number

**Driving Direction to Well** 

Date Completed

54071

Not available

10/2/1968

Owner-

Contractor Owner C & B BUILDERS Driller HAMILTON BROS

Name

Address Telephone

> Not available Not available

> > Diameter: 8.0

Location Accepted w/o Verification On: Not

Operator Not available

Construction Details

Well Use: Industry

Drilling Method: Cable Tool Pump Setting Depth: Not Depth: 275.0

available

Water Quality: Not available

Pump Type: Not available

Casing Screen Length: Not available

Length: Not available

Material: Not available Material: Not available

3508 ROCKVILLE RD

License Not available

Not available

Diameter: Not available

Slot Size: Not available

Drawdown: Not available

Well Capacity

Test

Test Rate: 150.0 gpm for 4.0 Type of Test: Not available

hrs.

Static Water Level: Not

available

Bail Test Rate: Not available

Bailer Drawdown: Not available

Grouting

Material: Not available Information

Depth: From (not available) To (not available)

Township: 15N

Section: 8

Installation Method: Not available Number of Bags Used: Not available

Well

Abandonment

Sealing Material: Not available Depth: From (not available) To (not available)

Installation Method: Not available Number of Bags Used: Not available

Administrative

County: MARION

Range: 3E

Topo Map: INDIANAPOLIS WEST Grant: Not available

Field Located By: Not available Field Located On: Not available Courthouse Location By: Not available Courthouse Location On: Not available

Location Accepted w/o Verification By: Not

available

available Lot Number: Not available

Subdivision Name: Not available Ft W of EL: Not available Ft N of SL: Not available Ft E of WL: Not available Ft S of NL: Not available Ground Elevation: 705.0 Depth of Bedrock: 70.0

Bedrock Elevation: 635.0 Aquifer Elevation: Not available UTM Easting: Not available UTM Northing: Not available

Well Log

Тор	Bottom	Formation
0.0	35.0	CLAY
35.0	70.0	CLAY
70.0	275.0	LS

Comments

None			

Reference Number

**Driving Direction to Well** 

Date Completed

54073

AT SHOP

4/8/1964

Owner-

Name Contractor Owner HAMILTON BROS INC Driller

Address

Telephone Not available

4025 ROCKVILLE RD HAMILTON BROS 4025 ROCKVILLE RD License Not available

Not available

Operator

Casing

Screen

ED RANDOLPH

Construction Details

Well Use: Home

Depth: 60.0

Drilling Method: Cable Tool Pump Setting Depth: Not

Pump Type: Not available

Length: 45.0 Length: 21.0

available Material: Not available Material: Not available Water Quality: Not available Diameter: 8.6

Slot Size: 60

Diameter: 7.0

Well Capacity

Test

Type of Test: Not available

Test Rate: 100.0 gpm for 2.0 hrs.

Bail Test Rate: Not available

Drawdown: 30.0 ft.

Static Water Level: 28.0 ft.

Bailer Drawdown: Not available

Grouting Information

Material: Not available

Depth: From (not available) To (not available)

Installation Method: Not available Number of Bags Used: Not available

Well

Abandonment

Sealing Material: Not available

Depth: From (not available) To (not available)

Installation Method: Not available Number of Bags Used: Not available

Administrative

County: MARION

Range: 3E

Township: 15N

Section: NE of the NE of the NW of Section 8

Topo Map: INDIANAPOLIS WEST

Courthouse Location By: Not available

Field Located By: MCBH

Grant: Not available Field Located On: 1/1/1992

Courthouse Location On: Not available Location Accepted w/o Verification On:

Location Accepted w/o Verification By: U

7/1/1964

Subdivision Name: Not available

Ft W of EL: Not available Ft E of WL: Not available

Ground Elevation: 717.0

Bedrock Elevation: Not available

UTM Easting: 565970

Lot Number: Not available Ft N of SL: Not available Ft S of NL: Not available

Depth of Bedrock: Not available Aguifer Elevation: 627.0

UTM Northing: 4401525

Тор	Bottom	Formation
0.0	4.0	CLAY
4.0	26.0	YEL S & G
26.0	35.0	BRN CLAY
35.0	38.0	SAND
38.0	45.0	CLAY

45.0	53.0	S & G
53.0	56.0	CLAY
56.0	60.0	S & G
60.0	75.0	SAND
75.0	90.0	CLAY

Comments MC 627

Reference **Driving Direction to Well** Date Completed Number

4151 WEST WASHINGTON ST BETWEEN LYON AND RYBOTT AVE ON S 11/30/1967

54074 SIDE OF WASHINGTON

Owner-Address Telephone Name Contractor

Owner WRIGHT TOOL & DIO CO 4151 WASHINGTON ST Not available Driller **HAMILTON BROS** Not available Not available

WOODY BURKHARD License Not available Operator

Construction Details

Use: Industry Well Drilling Method: Cable Tool Pump Type: Not available

> Pump Setting Depth: Not Depth: 65.0 Water Quality: Not available

available

Material: Not available Diameter: 10.0 Casing Length: 55.0 Screen Length: 10.0 Material: Not available Diameter: 10.0

Slot Size: 50

Well Capacity Test Rate: 200.0 gpm for 6.0

Type of Test: Not available Bail Test Rate: Not available Test

> Drawdown: Not available Static Water Level: 25.0 ft. Bailer Drawdown: Not available

Grouting Material: Not available Depth: From (not available) To (not available) Information

Installation Method: Not available Number of Bags Used: Not available

Well

Sealing Material: Not available Depth: From (not available) To (not available) Abandonment

Installation Method: Not available Number of Bags Used: Not available

Administrative County: MARION Township: 15N

> Section: SW of the SW of the NW of Section 8 Range: 3E

Topo Map: INDIANAPOLIS WEST Grant: Not available

Field Located By: MCBH Field Located On: 1/1/1992

Courthouse Location By: Not available Courthouse Location On: Not available Location Accepted w/o Verification On:

Location Accepted w/o Verification By: HCK

1/1/1968

Subdivision Name: Not available Lot Number: Not available Ft W of EL: Not available Ft N of SL: Not available Ft E of WL: Not available Ft S of NL: Not available

Ground Elevation: 718.0 Depth of Bedrock: Not available

Bedrock Elevation: Not available Aquifer Elevation: 653.0 UTM Easting: 565685 UTM Northing: 4400943

Тор	Bottom	Formation
0.0	30.0	CLAY
30.0	42.0	SAND
42.0	43.0	CLAY
43.0	65.0	S & G

Comments MC 653

Reference **Driving Direction to Well** Number

Date Completed

54086 3602 W. WASHINGTON 4/3/1988

Owner-

Name Address Telephone Contractor Owner Not available Not available Not available Driller HAMILTON BROS, INC. 4025 ROCKVILLE RD., INDPLS, IN. Not available

Operator DAVID HARNESS License Not available

Construction Details

Well Use: Other Drilling Method: Rotary Pump Type: Not available

> Pump Setting Depth: Not Depth: 45.0 Water Quality: Not available

available

Casing Length: 30.0 Material: Not available Diameter: 6.0 Screen Length: 15.0 Material: Not available Diameter: 6.0

Slot Size: .060

Well Capacity

Test Rate: 100.0 gpm for 1.0 Type of Test: Pumping Bail Test Rate: Not available Test hrs.

> Drawdown: 19.0 ft. Static Water Level: 15.0 ft. Bailer Drawdown: Not available

Grouting

Material: Not available Depth: From (not available) To (not available) Information

Installation Method: Not available Number of Bags Used: Not available

Well

Sealing Material: Not available Depth: From (not available) To (not available) Abandonment

Installation Method: Not available Number of Bags Used: Not available

Administrative County: MARION Township: 15N

> Range: 3E Section: SE of the NW of the NE of Section 8

Topo Map: INDIANAPOLIS WEST Grant: Not available

Field Located By: MCBN Field Located On: 1/1/1992

Courthouse Location By: Not available Courthouse Location On: Not available

Location Accepted w/o Verification By: Not Location Accepted w/o Verification On: Not

available available

Subdivision Name: Not available Lot Number: Not available Ft W of EL: Not available Ft N of SL: Not available Ft E of WL: Not available Ft S of NL: Not available

Ground Elevation: 701.0 Depth of Bedrock: Not available

Bedrock Elevation: Not available Aguifer Elevation: 656.0

UTM Northing: 4401386 UTM Easting: 566658.1

Well Log

Тор	Bottom	Formation
0.0	7.0	TOPSOIL & CLAY
7.0	45.0	GRAV

Comments MC 656;

Reference **Driving Direction to Well** Date Completed Number

54087 3602 W. WASHINGTON ST. 5/24/1982

Owner-Name Address Telephone Contractor

Owner Not available Not available Not available Driller HAMILTON BROS, INC. 4025 ROCKVILLE RD., INDPLS, IN. Not available

Operator LESTER HARNESS License Not available

Construction Details

Well Use: Other Drilling Method: Rotary Pump Type: Not available

> Pump Setting Depth: Not Depth: 42.0 Water Quality: Not available

available

Casing Length: 32.0 Material: Not available Diameter: 6.0 Screen Length: 10.0 Material: Not available Diameter: 6.0

Slot Size: 60

Well Capacity

Type of Test: Pumping Test Rate: 70.0 gpm for 1.0 hrs.Bail Test Rate: Not available Test

> Drawdown: 25.0 ft. Static Water Level: 15.0 ft. Bailer Drawdown: Not available

Grouting

Material: Not available Depth: From (not available) To (not available) Information

Installation Method: Not available Number of Bags Used: Not available

Well

Sealing Material: Not available Depth: From (not available) To (not available) Abandonment

Installation Method: Not available Number of Bags Used: Not available

Administrative County: MARION Township: 15N

> Range: 3E Section: SE of the NW of the NE of Section 8

Topo Map: INDIANAPOLIS WEST Grant: Not available

Field Located By: Not available Field Located On: Not available

Courthouse Location By: Not available Courthouse Location On: Not available

Location Accepted w/o Verification By: Not Location Accepted w/o Verification On: Not

available available

Subdivision Name: Not available Lot Number: Not available Ft W of EL: Not available Ft N of SL: Not available Ft E of WL: Not available Ft S of NL: Not available

Ground Elevation: Not available Depth of Bedrock: Not available Bedrock Elevation: Not available Aguifer Elevation: Not available UTM Northing: Not available UTM Easting: Not available

Well Log

Тор	Bottom	Formation
0.0	20.0	TOPSOIL & CLAY
20.0	42.0	GRAV

Comments None

Reference **Driving Direction to Well** 

Date Completed Number

54100 220 S BELMONT. 5/15/1980

Owner-

Name Address Telephone Contractor Owner INDPLS IN Not available FMC CHAIN DIV (LINK BELT)

51255 BITTERSWEET RD, PO BOX 26, Driller PEERLESS-MIDWEST INC GRANGER IN

MIKE GARRAGE License Not available Operator

Construction Details

Well Use: Industry Drilling Method: Rotary Pump Type: Not available

> Pump Setting Depth: Not Depth: 120.0 Water Quality: Not available

Not available

available

Length: 100.0 Material: Not available Diameter: 12.0 Casing Screen Length: 20.0 Material: Not available Diameter: 10.0

Slot Size: .030

Well Capacity

Type of Test: Pumping Test Rate: 798.0 gpm Bail Test Rate: Not available Test

> Drawdown: 19.0 ft. Static Water Level: 31.0 ft. Bailer Drawdown: Not available

Grouting

Material: Not available Depth: From (not available) To (not available) Information

Installation Method: Not available Number of Bags Used: Not available

Well

Sealing Material: Not available Depth: From (not available) To (not available) Abandonment

Installation Method: Not available Number of Bags Used: Not available

Administrative County: MARION Township: 15N

> Range: 3E Section: NE of the SW of the NE of Section 9

Topo Map: INDIANAPOLIS WEST Grant: Not available

Field Located By: RB Field Located On: 7/1/1981

Courthouse Location By: Not available Courthouse Location On: Not available

Location Accepted w/o Verification By: Not Location Accepted w/o Verification On: Not

available available

Subdivision Name: Not available

Lot Number: Not available Ft W of EL: 1.400.0 Ft N of SL: Not available Ft E of WL: Not available Ft S of NL: 1,500.0 Ground Elevation: 702.0 Depth of Bedrock: 121.0 Bedrock Elevation: 581.0 Aguifer Elevation: 581.0

UTM Easting: 568375 UTM Northing: 4401360

Тор	Bottom	Formation
0.0	4.0	FILL
4.0	84.0	S&G W/CLAY STRIP
84.0	121.0	S&G
121.0		SHALE

Comments
MC 581; WELL
#11; DIAGRAM
ATTACHED TO
ORIGINAL
RECORD;
FACITITIES
COORDINATOR
VERIFIED;

Reference Number

**Driving Direction to Well** 

Date Completed

63777

NO INFO PROVIDED

Not available

Owner-

Driller

Contractor Owner

SPEEDWAY MOTEL HAMILTON BROS INC Address Telephone Not available

Not available Not available

Operator

Not available

Name

4025 ROCKVILLE RD License Not available

Construction Details

Well

Use: Not available

Drilling Method: Cable Tool Pump Setting Depth: Not

Pump Type: Not available

Depth: 131.0

available

Water Quality: Not available

Casing

Length: Not available

Material: Not available

Diameter: Not available

Screen

Length: 10.0 Slot Size: 60 Material: Not available

Diameter: 8.0

Well Capacity

Test

Test Rate: 350.0 gpm for 8.0 Type of Test: Pumping hrs.

Bail Test Rate: Not available

Drawdown: Not available

Static Water Level: 55.0 ft.

Bailer Drawdown: Not available

Grouting Information

Material: Not available

Depth: From (not available) To (not available)

Installation Method: Not available Number of Bags Used: Not available

Well

Abandonment

Sealing Material: Not available

Depth: From (not available) To (not available)

Installation Method: Not available Number of Bags Used: Not available

Administrative

County: MARION

Range: 3E

Township: 16N

Section: NW of the NW of the SW of Section 32

Field Located On: Not available

Topo Map: INDIANAPOLIS WEST

Grant: Not available Field Located By: Not available

Courthouse Location By: Not available Courthouse Location On: Not available Location Accepted w/o Verification On:

Location Accepted w/o Verification By: HCK

2/22/1963

Subdivision Name: Not available Lot Number: Not available Ft W of EL: Not available Ft N of SL: Not available Ft E of WL: Not available Ft S of NL: Not available

Ground Elevation: Not available Depth of Bedrock: Not available Bedrock Elevation: Not available Aguifer Elevation: Not available UTM Northing: Not available UTM Easting: Not available

Тор	Bottom	Formation
0.0	28.0	GRAV
28.0	63.0	CLAY
63.0	81.0	SM GRAV
81.0	107.0	CLAY
107.0	117.0	SAND

117.0 | 131.0 | GRAV

Comments None

Reference **Driving Direction to Well** Date Completed Number

4790 W. 16TH STREET, EAST OF MOTOR SPEEDWAY FENCE ON GOLF 63784 5/14/1964

COURSE

Owner-Telephone Name Address Contractor

INDIANAPOLIS MOTOR Owner 4790 W 16TH ST., INDIANAPOLIS IN Not available

**SPEEDWAY** 

1015 EAST 28TH STREET. Driller CLARK DRILLING CO. Not available INDIANAPOLIS IN

License Not available Operator Not available

Construction Details

Well Use: Not available Drilling Method: Cable Tool Pump Type: Not available

> Pump Setting Depth: Not Depth: 120.0 Water Quality: Not available

available

Material: Not available Diameter: 12.0 Casing Length: 93.5 Screen Length: 30.0 Material: Not available Diameter: 12.0

Slot Size: 125

Well Capacity Test Rate: 800.0 gpm for 8.5

Type of Test: Not available Bail Test Rate: Not available Test

> Drawdown: 63.5 ft. Static Water Level: 20.6 ft. Bailer Drawdown: Not available

Grouting Material: Not available Depth: From (not available) To (not available) Information

Installation Method: Not available Number of Bags Used: Not available

Well

Sealing Material: Not available Depth: From (not available) To (not available) Abandonment

Installation Method: Not available Number of Bags Used: Not available

Township: 16N Administrative County: MARION

> Range: 3E Section: NW of Section 32

Topo Map: INDIANAPOLIS WEST Grant: Not available

Field Located By: Not available Field Located On: Not available

Courthouse Location By: Not available Courthouse Location On: Not available

Location Accepted w/o Verification By: Not Location Accepted w/o Verification On: Not

available available

Subdivision Name: Not available Lot Number: Not available Ft W of EL: Not available Ft N of SL: Not available Ft E of WL: Not available Ft S of NL: Not available

Ground Elevation: Not available Depth of Bedrock: Not available Aguifer Elevation: Not available Bedrock Elevation: Not available UTM Easting: Not available UTM Northing: Not available

Тор	Bottom	Formation
0.0	7.0	YEL CLAY
7.0	8.0	FINE SAND

8.0	15.0	YEL CLAY
15.0	17.0	FINE SAND
17.0	25.0	BRN CLAY
25.0	30.0	GRAV
30.0	58.0	BROWN SANDY CLAY
58.0	64.0	DRY GRAVEL
64.0	80.0	BROWN CLAY
80.0	105.0	MUDDY GRAVEL
105.0	120.0	S&G

Comments
WELL LOG
PROCESSED
BY A - U; LOC.
ACCEPTED W/O
VERIFICATION YES

Reference **Driving Direction to Well** Date Completed Number

173681 1500 PALCO STREET 7/13/1990

Owner-Name Address Telephone Contractor

UNION CARLBIDE COATING

1500 PALCO STREET INDPLS IN Not available Owner **SERV** 

Driller HAMILTON BROS INC 4025 ROCKVILLE RD INDPLS IN (000)244-2571

DAVID R HARNESS License: #35 Operator

Construction Details

Well Use: Industry Pump Type: Submersible Drilling Method: Rotary

Depth: 117.0 Pump Setting Depth: 80.0 Water Quality: CLEAR Diameter: 8.0

Material: PVC Length: 107.0 Casing Length: 10.0 Material: SS Diameter: 8.0 Screen

Slot Size: .060

Well Capacity

Type of Test: Bailing Test Rate: 80.0 gpm for 1.0 hrs.Bail Test Rate: Not available Test

> Drawdown: 35.0 ft. Static Water Level: 45.0 ft. Bailer Drawdown: Not available

Grouting

Material: ENVIROPLUG Depth: From 0.0 To 110.0 Information

> Installation Method: TREM Number of Bags Used: 9.0

Well

Sealing Material: Not available Depth: From (not available) To (not available) Abandonment

Installation Method: Not available Number of Bags Used: Not available

Administrative County: MARION Township: 16N

> Range: 3E Section: NE of the SE of Section 31

Topo Map: INDIANAPOLIS WEST Grant: Not available

Field Located By: Not available Field Located On: Not available

Courthouse Location By: Not available Courthouse Location On: Not available

Location Accepted w/o Verification By: Not Location Accepted w/o Verification On: Not

available available

Subdivision Name: Not available Lot Number: Not available Ft W of EL: Not available Ft N of SL: Not available Ft E of WL: Not available Ft S of NL: Not available

Ground Elevation: Not available Depth of Bedrock: Not available Bedrock Elevation: Not available Aguifer Elevation: Not available UTM Northing: Not available UTM Easting: Not available

Well Log

Тор	Bottom	Formation
0.0	110.0	TOP SOIL & CLAY
110.0	117.0	GRAVEL

Comments None

Reference Number

**Driving Direction to Well** 

Date Completed

173686

Not available

5/25/1972

Owner-

Name Contractor Owner SPEEDWAY HOLIDAY INN Driller HAMILTON BROS

Address Telephone

4665 W 16TH ST Not available Not available Not available

Operator TERRY HAMILTON License Not available

Construction Details

Well Use: Industry Drilling Method: Rotary Pump Setting Depth: Not Pump Type: Not available

Depth: 125.0

available

Water Quality: Not available

Casing Screen Length: Not available Length: 10.0 Slot Size: 60

Material: Not available Material: Not available Diameter: 6.0 Diameter: 6.0

Well Capacity

Test

Type of Test: Pumping hrs.

Test Rate: 125.0 gpm for 10.0

Bail Test Rate: Not available

Drawdown: 30.0 ft.

Static Water Level: 65.0 ft.

Bailer Drawdown: Not available

Grouting Information

Material: Not available

Depth: From (not available) To (not available)

Installation Method: Not available Number of Bags Used: Not available

Well

Abandonment

Sealing Material: Not available Depth: From (not available) To (not available)

Installation Method: Not available Number of Bags Used: Not available

Administrative

County: MARION

Range: 3E

Township: 16N

Section: NW of the NE of the SW of Section 31

Topo Map: INDIANAPOLIS WEST Grant: Not available

Field Located By: Not available Field Located On: Not available

Courthouse Location By: Not available Courthouse Location On: Not available

Location Accepted w/o Verification By: Location Accepted w/o Verification On: Not

MANAGER VER available

Subdivision Name: Not available Lot Number: Not available

Ft W of EL: Not available Ft N of SL: 2.300.0 Ft E of WL: 200.0 Ft S of NL: Not available

Ground Elevation: 720.0 Depth of Bedrock: Not available

Bedrock Elevation: Not available Aguifer Elevation: 595.0 UTM Northing: 4404143 UTM Easting: 565458

Well Log

Тор	Bottom	Formation
0.0	50.0	CLAY
50.0	55.0	SAND
55.0	106.0	CLAY
106.0	125.0	SAND

Comments

None			

Reference

**Driving Direction to Well** Number

Date Completed

9/25/1959

Bail Test Rate: Not available

173691 HOLIDAY MOTEL CROSS FROM SPEEDWAY

Owner-

Name Address Telephone Contractor Owner **BAKER AND MCHENRY 421 W ELEVENTH** Not available Driller HAMILTON BROS Not available Not available

Operator **BOB EDWARDS** License Not available

Construction Details

Well Use: Not available Pump Type: Not available Drilling Method: Cable Tool

Pump Setting Depth: Not Depth: 127.0 Water Quality: Not available

available

Casing Length: Not available Material: Not available Diameter: 8.0

Screen Length: 15.0 Material: Not available Diameter: 8.0 Slot Size: 60

Well Capacity

Test

Test Rate: 300.0 gpm for 8.0 Type of Test: Pumping

Static Water Level: Not Drawdown: Not available Bailer Drawdown: Not available

available

Grouting

Material: Not available Depth: From (not available) To (not available) Information

Installation Method: Not available Number of Bags Used: Not available

Well

Sealing Material: Not available Depth: From (not available) To (not available) Abandonment

Installation Method: Not available Number of Bags Used: Not available

Administrative County: MARION Township: 16N

> Section: NE of the NE of the SE of Section 31 Range: 3E

Topo Map: INDIANAPOLIS WEST Grant: Not available

Field Located By: HCK Field Located On: 1/1/1960

Courthouse Location By: Not available Courthouse Location On: Not available

Location Accepted w/o Verification By: Not Location Accepted w/o Verification On: Not

available available

Subdivision Name: Not available Lot Number: Not available Ft W of EL: Not available Ft N of SL: Not available Ft E of WL: Not available Ft S of NL: Not available

Ground Elevation: 727.0 Depth of Bedrock: Not available Bedrock Elevation: Not available Aquifer Elevation: Not available UTM Easting: Not available UTM Northing: Not available

Тор	Bottom	Formation
0.0	12.0	CLAY
12.0	24.0	S&G
24.0	34.0	CLAY
34.0	40.0	S. CLAY

40.0	49.0	CLAY
49.0	50.0	SAND
50.0	112.0	CLAY
112.0	127.0	GRAVEL

Comments WELL LOG PROCESSED BY HCK - 11/59;

Reference
Number

Driving Direction to Well

Date Completed

173756 PERMANENT #5 AT SITE OF #27 TEST WELL 750' S OF C/L OF 16TH ST 10/28/1944

OwnerName Address Telephone

Contractor

Owner SPEEDWAY WATER Not available

Driller LAYNE NORTHERN Not available

Not available

Not available

Operator JOHN MILLER License Not available

Construction Details

Well Use: Public Supply Drilling Method: Not available Pump Type: Not available

Depth: 119.5 Pump Setting Depth: Not Water Quality: Not available

available

Casing Length: 50.0 Material: Not available Diameter: 50.0 Screen Length: 25.0 Material: Not available Diameter: 18.0

Slot Size: #6

Well Capacity

Test Type of Test: Not available Test Rate: 600.0 gpm Bail Test Rate: Not available

Drawdown: 31.0 ft. Static Water Level: 14.0 ft. Bailer Drawdown: Not available

Grouting Information

Material: Not available Depth: From (not available) To (not available)

Installation Method: Not available Number of Bags Used: Not available

Well

Abandonment Sealing Material: Not available Depth: From (not available) To (not available)

Installation Method: Not available Number of Bags Used: Not available

Administrative County: MARION Township: 16N

Range: 3E Section: SW of the NE of the SW of Section 32

Topo Map: INDIANAPOLIS WEST Grant: Not available

Field Located By: Not available Field Located On: Not available

Courthouse Location By: Not available Courthouse Location On: Not available

Location Accepted w/o Verification By: Not Location Accepted w/o Verification On: Not

available

available

Subdivision Name: Not available Lot Number: Not available

Ft W of EL: Not available Ft N of SL: 1,900.0 Ft E of WL: 1,500.0 Ft S of NL: Not available

Ground Elevation: 718.0 Depth of Bedrock: Not available

Bedrock Elevation: Not available Aquifer Elevation: 598.0 UTM Easting: 565980 UTM Northing: 4404040

Well Log Comments (WELL DIAGRAM AVAILABLE)

Reference Number

Driving Direction to Well

Date Completed

180334

4048 W. VERMONT

7/26/1975

Owner-

Driller

Contractor
Owner

Name

HAROLD STELZNER

Address Telephone

Not available PO BOX 24181 INDPLS,IN.

Not available

Operator

HAMILTON BROS, INC. ED RANDOLPH

License Not available

Not available

Construction Details

Well Use: Home

Drilling Method: Rotary
Pump Setting Depth: Not

Pump Type: Not available

Depth: 58.0

available

Water Quality: Not available

Casing Length: 56.0 Screen Length: 2.0

Material: Not available Material: Not available

Diameter: 8.0 Diameter: 8.0

Slot Size: .060

Well Capacity

Test

Type of Test: Pumping

Test Rate: 75.0 gpm for 1.0 hrs.Bail Test Rate: Not available

Static Water Level: Not

Bailer Drawdown: Not available

Drawdown: Not available

available

Grouting

Information

Material: Not available

Depth: From (not available) To (not available)

Installation Method: Not available Number of Bags Used: Not available

Well

Abandonment

Sealing Material: Not available Depth: From (not available) To (not available)

Installation Method: Not available Number of Bags Used: Not available

Administrative

County: MARION

Township: 15N Section: 6

Range: 3E

Topo Map: INDIANAPOLIS WEST Grant: Not available

Field Located By: Not available

Field Located On: Not available

Courthouse Location By: Not available

Courthouse Location On: Not available

Location Accepted w/o Verification By:

Location Accepted w/o Verification On:

**BRUNS** 

2/3/1976 Lot Number: Not available

Subdivision Name: Not available Ft W of FL: Not available

Ft N of SL: Not available

Ft E of WL: Not available

UTM Easting: Not available

Ft S of NL: Not available

Ground Elevation: Not available Bedrock Elevation: Not available

Depth of Bedrock: Not available Aquifer Elevation: Not available UTM Northing: Not available

Well Log

	Гор	Bottom	Formation
(	).0	10.0	TOPSOIL & CLAY
1	10.0	58.0	GRAV

Comments None

Reference Number

**Driving Direction to Well** 

Date Completed

180378

Not available

5/10/1962

Owner-

Contractor Owner **CARL RISTOW** Driller HAMILTON BROS, INC.

Name

Address Telephone

4500 W. VERMONT ST. 4025 ROCKVILLE RD. INDPLS,IN.

Not available Not available

Operator

EDMOND RANDOLPH

License Not available

Construction Details

Well Use: Not available Drilling Method: Cable Tool Pump Setting Depth: Not

Pump Type: Not available

Depth: 35.0

available

Water Quality: Not available

Casing Screen Length: 22.0 Length: 14.9 Slot Size: .010 Material: Not available Material: Not available Diameter: 8.5 Diameter: 7.5

Well Capacity

Type of Test: Pumping Test

Test Rate: 150.0 gpm for 2.0

Bail Test Rate: Not available

Drawdown: 20.0 ft.

Static Water Level: 6.0 ft.

Bailer Drawdown: Not available

Grouting

Material: Not available Information

Depth: From (not available) To (not available)

Installation Method: Not available Number of Bags Used: Not available

hrs.

Well

Abandonment

Sealing Material: Not available Depth: From (not available) To (not available)

Installation Method: Not available Number of Bags Used: Not available

Administrative

County: MARION Range: 3E

Township: 15N

Section: NW of the NE of the SE of Section 6

Topo Map: INDIANAPOLIS WEST

Grant: Not available

Field Located By: DRH Field Located On: 8/31/1970

Courthouse Location By: Not available Courthouse Location On: Not available Location Accepted w/o Verification On: Not

Location Accepted w/o Verification By: Not

available

available

Subdivision Name: Not available Lot Number: Not available Ft W of EL: 875.0 Ft N of SL: 2.250.0 Ft E of WL: Not available Ft S of NL: Not available

Ground Elevation: 710.0 Depth of Bedrock: Not available

Bedrock Elevation: Not available Aguifer Elevation: 675.0

UTM Northing: 4402468 UTM Easting: 565305

Well Log

Тор	Bottom	Formation
0.0	2.0	TOPSOIL
2.0	15.0	YEL SAND
15.0	35.0	S & G
35.0		CLAY

Comments

Reference Number

**Driving Direction to Well** 

Date Completed

180383

Not available

6/27/1966

Owner-

Contractor Owner HAROLD SEITZNER Driller HAMILTON BROS, INC.

Name

Address Telephone

> Not available Not available

Operator

Not available

License Not available

4700W VERMONT

4025 ROCKVILLE RD..

Construction Details

Well Use: Irrigation

Drilling Method: Cable Tool Pump Setting Depth: Not

Pump Type: Not available

Depth: 57.0

available

Water Quality: Not available

Casing Screen Length: 47.0 Length: 11.0 Slot Size: 60 Material: Not available Material: Not available Diameter: 8.0 Diameter: 7.9

Well Capacity

Test

Test Rate: 200.0 gpm for 6.0 Type of Test: Pumping

hrs.

Bail Test Rate: Not available

Drawdown: 35.0 ft.

Static Water Level: 6.0 ft.

Bailer Drawdown: Not available

Grouting Information

Material: Not available

Depth: From (not available) To (not available)

Installation Method: Not available Number of Bags Used: Not available

Well

Abandonment

Sealing Material: Not available Depth: From (not available) To (not available)

Installation Method: Not available Number of Bags Used: Not available

Administrative

County: MARION

Township: 15N Range: 3E Section: NE of the SE of the NW of Section 6

Topo Map: INDIANAPOLIS WEST Grant: Not available

Field Located By: Not available Field Located On: Not available

Courthouse Location By: Not available Courthouse Location On: Not available

Location Accepted w/o Verification By: Not Location Accepted w/o Verification On: Not

available

available

Subdivision Name: Not available Lot Number: Not available

Ft W of EL: 3.250.0 Ft N of SL: 3.750.0 Ft E of WL: Not available Ft S of NL: Not available

Ground Elevation: 715.0 Depth of Bedrock: Not available

Bedrock Elevation: Not available Aguifer Elevation: 658.0 UTM Northing: 4402804.5

UTM Easting: 564587.9

Тор	Bottom	Formation
0.0	6.0	TOPSOIL
6.0	10.0	CLAY ROCKY
10.0	32.0	CLAY
32.0	41.0	S & G
41.0	45.0	CLAY

45.0 | 57.0 | S & G

Comments MC;

Reference

**Driving Direction to Well** Date Completed Number

180388 Not available Not available

Owner-

Name Address Telephone Contractor Owner **RISTOW** 4910 ROCKVILLE RD Not available Driller Not available Not available Not available

Operator **ROBT EDWARDS** License Not available

Construction Details

Well Use: Home Drilling Method: Cable Tool Pump Type: Not available

Pump Setting Depth: Not Depth: 89.0 Water Quality: Not available

available

Casing Length: Not available Material: Not available Diameter: 8.0

Screen Length: 11.0 Material: Not available Diameter: Not available

Slot Size: 70#

Well Capacity

Type of Test: Pumping Bail Test Rate: Not available Test Rate: 200.0 gpm Test

> Static Water Level: Not Drawdown: 66.0 ft. Bailer Drawdown: Not available

available

Grouting

Material: Not available Depth: From (not available) To (not available) Information

Installation Method: Not available Number of Bags Used: Not available

Well

Sealing Material: Not available Depth: From (not available) To (not available) Abandonment

Installation Method: Not available Number of Bags Used: Not available

Administrative County: MARION Township: 15N

> Section: SE of the SE of the SE of Section 6 Range: 3E

Topo Map: INDIANAPOLIS WEST Grant: Not available

Field Located By: Not available Field Located On: Not available

Courthouse Location By: Not available Courthouse Location On: Not available

Location Accepted w/o Verification By: Not Location Accepted w/o Verification On: Not

available available

Subdivision Name: Not available Lot Number: Not available Ft W of EL: Not available Ft N of SL: Not available Ft E of WL: Not available Ft S of NL: Not available

Ground Elevation: Not available Depth of Bedrock: Not available Bedrock Elevation: Not available Aquifer Elevation: Not available UTM Easting: Not available UTM Northing: Not available

Тор	Bottom	Formation
0.0	10.0	CLAY
10.0	20.0	SANDY CLAY
20.0	76.0	CLAY
76.0	89.0	SAND GRAV

Comments None

Reference

**Driving Direction to Well** Date Completed Number

180393 Not available 8/20/1965

Owner-

Name Address Telephone Contractor 104 N. ROENA Owner **ED RISTOW** Not available Driller H.B. Not available Not available

Operator LARRY HAMILTON License Not available

Construction Details

Well Use: Industry Drilling Method: Cable Tool Pump Type: Not available

> Pump Setting Depth: Not Depth: 53.0 Water Quality: Not available

available

Casing Length: 43.0 Material: Not available Diameter: 8.0 Screen Length: 10.0 Material: Not available Diameter: 7.9

Slot Size: 60

Well Capacity

Test Rate: 250.0 gpm for 8.0 Type of Test: Pumping Bail Test Rate: Not available Test hrs.

> Drawdown: 20.0 ft. Static Water Level: 20.0 ft. Bailer Drawdown: Not available

Grouting

Material: Not available Depth: From (not available) To (not available) Information

Installation Method: Not available Number of Bags Used: Not available

Well

Sealing Material: Not available Depth: From (not available) To (not available) Abandonment

Installation Method: Not available Number of Bags Used: Not available

Administrative County: MARION Township: 15N

> Range: 3E Section: NE of the SE of the SE of Section 6

Topo Map: INDIANAPOLIS WEST Grant: Not available

Field Located By: DRH Field Located On: 8/31/1970

Courthouse Location By: Not available Courthouse Location On: Not available Location Accepted w/o Verification On: Location Accepted w/o Verification By: U

10/1/1965

Subdivision Name: Not available Lot Number: Not available

Ft W of EL: 350.0 Ft N of SL: 900.0

Ft E of WL: Not available Ft S of NL: Not available

Ground Elevation: 710.0 Depth of Bedrock: Not available

Bedrock Elevation: Not available Aguifer Elevation: 657.0 UTM Northing: 4401974 UTM Easting: 565477.8

Тор	Bottom	Formation
0.0	7.0	TOPSOIL
7.0	9.0	SAND
9.0	23.0	CLAY
23.0	30.0	SAND
30.0	32.0	CLAY

32.0 |53.0 |S & G

Comments None

Reference **Driving Direction to Well** Number

Date Completed

180450 #2 WELL UNDER TANK 8/1/1939

Owner-

Name Address Telephone Contractor Owner LINK BELT CO. 220 S BELMONT, INDPLS. Not available Driller Not available Not available Not available

Operator **KRAUSS** License Not available

Construction Details

Well Use: Industry Drilling Method: Not available Pump Type: Not available

> Pump Setting Depth: Not Depth: 438.0 Water Quality: Not available

available

Casing Length: Not available Material: Not available Diameter: 12.0

Screen Length: 12.0 Material: Not available Diameter: Not available

Slot Size: Not available

Well Capacity

Type of Test: Pumping Bail Test Rate: Not available Test Rate: 537.0 gpm Test

> Drawdown: 24.0 ft. Static Water Level: 26.0 ft. Bailer Drawdown: Not available

Grouting

Material: Not available Depth: From (not available) To (not available) Information

Installation Method: Not available Number of Bags Used: Not available

Well

Sealing Material: Not available Depth: From (not available) To (not available) Abandonment

Installation Method: Not available Number of Bags Used: Not available

Administrative Township: 15N County: MARION

> Range: 3E Section: 9

Topo Map: INDIANAPOLIS WEST Grant: Not available

Field Located By: Not available Field Located On: Not available

Courthouse Location By: Not available Courthouse Location On: Not available

Location Accepted w/o Verification By: Not Location Accepted w/o Verification On: Not

available available

Subdivision Name: Not available Lot Number: Not available Ft W of EL: Not available Ft N of SL: Not available Ft E of WL: Not available Ft S of NL: Not available

Ground Elevation: Not available Depth of Bedrock: Not available Bedrock Elevation: Not available Aguifer Elevation: Not available UTM Northing: Not available UTM Easting: Not available

Тор	Bottom	Formation
0.0	4.0	SOIL
4.0	20.0	GRAV
20.0	48.0	CLAY
48.0	68.0	MUCK GRAV
68.0	114.0	CLAY

114.0	126.0	GRAV
126.0	438.0	LS

Comments WHEMICAL DATA ON ORIGINAL RECORD

Reference Number

**Driving Direction to Well** 

Date Completed

180575

Not available

Not available

Owner-

Name Contractor Owner

IND. CENTRAL STATE HOSPITAL TIBBS & WASH.

Not available

**KRAUSS** 

Not available

Address

Not available

Telephone

Driller Operator

Not available

License Not available

Construction Details

Well

Use: Industry

Drilling Method: Not available Pump Type: Not available Pump Setting Depth: Not

Depth: 360.0

available

Water Quality: Not available

Casing Screen Length: Not available Length: Not available Material: Not available Material: Not available

Diameter: Not available

Diameter: 12.0

Slot Size: Not available

Well Capacity

Test

Type of Test: Not available

Test Rate: 300.0 gpm

Bail Test Rate: Not available

Drawdown: Not available

Static Water Level: 28.5 ft.

Bailer Drawdown: Not available

Grouting Information

Material: Not available

Depth: From (not available) To (not available)

Installation Method: Not available Number of Bags Used: Not available

Well

Abandonment

Sealing Material: Not available

Depth: From (not available) To (not available)

Installation Method: Not available Number of Bags Used: Not available

Administrative

County: MARION

Range: 3E

Township: 15N Section: SW of Section 4

Topo Map: INDIANAPOLIS WEST

Grant: Not available

Field Located By: Not available

Field Located On: Not available

Courthouse Location By: Not available

Courthouse Location On: Not available

Location Accepted w/o Verification By: Not

Location Accepted w/o Verification On: Not available

available

Subdivision Name: Not available Lot Number: Not available Ft W of EL: Not available Ft N of SL: Not available Ft E of WL: Not available

Ground Elevation: Not available Bedrock Elevation: Not available UTM Easting: Not available

Ft S of NL: Not available Depth of Bedrock: Not available Aguifer Elevation: Not available UTM Northing: Not available

Reference Number

**Driving Direction to Well** 

Date Completed

180660

Not available

Not available

Owner-

Contractor Owner

IND. CENTRAL STATE HOSPITAL TIBBS & WASH.

Address

Not available

Telephone

Driller Operator **KRAUSS** Not available

Name

Not available License Not available Not available

Construction Details

Well

Use: Industry

Drilling Method: Not available Pump Type: Not available

Depth: Not available

Pump Setting Depth: Not available

Water Quality: Not available

Casing Screen Length: Not available Length: Not available Material: Not available Material: Not available Diameter: Not available Diameter: Not available

Slot Size: Not available

Well Capacity

Test

Type of Test: Not available

Test Rate: 100.0 gpm

Bail Test Rate: Not available

Drawdown: Not available

Static Water Level: Not

available

Bailer Drawdown: Not available

Grouting

Information

Material: Not available

Depth: From (not available) To (not available)

Installation Method: Not available Number of Bags Used: Not available

Well

Abandonment

Sealing Material: Not available Depth: From (not available) To (not available)

Installation Method: Not available Number of Bags Used: Not available

Administrative

County: MARION

Range: 3E

Topo Map: INDIANAPOLIS WEST Grant: Not available

Township: 15N

Section: 4

Field Located By: Not available

Field Located On: Not available

Courthouse Location By: Not available Location Accepted w/o Verification By: Not

Courthouse Location On: Not available Location Accepted w/o Verification On: Not

available

available

Subdivision Name: Not available

Lot Number: Not available Ft N of SL: Not available

Ft W of EL: Not available

Ft S of NL: Not available

Ft E of WL: Not available Ground Elevation: Not available

Depth of Bedrock: Not available Aquifer Elevation: Not available UTM Northing: Not available

Bedrock Elevation: Not available UTM Easting: Not available

Well Log Comments ADDITIONAL **PUMPING INFORMATION** ON ORIGINAL

Reference Number

**Driving Direction to Well** 

Date Completed

180665

Not available

Not available

Owner-

Name Contractor Owner IND. CENTRAL STATE HOSPITAL TIBBS & WASH. Driller

Address

Telephone Not available

Operator

Not available Not available

Not available License Not available Not available

Construction Details

Well Use: Industry

Pump Setting Depth: Not

Drilling Method: Not available Pump Type: Not available

Depth: 60.0

available

Water Quality: Not available

Casing

Length: Not available

Material: Not available

Diameter: 14.0

Screen Length: Not available Slot Size: Not available Material: Not available

Diameter: Not available

Well Capacity

Test

Type of Test: Not available

Test Rate: 400.0 gpm

Bail Test Rate: Not available

Drawdown: Not available

Static Water Level: 29.2 ft.

Bailer Drawdown: Not available

Grouting Information

Material: Not available

Depth: From (not available) To (not available)

Installation Method: Not available Number of Bags Used: Not available

Well

Abandonment

Sealing Material: Not available

Depth: From (not available) To (not available)

Installation Method: Not available Number of Bags Used: Not available

Administrative

County: MARION

Range: 3E

Township: 15N Section: SW of Section 4

Topo Map: INDIANAPOLIS WEST Grant: Not available

Field Located By: Not available

Field Located On: Not available Courthouse Location By: Not available

Location Accepted w/o Verification By: Not

available

Courthouse Location On: Not available

Location Accepted w/o Verification On: Not

available

Subdivision Name: Not available

Lot Number: Not available

Ft W of EL: Not available Ft E of WL: Not available Ft N of SL: Not available Ft S of NL: Not available

Ground Elevation: Not available Bedrock Elevation: Not available UTM Easting: Not available

Depth of Bedrock: Not available Aguifer Elevation: Not available UTM Northing: Not available

Well Log Comments ADDITIONAL PUMPING **INFORMATION** ON ORIGINAL

Reference Number

**Driving Direction to Well** 

Date Completed

180670

Not available

Not available

Owner-

Name Contractor Owner

IND. CENTRAL STATE HOSPITAL TIBBS & WASH.

Not available

Address

Not available Not available

Telephone

Driller Operator Not available Not available

License Not available

Construction Details

Well

Use: Industry

Pump Setting Depth: Not

Drilling Method: Not available Pump Type: Not available

Depth: 60.0

available

available

Water Quality: Not available

Casing

Length: Not available

Material: Not available

Diameter: 10.0

Screen

Length: Not available

Material: Not available

Diameter: Not available

Slot Size: Not available

Well Capacity

Test

Type of Test: Not available

Test Rate: 300.0 gpm

Bail Test Rate: Not available

Drawdown: Not available

Static Water Level: Not

Bailer Drawdown: Not available

Grouting

Information

Material: Not available

Depth: From (not available) To (not available)

Installation Method: Not available Number of Bags Used: Not available

Well

Abandonment

Sealing Material: Not available

Depth: From (not available) To (not available)

Installation Method: Not available Number of Bags Used: Not available

Administrative

County: MARION

Range: 3E

Topo Map: INDIANAPOLIS WEST Grant: Not available

Field Located By: Not available Courthouse Location By: Not available Courthouse Location On: Not available

Location Accepted w/o Verification By: Not

available

Subdivision Name: Not available

Ft W of EL: Not available Ft E of WL: Not available

Ground Elevation: Not available Bedrock Elevation: Not available UTM Easting: Not available

Township: 15N Section: 4

Field Located On: Not available

Location Accepted w/o Verification On: Not

available

Lot Number: Not available Ft N of SL: Not available Ft S of NL: Not available

Depth of Bedrock: Not available Aquifer Elevation: Not available UTM Northing: Not available

Reference Number

**Driving Direction to Well** 

Date Completed

180675

SPEEDWAY CITY, INDPLS. #2

1/1/1941

Owner-

Name Contractor

Address

Telephone

Owner Driller

IND. CENTRAL STATE HOSPITAL FARM COLONY, N. TIBBS AVE. CHAS. KRAUSS

Not available

Operator

**INDPLS** 

Not available

Not available

License Not available

Construction Details

Well

Use: Other

Pump Setting Depth: Not

Drilling Method: Not available Pump Type: Not available

Depth: 100.0

available

Water Quality: Not available

Casing

Length: Not available

Material: Not available

Diameter: 12.0

Screen

Length: Not available

Material: Not available

Diameter: Not available

Slot Size: Not available

Well Capacity

Test

Type of Test: Not available

Test Rate: 300.0 gpm

Bail Test Rate: Not available

Drawdown: Not available

Static Water Level: Not

Bailer Drawdown: Not available

Grouting

Information

Material: Not available

Depth: From (not available) To (not available)

Installation Method: Not available Number of Bags Used: Not available

Well

Abandonment

Sealing Material: Not available Depth: From (not available) To (not available)

available

Installation Method: Not available Number of Bags Used: Not available

Administrative

County: MARION

Range: 3E

Topo Map: INDIANAPOLIS WEST

Field Located By: Not available

Courthouse Location By: Not available

Location Accepted w/o Verification By: Not

available

Subdivision Name: Not available

Ft W of EL: Not available Ft E of WL: Not available

Ground Elevation: Not available Bedrock Elevation: Not available

UTM Easting: Not available

Township: 15N Section: 4

Grant: Not available

Field Located On: Not available

Courthouse Location On: Not available

Location Accepted w/o Verification On: Not

available

Lot Number: Not available Ft N of SL: Not available Ft S of NL: Not available

Depth of Bedrock: Not available Aquifer Elevation: Not available UTM Northing: Not available

Reference **Driving Direction to Well** Number

180680 Not available 11/24/1944

Owner-

Name Address Telephone Contractor

NATL.MALLEABLE&STEEL Owner

546 N. HOLMES, INDPLS. Not available **CASTINGS** 

Driller LAYNE-NORTHERN CO.INC MISHAWAKA, IN. Not available

License Not available Operator Not available

Construction Details

Well Use: Not available Drilling Method: Not available Pump Type: Not available

> Pump Setting Depth: Not Depth: 94.0 Water Quality: Not available

Date Completed

available

Material: Not available Diameter: 30.0 Casing Length: 49.0 Screen Length: 15.0 Material: Not available Diameter: 12.0

Slot Size: 6

Well Capacity

Type of Test: Pumping Test Rate: 600.0 gpm Bail Test Rate: Not available Test

> Drawdown: 14.0 ft. Static Water Level: 22.0 ft. Bailer Drawdown: Not available

Grouting

Material: Not available Depth: From (not available) To (not available) Information

Installation Method: Not available Number of Bags Used: Not available

Well

Sealing Material: Not available Depth: From (not available) To (not available) Abandonment

Installation Method: Not available Number of Bags Used: Not available

Administrative County: MARION Township: 15N

> Section: NW of the SW of the NE of Section 4 Range: 3E

Topo Map: INDIANAPOLIS WEST Grant: Not available

Field Located By: Not available Field Located On: Not available

Courthouse Location By: Not available Courthouse Location On: Not available

Location Accepted w/o Verification By: Not Location Accepted w/o Verification On: Not

Lot Number: Not available

available available

Subdivision Name: Not available

Ft W of EL: Not available Ft N of SL: Not available Ft E of WL: Not available Ft S of NL: Not available

Ground Elevation: Not available Depth of Bedrock: Not available Bedrock Elevation: Not available Aguifer Elevation: Not available

UTM Easting: Not available UTM Northing: Not available

Reference **Driving Direction to Well** 

Date Completed Number

180685 Not available 11/20/1951

Owner-

Name Address Telephone Contractor

NATL.MALLEABLE&STEEL Owner

546 N. HOLMES INDPLS. Not available CASING CO

Not available

Driller LAYNE-NORTHERN CO.INC

MISHAWAKA, IN. License Not available

J.MILLER & D. SMITH Operator

Construction Details

Well Use: Not available Drilling Method: Not available Pump Type: Not available

> Pump Setting Depth: Not Depth: 106.0

Water Quality: Not available available

Material: Not available Diameter: 30.0 Casing Length: 65.5 Screen Length: 20.0 Material: Not available Diameter: 12.0

Slot Size: 6

Well Capacity

Type of Test: Pumping Test Rate: 576.0 gpm Bail Test Rate: Not available Test

> Drawdown: 10.5 ft. Bailer Drawdown: Not available Static Water Level: 23.0 ft.

Grouting

Material: Not available Depth: From (not available) To (not available) Information

Installation Method: Not available Number of Bags Used: Not available

Well

Sealing Material: Not available Depth: From (not available) To (not available) Abandonment

Installation Method: Not available Number of Bags Used: Not available

Administrative County: MARION Township: 15N

> Range: 3E Section: NW of the SW of the NE of Section 4

Topo Map: INDIANAPOLIS WEST Grant: Not available

Field Located By: Not available Field Located On: Not available

Courthouse Location By: Not available Courthouse Location On: Not available Location Accepted w/o Verification By: Not Location Accepted w/o Verification On: Not

available

available

Subdivision Name: Not available Lot Number: Not available Ft W of EL: Not available

Ft N of SL: Not available Ft E of WL: Not available Ft S of NL: Not available

Ground Elevation: Not available Depth of Bedrock: Not available Aquifer Elevation: Not available Bedrock Elevation: Not available UTM Easting: Not available UTM Northing: Not available

Well Log Comments LOCATED 100' S. & 10 ' W. OF WATER TOWER ; WELL #2;

Reference
Number

Driving Direction to Well

Date Completed

183216 APPROX 50' S OF ABANDONED WELL #14. 9/19/1972

Owner-Contractor Name Address Telephone

Owner PT COMPONENTS LINK BELTS INDPLS IN Not available

DIV INDI ES IN NOT available

Driller PEERLESS-MIDWEST INC 51255 BITTERSWEET RD, PO BOX 26, GRANGER IN Not available

Operator Not available License Not available

Construction Details

Well Use: Not available Drilling Method: Not available Pump Type: Not available

Depth: 112.0 Pump Setting Depth: Not Water Quality: Not available

available

Casing Length: Not available Material: Not available Diameter: 18.0 Screen Length: 18.0 Material: Not available Diameter: 12.0

Slot Size: .050

Well Capacity Turns of

Test Type of Test: Pumping Test Rate: 1,001.0 gpm Bail Test Rate: Not available

Drawdown: Not available Static Water Level: 42.0 ft. Bailer Drawdown: Not available

Grouting Information Material: Not available Depth: From (not available) To (not available)

Installation Method: Not available Number of Bags Used: Not available

Well

Abandonment Sealing Material: Not available Depth: From (not available) To (not available)

Installation Method: Not available Number of Bags Used: Not available

Administrative County: MARION Township: 15N

Range: 3E Section: NE of Section 9
Topo Map: INDIANAPOLIS WEST Grant: Not available

Field Located By: Not available Field Located On: Not available

Courthouse Location By: Not available Courthouse Location On: Not available

Location Accepted w/o Verification By: Not Location Accepted w/o Verification On: Not

available available

Subdivision Name: Not available

Ft W of EL: Not available

Ft N of SL: Not available

Ft E of WL: Not available

Ft S of NL: Not available

Ground Elevation: Not available

Bedrock Elevation: Not available

UTM Easting: Not available

UTM Northing: Not available

Тор	Bottom	Formation	
0.0	5.0	TOPSOIL OR FILL	
5.0	63.0	CRS S7G	
63.0	73.0	GRAY CLAY	

73.0	100.0	CRS S&G
100.0	112.0	CRS TO MD S&G

Comments WELL #9; DIAGRAM ATTACHED TO ORIGINAL RECORD;

Address

Not available

Reference Number

**Driving Direction to Well** 

Date Completed

183221

BELMONT ST PLANT.

11/5/1974

Owner-

Contractor Owner FMC LINK-BELT CHAIN DIV

Name

Telephone

Driller

LAYNE NORTHERN

MISHAWAKA IN

Not available Not available

Operator WILLIAM WELLS License Not available

Construction Details

Well

Use: Not available

Pump Setting Depth: Not

Drilling Method: Not available Pump Type: Not available

Depth: 123.0

available

Water Quality: Not available

Casing Screen Length: 100.0 Length: 13.0 Slot Size: #4

Material: Not available Material: Not available Diameter: 18.0 Diameter: 18.0

Well Capacity

Test

Type of Test: Pumping

Test Rate: 935.0 gpm for 4.0

Bail Test Rate: Not available

Drawdown: Not available

Static Water Level: 33.0 ft.

Bailer Drawdown: Not available

Grouting Information

Material: Not available

Depth: From (not available) To (not available)

Installation Method: Not available Number of Bags Used: Not available

hrs.

Well

Abandonment

Sealing Material: Not available

Depth: From (not available) To (not available)

Installation Method: Not available Number of Bags Used: Not available

Administrative

County: MARION

Township: 15N

Range: 3E Section: NE of the SW of the NE of Section 9

Topo Map: INDIANAPOLIS WEST

Grant: Not available

Field Located By: WDH

Field Located On: 7/26/1976 Courthouse Location On: Not available

Courthouse Location By: Not available Location Accepted w/o Verification By: Not Location Accepted w/o Verification On: Not

available

available

Subdivision Name: Not available Lot Number: Not available Ft W of EL: 1.400.0 Ft N of SL: Not available

Ft E of WL: Not available Ft S of NL: 1.500.0 Depth of Bedrock: Not available Ground Elevation: 700.0

Bedrock Elevation: Not available Aguifer Elevation: 577.0

UTM Easting: 568382.9 UTM Northing: 4401362

Тор	Bottom	Formation
0.0	1.0	CRUSHED STONE LOT FILL
1.0	8.0	BR CLAY SANDY
8.0	17.0	YEL CLAY BOULDERS
17.0	25.0	CRS S&G
25.0	45.0	CRS BLUE GRAV

45.0	58.0	CRS S&G & BOULDERS
58.0	60.0	BLUE CLAY
60.0	75.0	CRS S&G
75.0	85.0	MD S&G
85.0	87.0	BLUE CLAY
87.0	95.0	FN S&G
95.0	103.0	MD S&G
103.0	105.0	GRAY CLAY
105.0	111.0	FN SAND
111.0	123.0	MD S&G

Comments
MC;WELL
#10;DIAGRAM
ATTACHED TO
ORIGINAL
RECORD;VERIFICATION
BY EMPLOYEE
OF 10 WELLS
ONLY #6,8,9&10
STILL IN
OPERATION;CASING
EXTENDS 3'
ABOVE
GROUND;

Reference Number

Driving Direction to Well

Date Completed

183246

560 S HARRIS

7/17/1974

Owner-

Contractor
Owner

OXIDE & CHEMICAL

Address

Not available

Telephone

Driller HAMILTON BROS INC.

4025 ROCKVILLE RD License Not available Not available Not available

Operator

ED RANDOLPH

ED IVANDOLI II

Construction Details

Well Use: Industry

e: Industry Drilling Method: Cable Tool
Pump Setting Depth: Not

Pump Type: Not available

Depth: 56.0

available

Water Quality: Not available

Casing Screen

Length: Not available Length: 19.0

Material: Not available Material: Not available

Diameter: 8.0 Diameter: 8.0

Slot Size: .050

Well Capacity

Test

Type of Test: Pumping

Test Rate: 100.0 gpm for 12.0

Bail Test Rate: Not available

Drawdown: Not available

Static Water Level: Not

Raile

Bailer Drawdown: Not available

Grouting

Information

Material: Not available

Depth: From (not available) To (not available)

Installation Method: Not available Number of Bags Used: Not available

Well

Abandonment

Sealing Material: Not available Depth: From (not available) To (not available)

available

Installation Method: Not available Number of Bags Used: Not available

Administrative

County: MARION

Township: 15N

Range: 3E

Section: NE of Section 9

Topo Map: INDIANAPOLIS WEST

Grant: Not available

Field Located By: Not available

Field Located On: Not available

Courthouse Location By: Not available

Courthouse Location On: Not available Location Accepted w/o Verification On:

Location Accepted w/o Verification By: TMB

10/1/1974

Subdivision Name: Not available

E: Not available Lot Number: Not available ailable Ft N of SL: Not available

Ft W of EL: Not available Ft E of WL: Not available

Ft S of NL: Not available

Ground Elevation: Not available Bedrock Elevation: Not available UTM Easting: Not available Depth of Bedrock: Not available Aquifer Elevation: Not available UTM Northing: Not available

Well Log

	Гор	Bottom	Formation
(	).0	10.0	TOPSOIL & CLAY
1	10.0	56.0	GRAV

Comments None

Reference **Driving Direction to Well** Date Completed Number

481' W OF BELMONT STREET FENCE; 30' N OF FENCE WHICH IS THE S. 3/11/1966 183247

PROP. LINE

Owner-Address Telephone Name Contractor

Owner LINK BELT COMPANY INDIANAPOLIS, IN Not available Driller LAYNE - NORHTERN COMPANY MISHAWAKA, IN Not available

H. SMITH License Not available Operator

Construction Details

Well Use: Not available Drilling Method: Rotary Pump Type: Not available

> Pump Setting Depth: Not Depth: Not available Water Quality: Not available

available

Material: Not available Diameter: Not available Casing Length: 36.0 Screen Length: Not available Material: Not available Diameter: Not available

Slot Size: Not available

Well Capacity

Type of Test: Pumping Test Rate: 1,659.0 gpm Bail Test Rate: Not available Test

> Drawdown: Not available Static Water Level: 36.5 ft. Bailer Drawdown: Not available

Grouting

Material: Not available Depth: From (not available) To (not available) Information

Installation Method: Not available Number of Bags Used: Not available

Well

Sealing Material: Not available Depth: From (not available) To (not available) Abandonment

Installation Method: Not available Number of Bags Used: Not available

Administrative County: MARION Township: 15N

> Range: 3E Section: NE of Section 9 Topo Map: INDIANAPOLIS WEST Grant: Not available

Field Located By: Not available Field Located On: Not available

Courthouse Location By: Not available Courthouse Location On: Not available

Location Accepted w/o Verification By: Not Location Accepted w/o Verification On: Not

available available

Subdivision Name: Not available Lot Number: Not available Ft W of EL: Not available Ft N of SL: Not available Ft E of WL: Not available Ft S of NL: Not available Ground Elevation: Not available Depth of Bedrock: 121.0

Bedrock Elevation: Not available Aguifer Elevation: Not available UTM Easting: Not available UTM Northing: Not available

Тор	Bottom	Formation
0.0	10.0	FILL SAND & GRAVEL
10.0	35.0	COARSE SAND & GRAVEL
35.0	42.0	SAND, GRAEL, CLAY, BOULDERS
42.0	61.0	BLEU GRITTY CLAY

61.0	62.0	MED SAND & GRAVEL
62.0	69.0	HARD CLAY & BOULDERS
69.0	72.0	SOFT CLAY & BOULDERS
72.0	96.0	HARD CLAY & BOULDERS
96.0	98.0	SAND, GRAVEL, MIXED W/ CLAY
98.0	107.0	FINE SAND, HARD PACKED
107.0	113.0	COARSE SAND, ACTIVE
113.0	120.0	HARD GRITTY CLAY
120.0	121.0	S&G
121.0		BEDROCK

Comments None

Reference **Driving Direction to Well** Date Completed Number

25' S OF FENCE, 100' E OF W FENCE. 30' S OF E 10TH ST, 75' N OF 75-I 7/17/1975

183290 TWST WELL.

Owner-Address Telephone Name

Contractor Owner DETROIT DIESEL ALLISON DIV Not available Not available Driller LAYNE NORTHERN MISHAWAKA IN Not available

ROBERT COLLINS Operator License Not available

Construction Details

Drilling Method: REV Well Use: Industry Pump Type: Not available

CIRCULAR Pump Setting Depth: Not

Depth: 121.0 Water Quality: Not available available

Material: Not available Diameter: 16.0 Casing Length: 106.0

Length: 15.0 Screen Material: Not available Diameter: 16.0

Slot Size: #6

Test Rate: 316.0 gpm for 24.0 Well Capacity Type of Test: Pumping Bail Test Rate: Not available Test

Static Water Level: Not Drawdown: Not available Bailer Drawdown: Not available

available

Grouting Material: Not available Depth: From (not available) To (not available) Information

Installation Method: Not available Number of Bags Used: Not available

Well

Sealing Material: Not available Depth: From (not available) To (not available) Abandonment

Installation Method: Not available Number of Bags Used: Not available

Administrative Township: 15N County: MARION

> Range: 3E Section: NE of Section 6 Topo Map: INDIANAPOLIS WEST Grant: Not available

Field Located By: Not available Field Located On: Not available

Courthouse Location By: Not available Courthouse Location On: Not available

Location Accepted w/o Verification By: Location Accepted w/o Verification On: Not

**BRUNS 031876** available

Subdivision Name: Not available Lot Number: Not available Ft W of EL: Not available Ft N of SL: Not available Ft E of WL: Not available Ft S of NL: Not available

Ground Elevation: Not available Depth of Bedrock: Not available Aguifer Elevation: Not available Bedrock Elevation: Not available UTM Easting: Not available UTM Northing: Not available

Тор	Bottom	Formation
0.0	4.0	BR CLAY
4.0	16.0	FILL BOULDERS CRS YEL GRAV

16.0	23.0	CRS GRAV & MD SAND GREY
23.0	24.0	MD GRAV & FN SAND GREY
24.0	27.0	MD GRAV MD SAND CLAY STRIPS
27.0	28.0	CRS GRAV MD SAND GRAY CLAY
28.0	30.0	CRS YEL GRAV BOULDERS
30.0	38.0	MD GRAV BOULDERS FN SAND
38.0	44.0	HARD GRAY CLAY GRITTY
44.0	45.0	SS
45.0	53.0	MD GRAV MD SAND GRAY
53.0	57.0	CRS GRAV MD SAND BOULDERS
57.0	76.0	HARD GRITTY CLAY GRAY BLDS
76.0	79.0	MD GRAV MD SAND GRAY
79.0	99.0	SOFT GRITTY CLAY GRAY
99.0	103.0	CRS GRAV CRS SAND GRAY
103.0	105.0	CRS GRAV CRS SAND PCS WOOD
105.0	121.0	CRS GRAV MD SAND GRAY

Comments CASING EXTENDS 3.5' ABOVE GROUND; ADD'L INFO STAPLED TO LOG;

Reference Number

**Driving Direction to Well** 

Date Completed

183295

300' S OF E GATE, 10' FROM FENCE PLANT #3.

7/11/1939

Owner-

Name Contractor Owner ALLISON ENGINEERING CO Driller

Address

Not available

Telephone

Operator

LAYNE NORTHERN JAMES YOUNG

MISHAWAKA IN License Not available Not available

Construction Details

Well Use: Not available

Drilling Method: Not available Pump Type: Not available Pump Setting Depth: Not

Depth: 72.0

available

Not available

Water Quality: Not available

Casing Screen Length: Not available Length: Not available Material: Not available Material: Not available Diameter: Not available Diameter: Not available

Slot Size: Not available

Well Capacity

Test

Type of Test: Pumping

Test Rate: 950.0 gpm

Bail Test Rate: Not available

Drawdown: 32.0 ft.

Static Water Level: 10.0 ft.

Bailer Drawdown: Not available

Grouting

Material: Not available Information

Depth: From (not available) To (not available)

Installation Method: Not available Number of Bags Used: Not available

Well

Abandonment

Sealing Material: Not available

Depth: From (not available) To (not available)

Installation Method: Not available Number of Bags Used: Not available

Administrative

County: MARION

Township: 15N

Range: 3E Section: NE of the NE of the NE of Section 6

Topo Map: INDIANAPOLIS WEST

Grant: Not available Field Located By: Not available Field Located On: Not available

Courthouse Location By: Not available Courthouse Location On: Not available

Location Accepted w/o Verification By: Not Location Accepted w/o Verification On: Not

available

available

Subdivision Name: Not available

Lot Number: Not available Ft N of SL: Not available

Ft W of EL: 50.0

Ft S of NL: 950.0

Ft E of WL: Not available

Ground Elevation: 720.0

Depth of Bedrock: Not available

Bedrock Elevation: Not available

Aguifer Elevation: 648.0

UTM Easting: 565560.4

UTM Northing: 4403135

Well Log

Тор	Bottom	Formation
0.0	2.0	TOPSOIL
2.0	12.0	GRAV
12.0	44.0	CLAY
44.0	72.0	GRAV

Comments

ADDT'L INFO STAPLED TO LOG;

Reference Number

**Driving Direction to Well** 

Date Completed

183305

IND BOILER ROOM OF NEW FACTORY.

8/2/1939

Owner-

Contractor Owner ALLISON ENGINEERING DIV

Name

Address Not available Telephone Not available

Driller

LAYNE NORTHERN

MISHAWAKA IN

Not available

Operator

JAMES YOUNG

License Not available

Construction Details

Well Use: Not available Drilling Method: Not available Pump Type: Not available Pump Setting Depth: Not

Depth: 60.0

available

Water Quality: Not available

Casing Screen Length: Not available Length: Not available Material: Not available Material: Not available Diameter: Not available Diameter: Not available

Slot Size: Not available

Well Capacity

Test

Type of Test: Pumping

Test Rate: 260.0 gpm

Bail Test Rate: Not available

Drawdown: 39.0 ft.

Static Water Level: 14.0 ft.

Bailer Drawdown: Not available

Grouting Information

Material: Not available

Depth: From (not available) To (not available)

Installation Method: Not available Number of Bags Used: Not available

Well

Abandonment

Sealing Material: Not available

Depth: From (not available) To (not available)

Installation Method: Not available Number of Bags Used: Not available

Administrative

County: MARION Range: 3E

Township: 15N

Section: NW of the NE of the NE of Section 6

Topo Map: INDIANAPOLIS WEST

Grant: Not available

Field Located By: Not available Field Located On: Not available

Courthouse Location By: Not available

Location Accepted w/o Verification By: Not

available

Courthouse Location On: Not available

Location Accepted w/o Verification On: Not

available

Subdivision Name: ALLISON Lot Number: Not available Ft W of EL: 700.0 Ft N of SL: Not available

Ft E of WL: Not available Ft S of NL: 650.0

Ground Elevation: 722.0 Depth of Bedrock: Not available

Bedrock Elevation: Not available Aguifer Elevation: 662.0 UTM Northing: 4403224.5

UTM Easting: 565349.9

Well Log

Тор	Bottom	Formation
0.0	5.0	SOIL
5.0	20.0	GRAV
20.0	48.0	CLAY
48.0	60.0	GRAV & SAND

Comments

ADD'L INFO STAPLED TO LOG;

Reference **Driving Direction to Well** Date Completed Number

90' E OF LYNDHURST DR ON N EAGLE CREEK BANK. 90' E & 4400' N OF 12/7/1951 183310

SW CORNER OF SEC.

Owner-Address Telephone Name Contractor

Owner ALLISON DIV GMC Not available Not available Driller LAYNE NORTHERN MISHAWAKA IN Not available

JOHN MILLER Operator License Not available

Construction Details

Well Use: Not available Drilling Method: Rotary Pump Type: Not available

> Pump Setting Depth: Not Depth: 74.0 Water Quality: Not available

available

Material: Not available Diameter: 26.0 Casing Length: 42.0 Screen Length: 30.0 Material: Not available Diameter: 12.0

Slot Size: Not available

Well Capacity

Type of Test: Pumping Test Rate: 524.0 gpm Bail Test Rate: Not available Test

> Drawdown: 28.0 ft. Static Water Level: 14.0 ft. Bailer Drawdown: Not available

Grouting

Material: Not available Depth: From (not available) To (not available) Information

Installation Method: Not available Number of Bags Used: Not available

Well

Sealing Material: Not available Depth: From (not available) To (not available) Abandonment

Installation Method: Not available Number of Bags Used: Not available

Administrative County: MARION Township: 15N

> Section: NW of the NW of the NW of Section 6 Range: 3E

Topo Map: CLERMONT Grant: Not available

Field Located By: Not available Field Located On: Not available

Courthouse Location By: Not available Courthouse Location On: Not available

Location Accepted w/o Verification By: Not Location Accepted w/o Verification On: Not

available available

Subdivision Name: Not available Lot Number: Not available Ft W of EL: Not available Ft N of SL: Not available

Ft E of WL: 100.0 Ft S of NL: 550.0

Ground Elevation: 718.0 Depth of Bedrock: Not available

Bedrock Elevation: Not available Aguifer Elevation: 644.0 UTM Easting: 564250 UTM Northing: 4403225

Bottom	Formation
4.0	TOPSOIL
8.5	CRS GRAV
35.0	HARD GRITTY CLAY
38.0	S&G & CLAY MIXED
	4.0 8.5 35.0

38.0	47.0	HARD GRITTY CLAY & BOULDERS
47.0	68.0	MD S&G
68.0	72.0	CRS S&G
72.0	74.0	HARD GRITTY CLAY

Comments CASING EXTENDS 4' ABOVE GROUND; ADDT'L INFO STAPLED TO LOG;

Reference **Driving Direction to Well** Date Completed Number

35' S OF S SIDE OF #7 WELL HOUSE, 35' E OF CENTER LINE OF 183315 10/21/1968

COSSELL RD.

Owner-Address Telephone Name Contractor Owner **ALLISON DIV GMC PLANT #3** Not available Not available Driller LAYNE NORTHERN MISHAWAKA IN Not available

**EWING ALLEN** Operator License Not available

Construction Details

Drilling Method: REVERSE Well Use: Not available Pump Type: Not available

CIRC

Pump Setting Depth: Not Depth: 117.0 Water Quality: Not available available

Material: Not available Casing Length: 117.0 Diameter: 18.0 Length: 15.0 Material: Not available Diameter: 18.0 Screen

Slot Size: .130

Test Rate: 361.0 gpm for 12.0 Well Capacity

Type of Test: Pumping Bail Test Rate: Not available Test

> Drawdown: 95.0 ft. Static Water Level: 37.0 ft. Bailer Drawdown: Not available

Grouting Material: Not available Depth: From (not available) To (not available) Information

Installation Method: Not available Number of Bags Used: Not available

Well

Sealing Material: Not available Depth: From (not available) To (not available) Abandonment

Installation Method: Not available Number of Bags Used: Not available

Administrative County: MARION Township: 15N

> Range: 3E Section: NW of the NW of the NE of Section 6

Topo Map: INDIANAPOLIS WEST Grant: Not available

Field Located By: Not available Field Located On: Not available

Courthouse Location By: Not available Courthouse Location On: Not available

Location Accepted w/o Verification On: Location Accepted w/o Verification By: HCK

11/1/1968

Subdivision Name: Not available Lot Number: Not available Ft W of EL: 2,650.0 Ft N of SL: Not available

Ft E of WL: Not available Ft S of NL: 650.0

Ground Elevation: 724.0 Depth of Bedrock: Not available

Bedrock Elevation: Not available Aquifer Elevation: 607.0 UTM Northing: 4403218

UTM Easting: 564760.4

Тор	Bottom	Formation
0.0	35.0	GRAV & BOULDERS
35.0	37.0	CLAY
37.0	64.0	S&G

64.0	101.0	CLAY
101.0	107.0	FN SAND
107.0	117.0	MD S&G

Comments
WELL #74;
CASING
EXTENDS 2'
ABOVE
GROUND; ADD'L
INFO STAPLED
TO LOG;

Reference
Number

Driving Direction to Well

183320 AT TEST WELL SITE #22, CASSELL RD, PLANT #3. 10/19/1940

Owner-

Contractor
Owner ALLISON ENGINEERING CO Not available
Driller LAYNE NORTHERN MISHAWAKA IN Not available

Operator JAMES YOUNG License Not available

Construction Details

Well Use: Not available Drilling Method: Not available Pump Type: Not available

Depth: 59.0 Pump Setting Depth: Not Water Quality: Not available

Date Completed

available

Casing Length: 21.0 Material: Not available Diameter: 42.0 Screen Length: 38.0 Material: Not available Diameter: 18.0

Slot Size: Not available

Well Capacity

Test Type of Test: Pumping Test Rate: 300.0 gpm Bail Test Rate: Not available

Drawdown: 14.0 ft. Static Water Level: 18.0 ft. Bailer Drawdown: Not available

Grouting Information

Material: Not available Depth: From (not available) To (not available)

Installation Method: Not available Number of Bags Used: Not available

Well

Abandonment Sealing Material: Not available Depth: From (not available) To (not available)

Installation Method: Not available Number of Bags Used: Not available

Administrative County: MARION Township: 15N

Range: 3E Section: NW of the NW of the NE of Section 6

Topo Map: INDIANAPOLIS WEST Grant: Not available

Field Located By: Not available Field Located On: Not available

Courthouse Location By: Not available Courthouse Location On: Not available

Location Accepted w/o Verification By: Not Location Accepted w/o Verification On: Not

available available

Subdivision Name: Not available

Ft W of EL: 2,300.0

Ft N of SL: Not available

Ft E of WL: Not available

Ft S of NL: 1.000.0

Ground Elevation: 723.0 Depth of Bedrock: Not available

Bedrock Elevation: Not available Aquifer Elevation: 664.0

UTM Easting: 564874.7 UTM Northing: 4403108

Тор	Bottom	Formation
0.0	4.0	SOIL & CLAY
4.0	16.0	DRY GRAV & SAND
16.0	32.0	GRAV & SAND
32.0	40.0	GRAV W/BOULDERS
40.0	42.0	GRAV & FN SAND

42.0	44.0	FN SAND
44.0	48.0	CLAY
48.0	59.0	S&G

Comments WELL #8; CASING IS 1' BELOW SURFACE; ADD'L INFO STAPLED TO LOG;

Reference
Number

Driving Direction to Well

Date Completed

183325 34' W OF W SIDE OF #5 WELL HOUSE, 81' S OF CENTER LINE OF 10TH

ST.

10/10/1968

OwnerContractor

Address
Telephone

Owner ALLISON DIV GMC PLANT #3. Not available Not available Driller LAYNE NORTHERN CO. MISHAWAKA IN Not available

Operator EWING ALLEN License Not available

Construction Details

Well Use: Not available Drilling Method: Reverse Pump Type: Not available

Rotary
Pump Setting Depth: Not

Depth: 121.0 Parting Depth: Not Water Quality: Not available available

availat

Casing Length: 106.0 Material: Not available Diameter: 16.0 Screen Length: 15.0 Material: Not available Diameter: 15.0

Slot Size: .130

Well Capacity Tune of Test Romains Test Rate: 316.0 gpm for 12.0

Test Type of Test: Pumping hrs.

Test Rate: 516.0 gpin loi 12.0 Bail Test Rate: Not available

Drawdown: 50.0 ft. Static Water Level: 38.0 ft. Bailer Drawdown: Not available

Grouting Information Material: Not available Depth: From (not available) To (not available)

Installation Method: Not available Number of Bags Used: Not available

Well

Abandonment Sealing Material: Not available Depth: From (not available) To (not available)

Installation Method: Not available Number of Bags Used: Not available

Administrative County: MARION Township: 15N

Range: 3E Section: NW of the NW of the NE of Section 6

Topo Map: INDIANAPOLIS WEST Grant: Not available

Field Located By: Not available Field Located On: Not available

Courthouse Location By: Not available Courthouse Location On: Not available

Location Accepted w/o Verification By: Not Location Accepted w/o Verification On: Not

available available

Subdivision Name: ALLISON Lot Number: Not available Ft W of EL: 2,400.0 Ft N of SL: Not available Ft E of WL: Not available Ft S of NL: Not available

Ground Elevation: 724.0 Depth of Bedrock: Not available

Bedrock Elevation: Not available Aquifer Elevation: 603.0

UTM Easting: 564820.5 UTM Northing: 4403386

Тор	Bottom	Formation
0.0	14.0	TOPGRAV
14.0	35.0	CLAY
35.0	46.0	S&CLAY

46.0	62.0	S&G
62.0	80.0	CLAY & SAND
80.0	87.0	S&G
87.0	95.0	CLAY & SAND
95.0	108.0	CLAY
108.0	114.0	FN SAND
114.0	116.5	SAND & CLAY
116.5	121.0	FN GRAV

Comments ADD'L INFO STAPLED TO LOG;

Reference Number

**Driving Direction to Well** 

Date Completed

183330

SE CORNER OF PROPERTY, PLANT #3.

9/12/1939

Owner-

Driller

Contractor Owner ALLISON ENGINEERING

Name

Address Telephone

Not available Not available Not available Not available

Operator

JAMES NESS

Not available

License Not available

Construction Details

Well Use: Not available Drilling Method: Not available Pump Type: Not available

Pump Setting Depth: Not

Water Quality: Not available

Casing Screen

Test

Depth: 56.0 Length: 39.0

Length: Not available

Material: Not available Diameter: 42.0 Material: Not available Diameter: 18.0

Slot Size: Not available

Well Capacity

Type of Test: Pumping

Test Rate: 280.0 gpm

Bail Test Rate: Not available

Drawdown: 26.0 ft.

Static Water Level: 12.0 ft.

Bailer Drawdown: Not available

Grouting

Material: Not available Information

Depth: From (not available) To (not available)

Installation Method: Not available Number of Bags Used: Not available

Well

Abandonment

Sealing Material: Not available Depth: From (not available) To (not available)

available

Installation Method: Not available Number of Bags Used: Not available

Administrative

County: MARION

Township: 15N Section: SE of the NE of the NE of Section 6

Topo Map: INDIANAPOLIS WEST Grant: Not available

Field Located By: Not available Field Located On: Not available

Courthouse Location By: Not available Courthouse Location On: Not available

Location Accepted w/o Verification By: Not Location Accepted w/o Verification On: Not

available

Range: 3E

available Lot Number: Not available

Ft W of EL: 100.0

Subdivision Name: Not available Ft N of SL: Not available Ft S of NL: 1.400.0

Ft E of WL: Not available

Depth of Bedrock: Not available

Ground Elevation: 720.0

Aguifer Elevation: 664.0

Bedrock Elevation: Not available

UTM Northing: 4403009.5

UTM Easting: 565547.6

Тор	Bottom	Formation
0.0	4.0	SOIL
4.0	12.0	DRY GRAV & BOULDERS
12.0	35.0	GRAV
35.0	43.0	CLAY
43.0	56.0	GRAV & SAND

Comments
CASING
EXTENDS
ABOVE
GROUND; WELL
#8; ADDT'L INFO
STAPLEDTO
LOG;

Reference **Driving Direction to Well** Date Completed Number

PLANT #3-125' W OF E SHOULDER OF CASSELL RD, 100' S OF FENCE.

183335 15' N OF TEST WELL #75H.

8/31/1975

Owner-Address Telephone Name Contractor

Owner DETROIT DIESEL ALLISON DIV Not available Not available Driller LAYNE NORTHERN Not available Not available

ROBERT COLLINS License Not available Operator

Construction Details

Well Use: Not available Drilling Method: Not available Pump Type: Not available

> Pump Setting Depth: Not Depth: 119.0 Water Quality: Not available

available

Length: 111.0 Material: Not available Diameter: 16.0 Casing

Screen Length: 8.0 Material: Not available Diameter: 16.0

Slot Size: #6

Well Capacity Test Rate: 300.0 gpm for 8.0

Type of Test: Pumping Bail Test Rate: Not available

Drawdown: 34.0 ft. Bailer Drawdown: Not available Static Water Level: 50.0 ft.

Grouting Material: Not available Depth: From (not available) To (not available) Information

Installation Method: Not available Number of Bags Used: Not available

Well

Test

Sealing Material: Not available Depth: From (not available) To (not available) Abandonment

Installation Method: Not available Number of Bags Used: Not available

Administrative County: MARION Township: 15N

> Range: 3E Section: NE of Section 6 Topo Map: INDIANAPOLIS WEST Grant: Not available

Field Located By: Not available Field Located On: Not available

Courthouse Location By: Not available Courthouse Location On: Not available Location Accepted w/o Verification By: Location Accepted w/o Verification On:

**BRUNS** 3/18/1976

Subdivision Name: Not available Lot Number: Not available Ft W of EL: Not available Ft N of SL: Not available Ft E of WL: Not available Ft S of NL: Not available

Ground Elevation: Not available Depth of Bedrock: Not available Bedrock Elevation: Not available Aguifer Elevation: Not available UTM Easting: Not available UTM Northing: Not available

Тор	Bottom	Formation
0.0	15.0	BR CLAY
15.0	33.0	FILL CEMENT TRASH
33.0	48.0	HARD GRITTY CLAY
48.0	51.0	MD TO CRS GRAV
70.0	51.0	IVID TO OIKO OIKKV

51.0	54.0	HARD GRITTY CLAY
54.0	63.0	CRS GRAV MD SAND
63.0	98.0	HARD GRITTY CLAY
98.0	99.0	STRPS OF SOFT SAND STONE WD
99.0	101.0	BR CLAY
101.0	108.0	SOFT GRITTY CLAY GRAY
108.0	109.0	BLK SHALE
109.0	114.0	CRS GRAV MD SAND GRAY
114.0	119.0	CRS GRAV GRAY
119.0		BLK SHALE BOTTOM

Comments
WELL LOG #12;
ADDT'L INFO
STAPLED TO
LOG; CASING
EXTENDS 3'
ABOVE
GROUND;

Reference Number

**Driving Direction to Well** 

Date Completed

183380

95' S OF NW GATE ON 10TH ST, 50' E OF W FENCE.

5/13/1940

Owner-

Name Contractor Owner ALLISON ENGINEERING CO Driller

Not available

Telephone

Not available

LAYNE NORTHERN

MISHAWAKA IN Not available

License Not available

Address

Operator JAMES NESS

Construction Details

Well Use: Not available

Pump Setting Depth: Not

Drilling Method: Not available Pump Type: Not available

Depth: 62.5

available

Water Quality: Not available

Casing Screen Length: 38.5

Length: Not available

Material: Not available Material: Not available Diameter: 42.0 Diameter: 18.0

Slot Size: #4

Well Capacity

Test

Type of Test: Pumping

Test Rate: 400.0 gpm

Bail Test Rate: Not available

Drawdown: 25.0 ft.

Static Water Level: 20.0 ft.

Bailer Drawdown: Not available

Grouting

Material: Not available Information

Depth: From (not available) To (not available)

Installation Method: Not available Number of Bags Used: Not available

Well

Abandonment

Sealing Material: Not available

Depth: From (not available) To (not available)

Installation Method: Not available Number of Bags Used: Not available

Administrative

County: MARION

Township: 15N

available

Grant: Not available

Range: 3E Section: NE of the NW of the NE of Section 6

Topo Map: INDIANAPOLIS WEST

Field Located By: Not available Field Located On: Not available

Courthouse Location By: Not available Courthouse Location On: Not available

Location Accepted w/o Verification By: Not Location Accepted w/o Verification On: Not

available

Subdivision Name: Not available Lot Number: Not available Ft W of EL: 1.500.0 Ft N of SL: Not available

Ft E of WL: Not available Ft S of NL: 100.0

Ground Elevation: 725.0 Depth of Bedrock: Not available

Bedrock Elevation: Not available Aguifer Elevation: 662.0 UTM Northing: 4403390

UTM Easting: 565102

Тор	Bottom	Formation
0.0	5.0	SOIL & DIRT
5.0	15.0	GRAV
15.0	31.0	CLAY
31.0	31.5	BLANK
31.5	62.5	GRAV

Comments
CASING
EXTENDS
ABOVE
GROUND; WELL
#4; ADDT'L INFO
STAPLED TO
LOG;

Reference Number

**Driving Direction to Well** 

Date Completed

183390

600 FEET SOUTH OF #6 WELL - PLANT #3

9/23/1940

Owner-

Owner

Contractor

ALLISON ENGINEERING

**COMPANY** 

Name

LAYNE NORTHERN Not available Not available Not available

Telephone

Driller Operator

JAMES YOUNG

License Not available

Construction Details

Well

Use: Not available

Pump Setting Depth: Not

Address

Not available

Drilling Method: Not available Pump Type: Not available

Depth: 59.0

available

Water Quality: Not available

Casing Screen Length: 26.0 Length: 33.0

Slot Size: Not available

Material: Not available Material: Not available Diameter: 42.0 Diameter: 18.0

Well Capacity

Test

Type of Test: Not available

Test Rate: 600.0 gpm

Bail Test Rate: Not available

Drawdown: 8.0 ft.

Static Water Level: 16.0 ft.

Bailer Drawdown: Not available

Grouting

Information

Material: Not available

Depth: From (not available) To (not available)

Installation Method: Not available Number of Bags Used: Not available

Well

Abandonment

Sealing Material: Not available Depth: From (not available) To (not available)

Installation Method: Not available Number of Bags Used: Not available

Administrative

County: MARION

Range: 3E

Topo Map: INDIANAPOLIS WEST

Field Located By: Not available Courthouse Location By: Not available

Location Accepted w/o Verification By: Not

available

Subdivision Name: Not available

Ft W of EL: 2.650.0

Ft E of WL: Not available

Ground Elevation: 724.0

Bedrock Elevation: Not available

UTM Easting: 564756.7

Township: 15N

Section: NW of the NW of the NE of Section 6

Grant: Not available

Field Located On: Not available

Courthouse Location On: Not available

Location Accepted w/o Verification On: Not

available

Lot Number: Not available Ft N of SL: Not available

Ft S of NL: 600.0

Depth of Bedrock: Not available Aguifer Elevation: Not available

UTM Northing: 4403221.5

Well Log Comments WELL #7; CASING EXTENDS ABOVE GROUND; ADDT'L INFO STAPLED TO LOG;

Reference Number

**Driving Direction to Well** 

Date Completed

265071

Not available

Name

Not available

Owner-

Contractor Owner Driller

ALLISON DIV GMC LAYNE NORTHERN

MISHAWAKA IN License Not available

SPEEDWAY IN

Address

Telephone Not available Not available

Operator JOHN MILLER

Construction Details

Well

Casing

Use: Not available

Depth: 72.5

available

Screen Length: Not available

Length: 36.5

Slot Size: Not available

Well Capacity

Test

Well

Grouting

Information

Type of Test: Pumping

Drawdown: 26.0 ft.

Test Rate: 503.0 gpm

Material: Not available

Installation Method: Not available Number of Bags Used: Not available

Sealing Material: Not available

Installation Method: Not available Number of Bags Used: Not available

Administrative

Abandonment

County: MARION Range: 3E

Topo Map: INDIANAPOLIS WEST

Field Located By: Not available

Courthouse Location By: Not available Location Accepted w/o Verification By: Not

available

Subdivision Name: Not available Ft W of EL: Not available

Ft E of WL: Not available Ground Elevation: 722.0

Bedrock Elevation: Not available UTM Easting: Not available

Drilling Method: Not available Pump Type: Not available

Pump Setting Depth: Not

Static Water Level: 16.0 ft.

Material: Not available Diameter: 42.0

Material: Not available

Diameter: Not available

Bail Test Rate: Not available

Water Quality: Not available

Bailer Drawdown: Not available

Depth: From (not available) To (not available)

Depth: From (not available) To (not available)

Township: 15N

Section: NE of the NE of the NE of Section 6

Grant: Not available

Field Located On: Not available

Courthouse Location On: Not available

Location Accepted w/o Verification On: Not

available

Lot Number: Not available Ft N of SL: Not available Ft S of NL: Not available

Depth of Bedrock: Not available Aguifer Elevation: Not available UTM Northing: Not available

Well Log Comments

None

Not available

Reference **Driving Direction to Well** 

Date Completed Number

265106 Not available 9/7/1940

Owner-

Name Address Telephone Contractor

ALLISON ENGINEERING Owner

**COMPANY** Driller Not available Not available Not available

JAMES NESS License Not available Operator

Construction Details

Well Use: Not available Drilling Method: Not available Pump Type: Not available

> Pump Setting Depth: Not Depth: 60.0 Water Quality: Not available

Not available

available

Material: Not available Diameter: 38.0 Casing Length: 41.0

Screen Length: Not available Material: Not available Diameter: Not available

Slot Size: Not available

Well Capacity

Type of Test: Not available Test Rate: 300.0 gpm Bail Test Rate: Not available Test

> Drawdown: 24.0 ft. Static Water Level: 20.0 ft. Bailer Drawdown: Not available

Grouting

Material: Not available Depth: From (not available) To (not available) Information

Installation Method: Not available Number of Bags Used: Not available

Well

Sealing Material: Not available Depth: From (not available) To (not available) Abandonment

Installation Method: Not available Number of Bags Used: Not available

Administrative County: MARION Township: 15N

> Section: NW of the NW of the NE of Section 6 Range: 3E

Topo Map: INDIANAPOLIS WEST Grant: Not available

Field Located By: Not available Field Located On: Not available

Courthouse Location By: Not available Courthouse Location On: Not available

Location Accepted w/o Verification By: Not Location Accepted w/o Verification On: Not

available available

Subdivision Name: Not available Lot Number: Not available

Ft W of EL: 2.350.0 Ft N of SL: Not available

Ft E of WL: Not available Ft S of NL: 100.0

Ground Elevation: 725.0 Depth of Bedrock: Not available

Bedrock Elevation: Not available Aquifer Elevation: 665.0 UTM Easting: 564857.7 UTM Northing: 4403390

Тор	Bottom	Formation
0.0	5.0	SOIL & CLAY
5.0	12.0	GRAV DRY
12.0	28.5	HARDPAN
28.5	30.0	GRAV

30.0	37.0	HARDPAN
37.0	44.0	GRAV
44.0	48.0	HARDPAN
48.0	60.0	MD GRAV&SAND
60.0		HARDPAN

Comments PERMANENT WELL #5;

Reference **Driving Direction to Well** 

Date Completed Number

270825 3451 W 16TH 1/1/1955

Owner-

Name Address Telephone Contractor Owner **B&B TAVERN** Not available Not available Driller **HAMILTON BROS** Not available Not available

Operator Not available License Not available

Construction Details

Well Use: Home Drilling Method: Not available Pump Type: Not available

> Pump Setting Depth: Not Depth: 85.0 Water Quality: Not available

available

Casing Length: Not available Material: Not available Diameter: 8.0

Screen Length: 6.0 Material: Not available Diameter: Not available

Slot Size: #40

Well Capacity

Type of Test: Not available Bail Test Rate: Not available Test Rate: 100.0 gpm Test

> Static Water Level: Not Drawdown: Not available Bailer Drawdown: Not available

available

Grouting

Material: Not available Depth: From (not available) To (not available) Information

Installation Method: Not available Number of Bags Used: Not available

Well

Sealing Material: Not available Depth: From (not available) To (not available) Abandonment

Installation Method: Not available Number of Bags Used: Not available

Administrative County: MARION Township: 16N

Range: 3E Section: 32

Topo Map: INDIANAPOLIS WEST Grant: Not available

Field Located By: Not available Field Located On: Not available

Courthouse Location By: Not available Courthouse Location On: Not available Location Accepted w/o Verification On: Not

available

Location Accepted w/o Verification By: Not

available

Subdivision Name: Not available Lot Number: Not available Ft W of EL: Not available Ft N of SL: Not available Ft E of WL: Not available Ft S of NL: Not available

Ground Elevation: Not available Depth of Bedrock: Not available Bedrock Elevation: Not available Aquifer Elevation: Not available UTM Easting: Not available UTM Northing: Not available

Тор	Bottom	Formation
0.0	15.0	SANDY CLAY
15.0	20.0	DRY GRAVEL
20.0	77.0	SANDY CLAY
77.0	85.0	S&G

Comments None

Reference Number

**Driving Direction to Well** 

Date Completed

290028

NE 1/4 SE 1/4

6/5/1912

Owner-

Contractor Owner

Name

PRESTOLITE CO INC

Telephone

Driller TRIPP CO

Not available

Not available Not available

Operator

Not available

License Not available

Address

Construction Details

Well

Use: Industry

Pump Setting Depth: Not

SPEEDWAY CITY

Drilling Method: Not available Pump Type: Not available

Depth: 432.0

available

Water Quality: Not available

Casing

Length: 140.0

Material: Not available

Diameter: 10.0

Screen Length: Not available Material: Not available

Diameter: Not available

Slot Size: Not available

Well Capacity Test

Type of Test: Pumping

Test Rate: 175.0 gpm

Bail Test Rate: Not available

Drawdown: Not available

Static Water Level: 23.0 ft.

Bailer Drawdown: Not available

Grouting Information

Material: Not available

Depth: From (not available) To (not available)

Installation Method: Not available Number of Bags Used: Not available

Well

Abandonment

Sealing Material: Not available

Depth: From (not available) To (not available)

Installation Method: Not available Number of Bags Used: Not available

Administrative

County: MARION

Range: 3E

Township: 16N Grant: Not available

Section: NE of the SE of Section 31

Topo Map: INDIANAPOLIS WEST

Field Located By: Not available

Field Located On: Not available

Courthouse Location By: Not available

Location Accepted w/o Verification By: Not

available

Courthouse Location On: Not available

Location Accepted w/o Verification On: Not

available

Lot Number: Not available Ft N of SL: Not available Ft S of NL: Not available

Depth of Bedrock: Not available Aguifer Elevation: Not available UTM Northing: Not available

Subdivision Name: Not available

Ft W of EL: Not available Ft E of WL: Not available

Ground Elevation: Not available Bedrock Elevation: Not available UTM Easting: Not available

Well Log Comments **ROCK** 

Reference Number

**Driving Direction to Well** 

Date Completed

290029

NE 1/4 SE 1/4

11/20/1920

Owner-

Driller

Contractor Owner

PRESTOLITE CO

M SPEEDWAY CITY

Telephone Not available

Operator

**KRAUSS** Not available

Name

License Not available

Not available

Construction Details

Well

Use: Industry

Pump Setting Depth: Not

Drilling Method: Not available Pump Type: Not available

Depth: 433.0

available

Address

**INDPLS** 

Water Quality: Not available

Casing

Length: 120.0

Material: Not available

Diameter: 10.0

Screen Length: Not available Material: Not available

Diameter: Not available

Slot Size: Not available

Well Capacity

Test

Type of Test: Pumping

Test Rate: 160.0 gpm

Bail Test Rate: Not available

Drawdown: Not available

Static Water Level: 76.0 ft.

Bailer Drawdown: Not available

Grouting Information

Material: Not available

Depth: From (not available) To (not available)

Installation Method: Not available Number of Bags Used: Not available

Well

Abandonment

Sealing Material: Not available

Depth: From (not available) To (not available)

Installation Method: Not available Number of Bags Used: Not available

Administrative

County: MARION

Range: 3E

Township: 16N

Grant: Not available

Section: NE of the SE of Section 31

Topo Map: INDIANAPOLIS WEST

Field Located By: Not available

Field Located On: Not available

Courthouse Location By: Not available

Courthouse Location On: Not available

Location Accepted w/o Verification On: Not

Location Accepted w/o Verification By: Not

available available

Subdivision Name: Not available Ft W of EL: Not available

Lot Number: Not available Ft N of SL: Not available

Ft E of WL: Not available

Ft S of NL: Not available

Ground Elevation: Not available Bedrock Elevation: Not available Depth of Bedrock: Not available Aguifer Elevation: Not available UTM Northing: Not available

UTM Easting: Not available

Well Log Comments **ROCK** 

Reference Number

**Driving Direction to Well** 

Date Completed

290030

NE 1/4 SE 1/4

9/15/1928

Owner-

Contractor Owner

PRESTOLITE CO INC

Telephone

Driller **KRAUSS**  **INDPLS** 

Address

Not available Not available

Operator

Not available

Name

License Not available

SPEEDWAY CITY

Construction Details

Well

Use: Industry

Pump Setting Depth: Not

Drilling Method: Not available Pump Type: Not available

Depth: 464.0

available

Water Quality: Not available

Casing

Length: 122.0

Material: Not available

Diameter: 10.8

Screen

Length: Not available

Material: Not available

Diameter: Not available

Slot Size: Not available

Well Capacity

Test

Type of Test: Pumping

Test Rate: 165.0 gpm

Bail Test Rate: Not available

Drawdown: Not available

Static Water Level: 22.0 ft.

Bailer Drawdown: Not available

Grouting Information

Material: Not available

Depth: From (not available) To (not available)

Installation Method: Not available Number of Bags Used: Not available

Well

Abandonment

Sealing Material: Not available

Depth: From (not available) To (not available)

Installation Method: Not available Number of Bags Used: Not available

Administrative

County: MARION

Range: 3E

Section: NE of the SE of Section 31

Topo Map: INDIANAPOLIS WEST

Subdivision Name: Not available

Ground Elevation: Not available

Grant: Not available Field Located By: Not available

Courthouse Location By: Not available

Courthouse Location On: Not available

Township: 16N

Location Accepted w/o Verification By: Not

available

Location Accepted w/o Verification On: Not

Field Located On: Not available

Lot Number: Not available Ft N of SL: Not available

Ft W of EL: Not available Ft E of WL: Not available

Ft S of NL: Not available Depth of Bedrock: Not available

available

Bedrock Elevation: Not available Aguifer Elevation: Not available UTM Northing: Not available UTM Easting: Not available

Well Log Comments **ROCK** 

Reference Number

**Driving Direction to Well** 

Date Completed

290031

NE 1/4 SE 1/4

Not available

Depth: 61.0

9/1/1937

Owner-

Operator

Contractor Owner PRESTOLITE CO Driller LAYNE NORTHERN

Name

Address Telephone

SPEEDWAY CITY Not available Not available

License Not available

Construction Details

Well Use: Industry Drilling Method: Not available Pump Type: Not available

Pump Setting Depth: Not

Water Quality: Not available

Casing Screen Length: Not available

Material: Not available Diameter: 30.0 Length: Not available Material: Not available

available

**INDPLS** 

Slot Size: Not available

Diameter: Not available

Well Capacity

Test

Type of Test: Pumping Bail Test Rate: Not available Test Rate: 275.0 gpm

Drawdown: Not available Static Water Level: 22.0 ft. Bailer Drawdown: Not available

Grouting Information

Material: Not available Depth: From (not available) To (not available)

Installation Method: Not available Number of Bags Used: Not available

Well

Abandonment

Depth: From (not available) To (not available) Sealing Material: Not available

Installation Method: Not available Number of Bags Used: Not available

Administrative

County: MARION Township: 16N Range: 3E Section: NE of the SE of Section 31

Topo Map: INDIANAPOLIS WEST Grant: Not available

Field Located By: Not available Field Located On: Not available

Courthouse Location By: Not available Courthouse Location On: Not available

Location Accepted w/o Verification By: Not Location Accepted w/o Verification On: Not

available

available

Subdivision Name: Not available Lot Number: Not available Ft W of EL: Not available Ft N of SL: Not available Ft E of WL: Not available Ft S of NL: Not available

Ground Elevation: Not available Depth of Bedrock: Not available Bedrock Elevation: Not available Aguifer Elevation: Not available UTM Northing: Not available UTM Easting: Not available

Тор	Bottom	Formation
0.0	5.0	CLAY
5.0	19.0	S&G
19.0	37.0	HARDPAN
37.0	41.0	GRAV STATIC LVL
41.0	50.0	HARDPAN

|50.0 | GRAV STATIC LVL

Comments GRAVEL WALL WELL

Reference Number

**Driving Direction to Well** 

Date Completed

290032

SW 1/4 SE 1/4; 1045 MAIN ST SPEEDWAY IN

6/1/1946

Owner-

Contractor Owner ELECTRIC STEEL CASTINGS CO Not available Driller

Address

Telephone Not available

Operator

R L CLARK

2620 COLLEGE

Not available

Not available

Name

License Not available

Construction Details

Well

Use: Not available

Pump Setting Depth: Not

Drilling Method: Not available Pump Type: Not available

Depth: 123.0

available

available

Water Quality: Not available

Casing

Length: Not available Length: Not available Material: Not available Material: Not available Diameter: 10.0

Screen

Slot Size: Not available

Diameter: Not available

Well Capacity

Test

Type of Test: Pumping

Test Rate: 225.0 gpm

Bail Test Rate: Not available

Drawdown: 31.0 ft.

Static Water Level: Not

Bailer Drawdown: Not available

Grouting

Information

Material: Not available

Depth: From (not available) To (not available)

Installation Method: Not available Number of Bags Used: Not available

Well

Abandonment

Sealing Material: Not available Depth: From (not available) To (not available)

Installation Method: Not available Number of Bags Used: Not available

Administrative

County: MARION

Section: SW of the SE of Section 31

Township: 16N

Range: 3E

Grant: Not available

Topo Map: INDIANAPOLIS WEST

Field Located By: Not available Field Located On: Not available

Courthouse Location By: Not available

Location Accepted w/o Verification By: Not

available

Subdivision Name: Not available

Ft W of EL: Not available Ft E of WL: Not available

UTM Easting: Not available

Ground Elevation: Not available Bedrock Elevation: Not available Lot Number: Not available Ft N of SL: Not available

available

Ft S of NL: Not available

Courthouse Location On: Not available

Location Accepted w/o Verification On: Not

Depth of Bedrock: Not available Aquifer Elevation: Not available UTM Northing: Not available

Well Log Comments SW 22.65' **BELOW TOP OF** 10' COUPLING

Reference Number

**Driving Direction to Well** 

Date Completed

290033

SE 1/4 PLANT 2 WELL NO 1 AT TEST

10/1/1940

Owner-

Contractor Owner ALLISON ENGR CO Driller LAYNE NORTHERN CO

Name

Address Telephone

> Not available Not available

Operator Not available License Not available

SPEEDWAY CITY

**INDPLS** 

Construction Details

Well Use: Industry Drilling Method: Not available Pump Type: Not available

Pump Setting Depth: Not Depth: 725.0 available

Water Quality: Not available

Casing Screen Length: Not available

Material: Not available Diameter: 12.6 Length: Not available Material: Not available

Slot Size: Not available

Diameter: Not available

Well Capacity

Test

Type of Test: Pumping Bail Test Rate: Not available Test Rate: 270.0 gpm

Drawdown: 25.0 ft. Static Water Level: 28.0 ft. Bailer Drawdown: Not available

Grouting Information

Material: Not available Depth: From (not available) To (not available)

Installation Method: Not available Number of Bags Used: Not available

Well

Sealing Material: Not available Depth: From (not available) To (not available) Abandonment

Installation Method: Not available Number of Bags Used: Not available

Administrative County: MARION

Township: 16N Range: 3E Section: SE of Section 31

Topo Map: INDIANAPOLIS WEST Grant: Not available

Field Located By: Not available Field Located On: Not available

Courthouse Location By: Not available Courthouse Location On: Not available Location Accepted w/o Verification On: Not

available

Location Accepted w/o Verification By: Not

available

Subdivision Name: Not available Lot Number: Not available Ft W of EL: Not available Ft N of SL: Not available Ft E of WL: Not available Ft S of NL: Not available

Ground Elevation: Not available Depth of Bedrock: Not available Bedrock Elevation: Not available Aguifer Elevation: Not available UTM Northing: Not available UTM Easting: Not available

Well Log Comments AIR LINE LENGTH 76': **GRAVEL** 

Reference

**Driving Direction to Well** Number

Date Completed

290034 SE 1/4 11/1/1940

Owner-

Contractor Owner ALLISON DIV GM CORP Driller LAYNE NORTHERN

Name

Address

Telephone Not available

Operator Not available License Not available

SPEEDWAY CITY

Not available

Not available

Construction Details

Well Use: Industry

Pump Setting Depth: Not

Drilling Method: Not available Pump Type: Not available

Depth: 116.0

available

Water Quality: Not available

Casing Screen Length: Not available Length: Not available Material: Not available Material: Not available

Diameter: Not available

Diameter: 12.6

Slot Size: Not available

Well Capacity

Test

Type of Test: Pumping

Test Rate: 400.0 gpm

Bail Test Rate: Not available

Drawdown: Not available Static Water Level: 26.0 ft. Bailer Drawdown: Not available

Grouting Information

Material: Not available

Depth: From (not available) To (not available)

Installation Method: Not available Number of Bags Used: Not available

Well

Abandonment

Sealing Material: Not available

Depth: From (not available) To (not available)

Installation Method: Not available Number of Bags Used: Not available

Administrative

County: MARION

Township: 16N

Range: 3E

Section: SE of Section 31

Topo Map: INDIANAPOLIS WEST

Grant: Not available

Field Located By: Not available

Field Located On: Not available

Courthouse Location By: Not available

Courthouse Location On: Not available

Location Accepted w/o Verification By: Not

Location Accepted w/o Verification On: Not available

available

Subdivision Name: Not available Lot Number: Not available Ft W of EL: Not available Ft N of SL: Not available Ft S of NL: Not available

Ft E of WL: Not available Ground Elevation: Not available Depth of Bedrock: Not available Bedrock Elevation: Not available

Aguifer Elevation: Not available UTM Northing: Not available

UTM Easting: Not available

Well Log

Тор	Bottom	Formation	
0.0	105.0	BLANK	
105.0	116.0	S&G	

Comments

10 YDS OF GRAVEL IN WELL AIR LINE LENGTH 75'

Reference Number

**Driving Direction to Well** 

Date Completed

290035

SE 1/4 PLANT 2 SPEEDWAY CITY

2/1/1941

Owner-

Contractor Owner ALLISON DIV GMC Driller LAYNE NORTHERN CO

Name

MAIN AND 12TH ST

Not available

Telephone

Operator

Not available

License Not available

Not available

Construction Details

Well Use: Industry

Pump Setting Depth: Not

Drilling Method: Not available Pump Type: Not available

Depth: 121.0

available

Address

**INDPLS** 

Water Quality: Not available

Casing

Length: Not available

Material: Not available

Diameter: 16.8 Diameter: Not available

Screen Length: Not available Slot Size: Not available Material: Not available

Well Capacity

Test

Type of Test: Pumping

Test Rate: 350.0 gpm

Bail Test Rate: Not available

Drawdown: 0.0 ft.

Static Water Level: 32.0 ft.

Bailer Drawdown: Not available

Grouting Information

Material: Not available

Depth: From (not available) To (not available)

Installation Method: Not available Number of Bags Used: Not available

Well

Abandonment

Sealing Material: Not available

Depth: From (not available) To (not available)

Installation Method: Not available Number of Bags Used: Not available

Administrative

County: MARION

Township: 16N

Range: 3E

Section: SE of Section 31

Topo Map: INDIANAPOLIS WEST

Grant: Not available

Field Located By: Not available

Field Located On: Not available

Courthouse Location On: Not available

Courthouse Location By: Not available Location Accepted w/o Verification By: Not

Location Accepted w/o Verification On: Not

available

available

Subdivision Name: Not available

Lot Number: Not available Ft N of SL: Not available

Ft W of EL: Not available Ft E of WL: Not available

Ft S of NL: Not available Depth of Bedrock: Not available

Ground Elevation: Not available Bedrock Elevation: Not available

Aguifer Elevation: Not available UTM Northing: Not available

UTM Easting: Not available

Тор	Bottom	Formation
0.0	2.0	TOPSOIL
2.0	6.0	GRAV
6.0	10.0	CLAY
10.0	27.0	GRAV
27.0	39.0	CLAY

39.0	48.0	HARDPAN
48.0	57.0	S&G
57.0	104.0	TOUGH CLAY
104.0	109.0	SAND & CLAY BALLS
106.0	121.0	S&G
109.0	118.0	CRS S&G

Comments AIR LINE LENGTH 85

Address

Reference Number

**Driving Direction to Well** 

Date Completed

310308

Not available

Name

1/1/1940

Owner-

Contractor Owner Driller

ALLISON ENGR. CO. LAYNE NORTHERN

SPEEDWAY CITY Not available License Not available Not available Not available

Telephone

Operator Not available

Construction Details

Well Use: Industry

Depth: Not available

Length: Not available

Screen Length: Not available

Slot Size: Not available

Drilling Method: Not available Pump Type: Not available

Pump Setting Depth: Not available

Water Quality: Not available

Material: Not available Diameter: 18.0 Material: Not available

Diameter: Not available

Well Capacity

Test

Casing

Type of Test: Not available Bail Test Rate: Not available Test Rate: 300.0 gpm

Drawdown: Not available Static Water Level: 20.0 ft.

Bailer Drawdown: Not available

Grouting Information

Material: Not available

Depth: From (not available) To (not available)

Installation Method: Not available Number of Bags Used: Not available

Well

Abandonment

Depth: From (not available) To (not available) Sealing Material: Not available

Installation Method: Not available Number of Bags Used: Not available

Administrative County: MARION

Range: 3E

Topo Map: INDIANAPOLIS WEST

Field Located By: Not available

Courthouse Location By: Not available

Location Accepted w/o Verification By: Not

available

Subdivision Name: Not available Ft W of EL: Not available

Ft E of WL: Not available

Ground Elevation: Not available Bedrock Elevation: Not available UTM Easting: Not available

Township: 15N

Section: NW of Section 6

Grant: Not available

Field Located On: Not available

Courthouse Location On: Not available

Location Accepted w/o Verification On: Not

available

Lot Number: Not available Ft N of SL: Not available Ft S of NL: Not available

Depth of Bedrock: Not available Aguifer Elevation: Not available UTM Northing: Not available

Reference Number

**Driving Direction to Well** 

Date Completed

310309

Not available

Name

1/1/1940

Owner-

Contractor Owner Driller

ALLISON ENGR. CO. LAYNE NORTHERN

SPEEDWAY CITY Not available

License Not available

Material: Not available

Material: Not available

Address

Not available Not available

Telephone

Operator Not available

Construction Details

Well

Casing

Use: Industry

Depth: 59.0

Length: Not available

Screen Length: Not available Slot Size: Not available

Drilling Method: Not available Pump Type: Not available Pump Setting Depth: Not Water Quality: Not available

available

Diameter: 18.0

Diameter: Not available

Well Capacity

Test

Type of Test: Not available

Drawdown: Not available

Test Rate: 600.0 gpm

Bail Test Rate: Not available

Static Water Level: 16.0 ft.

Bailer Drawdown: Not available

Grouting Information

Material: Not available

Depth: From (not available) To (not available)

Installation Method: Not available Number of Bags Used: Not available

Well

Abandonment

Sealing Material: Not available

Depth: From (not available) To (not available)

Installation Method: Not available Number of Bags Used: Not available

Administrative

County: MARION Range: 3E

Topo Map: INDIANAPOLIS WEST

Field Located By: Not available Courthouse Location By: Not available

Location Accepted w/o Verification By: Not

available

Subdivision Name: Not available Ft W of EL: Not available

Ft E of WL: Not available

Ground Elevation: Not available Bedrock Elevation: Not available UTM Easting: Not available

Township: 15N

Section: NE of Section 6 Grant: Not available

Field Located On: Not available

Courthouse Location On: Not available

Location Accepted w/o Verification On: Not

available

Lot Number: Not available Ft N of SL: Not available Ft S of NL: Not available

Depth of Bedrock: Not available Aguifer Elevation: Not available UTM Northing: Not available

Reference Number

**Driving Direction to Well** 

Date Completed

310310

Not available

Name

8/2/1939

Owner-

Contractor Owner

ALLISON ENGR. CO. Not available

SPEEDWAY CITY Not available

Not available Not available

Telephone

Driller Operator

Not available

License Not available

Construction Details

Well

Use: Not available

Pump Setting Depth: Not

Drilling Method: Not available Pump Type: Not available

Depth: 60.0

available

Address

Water Quality: Not available

Casing Screen Length: Not available Length: 10.0

Material: Not available Material: Not available Diameter: 18.0 Diameter: 18.0

Slot Size: Not available

Well Capacity

Test

Type of Test: Not available

Test Rate: 260.0 gpm

Bail Test Rate: Not available

Drawdown: Not available

Static Water Level: 13.0 ft.

Bailer Drawdown: Not available

Grouting Information

Material: Not available

Depth: From (not available) To (not available)

Installation Method: Not available Number of Bags Used: Not available

Well

Abandonment

Sealing Material: Not available

Depth: From (not available) To (not available)

Installation Method: Not available Number of Bags Used: Not available

Administrative

County: MARION

Range: 3E

Topo Map: INDIANAPOLIS WEST Grant: Not available

Field Located By: Not available

Courthouse Location By: Not available

Location Accepted w/o Verification By: Not

available

Subdivision Name: Not available

Ft W of EL: Not available Ft E of WL: Not available

Ground Elevation: Not available Bedrock Elevation: Not available UTM Easting: Not available

Township: 15N

Section: NE of Section 6

Field Located On: Not available

Courthouse Location On: Not available

Location Accepted w/o Verification On: Not

available

Lot Number: Not available Ft N of SL: Not available Ft S of NL: Not available

Depth of Bedrock: Not available Aguifer Elevation: Not available UTM Northing: Not available

Reference Number

**Driving Direction to Well** 

Date Completed

310367

LOCATION UNCERTAIN; 220 S BELMONT, 7601 ROCKVILLE RD

Not available

Owner-

Operator

Contractor Owner LINK-BELT CO. Driller Not available

Name

Address

Not available

Telephone Not available Not available

Not available

License Not available

Construction Details

Well Use: Industry

Not available

Drilling Method: Not available Pump Type: Not available Pump Setting Depth: Not

Water Quality: Not available

Depth: 150.0

Length: Not available

Length: Not available

available Material: Not available Diameter: 8.0

Diameter: Not available

Slot Size: Not available

Well Capacity

Test

Casing

Screen

Type of Test: Not available

Test Rate: 175.0 gpm

Material: Not available

Bail Test Rate: Not available

Drawdown: Not available

Static Water Level: Not

Bailer Drawdown: Not available

available

Grouting

Material: Not available Information

Depth: From (not available) To (not available)

Installation Method: Not available Number of Bags Used: Not available

Well

Abandonment

Sealing Material: Not available Depth: From (not available) To (not available)

Installation Method: Not available Number of Bags Used: Not available

Administrative

County: MARION

Range: 3E

Topo Map: INDIANAPOLIS WEST Grant: Not available

Field Located By: Not available

Courthouse Location By: Not available

Location Accepted w/o Verification By: Not

available

Subdivision Name: Not available

Ft W of EL: Not available Ft E of WL: Not available

Ground Elevation: Not available Bedrock Elevation: Not available

UTM Easting: Not available

Township: 15N Section: SW of the NE of Section 4

Field Located On: Not available

Courthouse Location On: Not available

Location Accepted w/o Verification On: Not

available

Lot Number: Not available Ft N of SL: Not available Ft S of NL: Not available

Depth of Bedrock: Not available Aquifer Elevation: Not available UTM Northing: Not available

Reference Number

**Driving Direction to Well** Date Completed

310369 Not available 1/1/1913

Owner-

Name Address Telephone Contractor Owner LINK-BELT CO. 220 S BELMONT, INDPLS. Not available Driller **KRAUSS** Not available Not available

Operator Not available License Not available

Construction Details

Well Use: Industry Drilling Method: Not available Pump Type: Not available

> Pump Setting Depth: Not Depth: 102.0 Water Quality: Not available

available

Casing Length: Not available Material: Not available Diameter: 8.0

Screen Length: 14.0 Material: Not available Diameter: Not available

Slot Size: Not available

Well Capacity

Type of Test: Not available Bail Test Rate: Not available Test Rate: 150.0 gpm Test

> Static Water Level: Not Drawdown: Not available Bailer Drawdown: Not available

available

Grouting

Material: Not available Depth: From (not available) To (not available) Information

Installation Method: Not available Number of Bags Used: Not available

Well

Sealing Material: Not available Depth: From (not available) To (not available) Abandonment

Installation Method: Not available Number of Bags Used: Not available

Administrative County: MARION Township: 15N

> Section: NE of the NE of Section 9 Range: 3E

Topo Map: INDIANAPOLIS WEST Grant: Not available

Field Located By: Not available Field Located On: Not available

Courthouse Location By: Not available Courthouse Location On: Not available

Location Accepted w/o Verification By: Not Location Accepted w/o Verification On: Not

available available

Subdivision Name: Not available Lot Number: Not available Ft W of EL: Not available Ft N of SL: Not available Ft E of WL: Not available Ft S of NL: Not available

Ground Elevation: Not available Depth of Bedrock: Not available Bedrock Elevation: Not available Aquifer Elevation: Not available UTM Easting: Not available UTM Northing: Not available

Тор	Bottom	Formation
0.0	4.0	SOIL
4.0	21.0	DRY S&G
21.0	25.0	WATER SAND
25.0	45.0	WATER GRAV

45.0	75.0	GRAV & CLAY
75.0	102.0	HARDPAN

Comments None

Reference **Driving Direction to Well** Date Completed Number

362589 3351W 18TH STREET 1/4/2002

Owner-Name Address Telephone Contractor

3351 W 18TH STREET INDIANAPOLIS. Not available

**IPS #90** Owner IN

Driller ORTMAN DRILLING INC 241N 300W KOKOMO, IN (765)459-4125

VAN K CHRIS TRYAN S License: 1569 Operator

Construction Details

Test

Abandonment

Well Use: Other Drilling Method: Rotary Pump Type: Not available

> Pump Setting Depth: Not Depth: 129.0 Water Quality: Not available available

Material: PVC Diameter: 8.0 Casing Length: 117.0

Screen Length: 12.0 Material: GLUED SS/WW Diameter: 8.0

Slot Size: .080

Well Capacity Test Rate: 350.0 gpm for 17.0

Type of Test: Air Bail Test Rate: Not available

Drawdown: Not available Bailer Drawdown: Not available Static Water Level: 35.0 ft.

Grouting Material: BNSL Depth: From 80.0 To 0.0 Information

Installation Method: Not available Number of Bags Used: 8.0

Well Sealing Material: NORTHERN #4 Depth: From 129 To 80

Installation Method: Not available Number of Bags Used: 200.0

Administrative County: MARION Township: 16N

> Section: NE of Section 32 Range: 3E

Topo Map: INDIANAPOLIS WEST Grant: Not available

Field Located By: Not available Field Located On: Not available

Courthouse Location By: Not available Courthouse Location On: Not available

Location Accepted w/o Verification By: Not Location Accepted w/o Verification On: Not

available available

Subdivision Name: Not available Lot Number: Not available Ft W of EL: Not available Ft N of SL: Not available Ft E of WL: Not available Ft S of NL: Not available

Ground Elevation: Not available Depth of Bedrock: Not available Bedrock Elevation: Not available Aquifer Elevation: Not available UTM Easting: Not available UTM Northing: Not available

9.0	GRAVELY BROWN CLAY
17.0	FINE-MD WTRACE CRS GRAVEL
40.0	FINE-MD GRAVEL W/FINE-MD SAND
49.0	MD-CRS GRAV W/FINE-MD SAND
	17.0 40.0

49.0	90.0	GRAVELY GRAY CLAY
90.0	105.0	FINE-MD GRAVEL W/FINE-MD SAND
105.0	130.0	MD-CRS GRAV W/FN-CRS SAND
130.0	131.0	LIMESTONE

Comments LOCKING CAP AND PADLOCK

Reference Number

**Driving Direction to Well** 

Date Completed

363375

3351 W 18TH ST

Name

6/5/2002

Owner-

Contractor Owner IPS #90

3351 W 18TH ST INDIANAPOLIS IN

Telephone Not available

Driller ORTMAN DRILLING INC

241N 300W KOKOMO IN

(765)459-4125

Operator

LEONARD F ERIC H DAVID L

License: 1035

Address

Construction Details

Well

Use: Industry

Drilling Method: Rotary Pump Setting Depth: Not Pump Type: Not available

Depth: 45.0

available

Water Quality: CLEAR

Casing Screen Length: 25.2 Length: 20.0 Material: SCH 80 Material: SS WW Diameter: 8.0 Diameter: 8.0

Slot Size: .080

Well Capacity

Test

Type of Test: Air

Test Rate: 75.0 gpm

Bail Test Rate: Not available

Drawdown: Not available

Static Water Level: 23.0 ft.

Bailer Drawdown: Not available

Grouting Information

Material: BENSEAL

Depth: From 15.0 To 0.0

Installation Method: TREMMIE

Number of Bags Used: 3.0

Well

Abandonment

Sealing Material: Not available

Depth: From (not available) To (not available)

Installation Method: Not available Number of Bags Used: Not available

Administrative

County: MARION

Township: 16N Range: 3E Section: 33

Grant: Not available Topo Map: INDIANAPOLIS WEST

Field Located By: Not available Field Located On: Not available

Courthouse Location By: Not available Courthouse Location On: Not available

Location Accepted w/o Verification By: Not

available

Location Accepted w/o Verification On: Not

available

Subdivision Name: Not available Lot Number: Not available Ft W of EL: Not available Ft N of SL: Not available Ft E of WL: Not available Ft S of NL: Not available

Ground Elevation: Not available Depth of Bedrock: Not available Bedrock Elevation: Not available Aguifer Elevation: Not available UTM Northing: Not available UTM Easting: Not available

Well Log

Тор	Bottom	Formation
0.0	4.0	BR CLAY
4.0	45.5	MEDS &G W/CRS GRAVEL
45.5	47.0	GRAY CLAY

Comments

02 IND - 20; RETURN WELL

#### Record of Water Well Indiana Department of Natural Resources

Reference Number

**Driving Direction to Well** 

Date Completed

363380

3351 W 18TH ST

Name

6/4/2002

Owner-

Contractor Owner **IPS #90** 

351 W 18TH ST INDIANAPOLIS IN

Not available

Telephone

Driller

ORTMAN DRILLING INC

241N 300W KOKOMO IN

(765)459-4125

Operator

LEONARD F CLINT B DAVID L

License: 1035

Address

Construction Details

Well

Use: Industry

Drilling Method: Rotary Pump Setting Depth: Not Pump Type: Not available

Depth: 129.0

available

Water Quality: CLEAR

Casing Screen Length: 117.2 Length: 12.0 Slot Size: .060 Material: PVC SDR 21 Material: SS WW

Diameter: 8.0 Diameter: 8.0

Well Capacity

Test

Type of Test: Air

Test Rate: 350.0 gpm

Bail Test Rate: Not available

Drawdown: Not available

Static Water Level: 35.0 ft.

Bailer Drawdown: Not available

Grouting Information

Material: BENESAL

Depth: From 90.0 To 0.0

Installation Method: TREMMIE

Number of Bags Used: 9.0

Well

Abandonment

Sealing Material: Not available

Depth: From (not available) To (not available)

Installation Method: Not available Number of Bags Used: Not available

Administrative

County: MARION Range: 3E

Township: 16N Section: 33

Topo Map: INDIANAPOLIS WEST

Grant: Not available

Field Located By: Not available

Field Located On: Not available

Courthouse Location By: Not available

Courthouse Location On: Not available

Location Accepted w/o Verification By: Not

Location Accepted w/o Verification On: Not

available

available

Subdivision Name: Not available Lot Number: Not available Ft W of EL: Not available Ft N of SL: Not available Ft E of WL: Not available

Ground Elevation: Not available Bedrock Elevation: Not available UTM Easting: Not available

Ft S of NL: Not available Depth of Bedrock: Not available Aguifer Elevation: Not available UTM Northing: Not available

#### Well Log

Тор	Bottom	Formation
0.0	4.0	BR CLAY
4.0	44.0	MED S&G W/CRS GRAVEL
44.0	88.0	GRAY CLAY
88.0	89.0	S&G
89.0	90.0	GRAY CLAY

90.0	120.0	FINE S&G W/SOME MED GRAVEL
120.0	129.5	FINE S&G
129.5	131.0	GRAY CLAY
131.0	132.0	LS

Comments 02- IND 20; 8" SUPPLY WELL

#### Record of Water Well Indiana Department of Natural Resources

Reference

**Driving Direction to Well** 

Date Completed

Number 363385

3351 W 18TH ST

Name

6/10/2002

Owner-

Contractor Owner **IPS #90** 

3351 W 18TH ST INDIANAPOLIS IN

Telephone Not available

Driller

ORTMAN DRILLING INC

241N 300W KOKOMO IN

(765)459-4125

Operator

LEONARD F ERIC M DAVID L

License: 1035

Address

Construction Details

Well

Use: Industry

Drilling Method: Rotary Pump Setting Depth: Not Pump Type: Not available

Depth: 41.0

available

Water Quality: CLEAR

Casing Screen Length: 21.2 Length: 20.0

Material: SCH 80 Material: SS WW Diameter: 8.0 Diameter: 8.0

Slot Size: .080

Well Capacity

Test

Type of Test: Air

Test Rate: 75.0 gpm

Bail Test Rate: Not available

Drawdown: Not available

Static Water Level: 23.0 ft.

Bailer Drawdown: Not available

Grouting

Material: BENSEAL Information

Depth: From 15.0 To 0.0

Installation Method: TREMMIE

Number of Bags Used: 4.0

Well

Abandonment

Sealing Material: Not available

Depth: From (not available) To (not available)

Installation Method: Not available Number of Bags Used: Not available

Administrative

County: MARION

Township: 16N Range: 3E Section: 33

Grant: Not available Topo Map: INDIANAPOLIS WEST

Field Located By: Not available Field Located On: Not available

Courthouse Location By: Not available Courthouse Location On: Not available

Location Accepted w/o Verification By: Not

available

Location Accepted w/o Verification On: Not

available

Subdivision Name: Not available Lot Number: Not available Ft W of EL: Not available Ft N of SL: Not available Ft E of WL: Not available Ft S of NL: Not available

Ground Elevation: Not available Depth of Bedrock: Not available Bedrock Elevation: Not available Aguifer Elevation: Not available UTM Northing: Not available UTM Easting: Not available

Well Log

Тор	Bottom	Formation
0.0	4.0	BR CLAY
4.0	41.0	MED S&G W/CRS GRAVEL
41.0	45.0	GRAY CLAY

Comments None

#### Record of Water Well Indiana Department of Natural Resources

Reference **Driving Direction to Well** Date Completed Number

TAKE 170 W TO HOLT RD GO S TO MORRIS GO W ACROSS RR TRACKS 377515

TO IMI PLANT ON N SD

5/30/2003

Owner-

Operator

Address Name Telephone Contractor Owner IMI INC. 4330 W MORRIS ST., INDPLS., IN (317)921-3183 JACKSON WELL DRLNG & PUMP PO BOX 45 MAXWELL. IN Driller (000)326-3675

RICK J. FOSTER License: 1448

Construction Details

Well Use: Other Pump Type: Submersible Drilling Method: Rotary Pump Setting Depth: 70.0 Water Quality: CLEAR Depth: 86.0

Length: 81.0 Material: PVC Diameter: 6.0 Casing Screen Length: 5.0 Material: PVC Diameter: 6.0

Slot Size: Not available

Well Capacity

Type of Test: Air Test Rate: 80.0 gpm for 1.0 hrs.Bail Test Rate: Not available Test

> Drawdown: 0.0 ft. Static Water Level: 12.0 ft. Bailer Drawdown: Not available

Grouting

Material: GROUT WELL Depth: From 5.0 To 60.0 Information

> Installation Method: AIR PUMP Number of Bags Used: 2.0

Well

Depth: From (not available) To (not available) Sealing Material: Not available Abandonment

Installation Method: Not available Number of Bags Used: Not available

Administrative County: MARION Township: 15N

> Range: 3E Section: SE of Section 7 Topo Map: INDIANAPOLIS WEST Grant: Not available

Field Located By: Not available Field Located On: Not available

Courthouse Location By: Not available Courthouse Location On: Not available Location Accepted w/o Verification By: Not Location Accepted w/o Verification On: Not

available available

Subdivision Name: Not available Lot Number: Not available Ft W of EL: Not available Ft N of SL: Not available Ft E of WL: Not available Ft S of NL: Not available

Ground Elevation: Not available Depth of Bedrock: Not available Bedrock Elevation: Not available Aguifer Elevation: Not available UTM Easting: Not available UTM Northing: Not available

#### Well Log

Тор	Bottom	Formation
0.0	10.0	BRN CLAY
10.0	20.0	BLUE CLAY
20.0	41.0	PEA GRAVEL
41.0	50.0	BLUE CLAY

50.0	62.0	PEA GRAVEL
62.0	76.0	BLUE CLAY
76.0	86.0	GOOD PEA GRAVEL

Comments SEE MAP

#### Record of Water Well Indiana Department of Natural Resources

Reference **Driving Direction to Well** Date Completed Number

TAKE I70 W TO HOLT RD GO S TO MORRIS GO W ACROSS RR TRACKS 6/2/2003

377516 TO NEW IMI PLANT ON N SD

Owner-Address Name Telephone Contractor

Owner IMI INC. 4330 W MORRIS ST., INDPLS., IN (317)921-3183

JACKSON WELL DRLNG & PUMP Driller PO BOX 45 MAXWELL. IN

Operator RICK J. FOSTER License: 1448

Construction Details

Well Use: Home Pump Type: Submersible Drilling Method: Rotary

Pump Setting Depth: 50.0 Water Quality: CLEAR Depth: 82.0

Length: 77.0 Material: PVC Diameter: 6.0 Casing Screen Length: 5.0 Material: SS Diameter: 6.0

Slot Size: .040

Well Capacity

Type of Test: Air Test Rate: 90.0 gpm for 1.0 hrs.Bail Test Rate: Not available Test

> Drawdown: 0.0 ft. Static Water Level: 12.0 ft. Bailer Drawdown: Not available

(000)326-3675

Grouting

Material: GROUT WELL Depth: From 5.0 To 58.0 Information

> Installation Method: AIR PUMP Number of Bags Used: 2.0

Well

Depth: From (not available) To (not available) Sealing Material: Not available Abandonment

Installation Method: Not available Number of Bags Used: Not available

Administrative County: MARION Township: 15N

> Range: 3E Section: SE of Section 7 Topo Map: INDIANAPOLIS WEST Grant: Not available

Field Located By: Not available Field Located On: Not available

Courthouse Location By: Not available Courthouse Location On: Not available Location Accepted w/o Verification By: Not Location Accepted w/o Verification On: Not

available available

Subdivision Name: Not available Lot Number: Not available Ft W of EL: Not available Ft N of SL: Not available Ft E of WL: Not available Ft S of NL: Not available

Ground Elevation: Not available Depth of Bedrock: Not available Bedrock Elevation: Not available Aguifer Elevation: Not available UTM Easting: Not available UTM Northing: Not available

#### Well Log

Тор	Bottom	Formation
0.0	10.0	BRN CLAY
10.0	21.0	BLUE CLAY
21.0	41.0	PEA GRAVEL
41.0	50.0	BLUE CLAY

50.0	56.0	PEA GRAVEL
56.0	77.0	BLUE CLAY
77.0	82.0	GOOD PEA GRAVEL

Comments SEE MAP

#### Record of Water Well Indiana Department of Natural Resources

Reference **Driving Direction to Well** Date Completed Number

414784 ON 18TH ST W OF N CENTENNIAL (3351 W 18TH INDIANAPOLIS, IN) 6/9/2008

Owner-

Test

Name Address Telephone Contractor Owner **ERNIE PYLE SCHOOL** Not available Not available Driller ORTMAN DRILLING 241 N 300 W KOKOMO, IN (765)459-4125

MIKE KELLER-NATHAN License: 2050 Operator MCDORMAN-AD

Construction Details

Well Use: Other Drilling Method: Not available Pump Type: Not available

> Pump Setting Depth: Not Depth: 130.0 Water Quality: CLEAR available

Material: PVC Diameter: 6.0 Casing Length: 110.0 Diameter: 6.0

Screen Length: 20.0 Material: STEEL Slot Size: .04

Well Capacity Test Rate: 200.0 gpm for 10.0 Type of Test: Air

Drawdown: Not available Bailer Drawdown: Not available Static Water Level: 37.7 ft.

Bail Test Rate: Not available

Grouting Material: BENSEAL Depth: From 50.0 To 0.0 Information

> Installation Method: PUMPED Number of Bags Used: 8.0

Well Sealing Material: NORTHERN

Depth: From 13 To 50 Abandonment SILICA

Installation Method: WASHED IN Number of Bags Used: 2.0

Administrative County: MARION Township: 16N

> Range: 3E Section: SW of the SW of the NW of Section 33

Topo Map: INDIANAPOLIS WEST Grant: Not available

Field Located By: DRILLER Field Located On: 6/9/2008

Courthouse Location By: Not available Courthouse Location On: Not available Location Accepted w/o Verification On: Not

available

Location Accepted w/o Verification By: Not

available

Subdivision Name: Not available Lot Number: Not available Ft W of EL: Not available Ft N of SL: Not available Ft E of WL: Not available Ft S of NL: Not available Ground Elevation: 733.0 Depth of Bedrock: 130.0

Bedrock Elevation: 603.0 Aguifer Elevation: Not available

UTM Easting: 567269 UTM Northing: 4404378

Well Log

Тор	Bottom	Formation
0.0	2.0	BROWN CLAY
2.0	25.0	M-C SAND & GRAVEL W/COBBLES
25.0	30.0	SANDY GRAY CLAY
30.0	45.0	M-C SAND & GRAVEL W/COBBLES

45.0	82.0	SANDY GRAY CLAY
82.0	85.0	F-M SAND AND GRAVEL
85.0	94.0	SANDY GRAY CLAY
94.0	100.0	F-M SAND AND GRAVEL W/SOME CLA
100.0	130.0	F-M SAND AND GRAVEL
130.0		LIMESTONE

Comments None

### Record of Water Well Indiana Department of Natural Resources

Reference
Number

Driving Direction to Well

Date Completed

414785 ON W 18TH ST W OF N CENTENNIAL ST (3351 W 18TH ST) 6/5/2008

OwnerName Address Telephone

Contractor

Owner ERNIE PYLE SCHOOL 3351 W 18TH ST INDIANAPOLIS, IN Not available

Driller ORTMAN DRILLING 241 N 300 W KOKOMO, IN (765)459-4125

Operator MIKE KELLER-NATHAN License: 2205

MCDORMAN-AD

Construction Details

Test

Well Use: Other Drilling Method: Rotary Pump Type: Not available

Depth: 127.5 Pump Setting Depth: Not available Water Quality: CLEAR

Casing Length: 107.5 Material: SDR 21 PVC Diameter: 6.0

Screen Length: 20.0 Material: STEEL Diameter: 6.0

Slot Size: .04

Well Capacity Time of Task Air Test Rate: 200.0 gpm for 10.0

Type of Test: Air

Test Nate: 200:0 gpm for 10:0

Bail Test Rate: Not available

Drawdown: Not available Static Water Level: 39.0 ft. Bailer Drawdown: Not available

Grouting Material: BENSEAL Depth: From 50.0 To 0.0

Installation Method: PUMPED Number of Bags Used: 8.0

Well Sealing Material: NORTHERN Depth: From 127 To 50

Abandonment SILICA

Installation Method: WASHED Number of Bags Used: 400.0

Administrative County: MARION Township: 16N

Range: 3E Section: SW of the SW of the NW of Section 33

Topo Map: INDIANAPOLIS WEST Grant: Not available

Field Located By: DRILLER Field Located On: 6/5/2008

Courthouse Location By: Not available

Courthouse Location On: Not available

Location Assented w/s Verification On: Not

Location Accepted w/o Verification By: Not Location Accepted w/o Verification On: Not

available available

Subdivision Name: Not available
Ft W of EL: Not available
Ft E of WL: Not available
Ground Elevation: 733.0

Lot Number: Not available
Ft N of SL: Not available
Ft S of NL: Not available
Depth of Bedrock: 130.0

Bedrock Elevation: 603.0 Aquifer Elevation: Not available

UTM Easting: 567267 UTM Northing: 4404396

Well Log

Тор	Bottom	Formation
0.0	2.0	BROWN CLAY
2.0	25.0	M-C SAND AND GRAVEL
25.0	30.0	GRAY CLAY WITH COBBLES
30.0	49.0	M-C SAND AND GRAVEL

49.0	92.0	GRAY CLAY WITH COBBLES
92.0	100.0	GRAVELY GRAY CLAY
100.0	130.0	FINE TO MED SAND & GRAVEL
130.0	131.0	GRAY LIMESTONE

Comments None

#### Record of Water Well Indiana Department of Natural Resources

Reference **Driving Direction to Well** Date Completed Number

414788 ON 18TH ST W OF N CENTENNIAL (3351 W 18TH INDIANAPOLIS, IN) 6/13/2008

Owner-

Name Address Telephone Contractor Owner **ERNIE PYLE SCHOOL** Not available Not available Driller ORTMAN DRILLING 241 N 300 W KOKOMO, IN (765)459-4125

MIKE KELLER-NATHAN Operator

License: 2050 MCDORMAN-AD

Construction Details

Well Use: Other Drilling Method: Not available Pump Type: Not available

> Pump Setting Depth: Not Depth: 130.0 Water Quality: CLEAR available

Material: PVC Diameter: 6.0 Casing Length: 110.0 Diameter: 6.0

Screen Length: 20.0 Material: STEEL Slot Size: .04

Well Capacity Test Rate: 200.0 gpm for 10.0 Type of Test: Air Bail Test Rate: Not available Test

Drawdown: Not available Bailer Drawdown: Not available Static Water Level: 37.7 ft.

Grouting

Material: BENSEAL Depth: From 50.0 To 0.0 Information

> Installation Method: PUMPED Number of Bags Used: 8.0

Well Sealing Material: NORTHERN

Depth: From 13 To 50 Abandonment SILICA

Installation Method: WASHED IN Number of Bags Used: 2.0

Administrative County: MARION Township: 16N

> Range: 3E Section: SW of the SW of the NW of Section 33

Topo Map: INDIANAPOLIS WEST Grant: Not available

Field Located By: DRILLER Field Located On: 6/13/2008

Courthouse Location By: Not available Courthouse Location On: Not available Location Accepted w/o Verification By: Not Location Accepted w/o Verification On: Not

available available

Subdivision Name: Not available

Lot Number: Not available Ft W of EL: Not available Ft N of SL: Not available Ft E of WL: Not available Ft S of NL: Not available Ground Elevation: 733.0 Depth of Bedrock: 130.0

Bedrock Elevation: 603.0 Aguifer Elevation: Not available

UTM Easting: 567268 UTM Northing: 4404391

Well Log

Тор	Bottom	Formation
0.0	2.0	BROWN CLAY
2.0	45.0	M-C SAND AND GRAVEL W/COBBLES
45.0	65.0	GRAY CLAY W/GRAVEL
65.0	92.0	GRAY CLAY W/GRAVEL

92.0	100.0	GRAVELY GRAY CLAY
100.0	130.0	F-M SAND & GRAVEL
130.0		LIMESTONE

Comments None

#### Record of Water Well Indiana Department of Natural Resources

Reference **Driving Direction to Well** Date Completed Number

414789 ON 18TH ST W OF N CENTENNIAL (3351 W 18TH INDIANAPOLIS, IN) 6/11/2008

Owner-Name Address Telephone Contractor

Owner **ERNIE PYLE SCHOOL** Not available Not available Driller ORTMAN DRILLING 241 N 300 W KOKOMO, IN (765)459-4125

MIKE KELLER-NATHAN License: 2050 Operator MCDORMAN-AD

Construction Details

Well Use: Other Drilling Method: Not available Pump Type: Not available

> Pump Setting Depth: Not Depth: 130.0 Water Quality: CLEAR available

Length: 110.0 Material: PVC Diameter: 6.0 Casing

Screen Length: 20.0 Material: STEEL Diameter: 6.0

Slot Size: Not available

Well Capacity Test Rate: 200.0 gpm for 10.0 Type of Test: Air

Bail Test Rate: Not available Test

> Drawdown: Not available Bailer Drawdown: Not available Static Water Level: 37.1 ft.

Grouting Material: BENSEAL Depth: From 50.0 To 0.0 Information

Number of Bags Used: 8.0 Installation Method: PUMPED

Well Sealing Material: NORTHERN Depth: From 130 To 50

Abandonment SILICA

Installation Method: WASHED IN Number of Bags Used: 400.0

Administrative County: MARION Township: 16N

> Range: 3E Section: SW of the SW of the NW of Section 33

Topo Map: INDIANAPOLIS WEST Grant: Not available

Field Located By: DRILLER Field Located On: 6/11/2008

Courthouse Location By: Not available Courthouse Location On: Not available

Location Accepted w/o Verification By: Not Location Accepted w/o Verification On: Not

available available

Subdivision Name: Not available Lot Number: Not available Ft W of EL: Not available Ft N of SL: Not available Ft E of WL: Not available Ft S of NL: Not available Ground Elevation: 733.0 Depth of Bedrock: 130.0

Bedrock Elevation: 603.0 Aguifer Elevation: Not available

UTM Easting: 567268 UTM Northing: 4404385

Well Log

Тор	Bottom	Formation
0.0	2.0	BROWN CLAY
2.0	25.0	M-C SAND AND GRAVEL W/BOULDERS
25.0	30.0	SANDY GRAY CLAY
30.0	45.0	M-C SAND AND GRAVEL W/COBBLES

45.0	82.0	SANDY GRAY CLAY
82.0	85.0	F-M SAND AND GRAVEL
85.0	94.0	SANDY GRAY CLAY
94.0	100.0	F-M SAND AND GRAVEL W/CLAY
100.0	130.0	F-M SAND AND GRAVEL
130.0		LIMESTONE

Comments None

# APPENDIX C AQUIFER HYDRAULIC TEST DATA

#### Table C-1

Slug Test Data Summary - March-April 2013 Michigan Plaza 3801-3823 West Michigan Street Indianapolis, Indiana

MUNDELL Project No.: M01046

Field Test Type/		HYDRAULIC CONDUCTIVITY, ft/day									
Well I.D.	MMW-P- 02	MMW-P- 11S	MMW-P- 11DR	MMW-P- 13S	MMW-P- 13D	MMW-P- 14S	MMW-P- 14D	Maximum	Median	Mean	Minimum
Falling Head	33.5	32.9	85.0	57.4	52.0	93.0	67.1	93.0	57.4	60.1	32.9
Rising Head	44.4	38.9	130.3	99.6	22.1	141.1	84.4	141.1	84.4	80.1	22.1
Avg K-Value	39.0	35.9	107.6	78.5	37.0	117.0	75.8	117.0	70.9	70.1	27.5

#### Note:

All analyses above utilized the Bower and Rice solution method for unconfined aquifers (Bouwer and Rice, 1976) as contained in the software AQTESOLV<sup>TM</sup>.

## Michigan Plaza Slug Testing Results March-April 2013


#### Methodology

On March 29 and April 1, 2013, MUNDELL personnel performed aquifer characterization studies by conducting a series of slug tests at selected wells located between Michigan Plaza and the Cossell Road residences. Monitoring well MMW-P-02 along with shallow/deep well pairs MMW-P-11S/DR, MMW-P-13S/D, and MMW-P-14S/D were evaluated. At each well, the well was opened and allowed to equilibrate for a period of 20 minutes. An In-Situ Inc. Level TROLL® 700 pressure transducer that records elapsed time and water level elevation was then placed into the well and the water level was then allowed to re-equilibrate. The TROLL® was connected to a hand-held In-Situ Inc. RuggedReader® Handheld PC device that controls test initiation and allowed monitoring of water level response data. Slug tests were set up to record response of water level displacement on a logarithmic time scale at intervals of about 3 readings per second at the start of the test, with progressively longer intervals based on a logarithmically decaying schedule as the test progresses. To begin each test, an inert solid PVC slug with dimensions of approximately 3 feet long by 1.25 inches in diameter (for an equivalent displacement volume of about 0.0255 ft<sup>3</sup>) was rapidly lowered into the well to displace the water column. Measurements of the falling water level over time (falling head test) were recorded until approximately 95% recovery was attained. The test was stopped and a new test was begun when water levels returned to the approximate original static position. The test was repeated by removing the slug and recording "rising head" data over time. Between each monitoring well slug test, the Level TROLL® and water level meter were properly decontaminated.

#### **Analyses of Field Data**

Hydraulic conductivity values were calculated for each test by processing rising and falling water level data using the AQTESOLV™ software, created by HydroSOLVE, Inc. The Bouwer and Rice Method (1976) curve matching solution for partially penetrating wells was utilized. Based on the tests, K-values range between 22.1 and 141.1 ft/day, with an overall average K-value of 70.1 ft/day.

A summary of the testing results, along with the slug test results, are included within this appendix.



#### WELL TEST ANALYSIS

Data Set: T:\...\MMW-P-02 IN (B-R 1976).aqt Date: 04/10/13 Time: 16:32:12

#### PROJECT INFORMATION

Company: Mundell & Associates Inc.

Client: AIMCO
Project: M01046

Test Well: MMW-P-02 Test Date: 3-29-2013

#### **SOLUTION**

Aquifer Model: <u>Unconfined</u>
Solution Method: Bouwer-Rice

K = 33.49 ft/dayy0 = 7335.5 ft

#### **AQUIFER DATA**

Saturated Thickness: 20.13 ft

Anisotropy Ratio (Kz/Kr): 1.

#### WELL DATA (MMW-P-02)

Initial Displacement: 3.84 ft

Total Well Penetration Depth: 10.63 ft

Casing Radius: 0.083 ft

Static Water Column Height: 20.13 ft

Screen Length: 10. ft Well Radius: 0.33 ft

#### **AQTESOLV** for Windows

Data Set: T:\2001\M01046 Michigan Meadows Apts\Data\Slug Test Files\Bouwer-Rice 1976\MMW-P-02 IN (B-R 1976).aqt

Date: 04/10/13 Time: 16:32:28

#### PROJECT INFORMATION

Company: Mundell & Associates Inc.

Client: AIMCO Project: M01046 Test Date: 3-29-2013 Test Well: MMW-P-02

#### **AQUIFER DATA**

Saturated Thickness: 20.13 ft Anisotropy Ratio (Kz/Kr): 1.

#### SLUG TEST WELL DATA

Test Well: MMW-P-02

X Location: 0. ft Y Location: 0. ft

Initial Displacement: 3.84 ft Static Water Column Height: 20.13 ft Casing Radius: 0.083 ft Well Radius: 0.33 ft Well Skin Radius: 0.33 ft

Screen Length: 10. ft
Total Well Penetration Depth: 10.63 ft

No. of Observations: 105

Observation Data					
Time (sec)	Displacement (ft)	Time (sec)	Displacement (ft)	Time (sec)	Displacement (ft)
0.25	0.01337	11.94	0.01559	90.	0.06011
0.5	0.01158	12.66	0.007344	94.8	0.06131
0.75	0.007117	13.44	0.0223	100.8	0.05458
1.	0.01265	14.22	0.05062	106.8	0.05795
1.25	0.01121	15.06	0.02085	112.8	0.05698
1.5	0.01108	15.96	0.04448	119.4	0.05638
1.75	0.01168	16.92	3.84	126.6	0.05651
2.	0.00955	17.88	0.4042	134.4	0.0547
2.25	0.01108	18.96	-0.1717	142.2	0.05396
2.5	0.009312	20.1	-0.07645	150.6	0.05073
2.75	0.01426	21.3	0.05232	159.6	0.04602
3.	0.0122	22.56	0.04968	169.2	0.0512
3.25	0.01136	23.88	0.02303	178.8	0.05108

Time (sec)	Displacement (ft)	Time (sec)	Displacement (ft)	Time (sec)	Displacement (ft)
3.5	0.01197	25.32	0.0475	189.6	0.05035
3.75	0.008592	26.82	0.04421	201.	0.05687
4.	0.01149	28.38	0.03816	213.	0.05602
4.25	0.01318	30.06	-0.02969	225.6	0.05542
4.5	0.01183	31.86	0.0395	238.8	0.05965
4.75	0.01016	33.72	0.03577	253.2	0.05312
5.	0.01002	35.76	0.03745	268.2	0.06143
5.251	0.008222	37.86	0.03962	283.8	0.06856
5.501	0.01076	40.08	-0.008469	300.6	0.06807
5.751	0.01183	42.48	0.04192	318.6	0.0665
6.001	0.006787	45.	0.03528	337.2	0.07116
6.36	0.0121	47.64	0.03685	357.6	0.07261
6.72	0.01304	50.46	0.04179	378.6	0.07382
7.14	0.008945	53.46	-0.01353	400.8	0.07224
7.56	0.008834	56.64	0.06782	424.8	0.0682
7.98	0.01088	60.	0.06217	450.	0.0708
8.46	0.01123	63.6	0.0535	476.4	0.06755
9.	0.01172	67.2	0.06761	504.6	0.069
9.48	0.009799	71.4	0.06553	534.6	0.07069
10.08	0.01258	75.6	0.06372	566.4	0.06894
10.68	0.01238	79.8 79.8	0.06143	600.	0.06991
11.28	0.00892	84.6	0.063	636.	0.06594

#### **SOLUTION**


Slug Test Aquifer Model: Unconfined Solution Method: Bouwer-Rice In(Re/rw): 2.262

#### **VISUAL ESTIMATION RESULTS**

#### **Estimated Parameters**

Parameter Estimate 33.49 ft/day K уÒ 7335.5 ft

K = 0.01182 cm/sec  $T = K*b = 674.2 \text{ ft}^2/\text{day} (7.25 \text{ sq. cm/sec})$ 



#### WELL TEST ANALYSIS

Data Set: T:\...\MMW-P-02 OUT (B-R 1976).aqt
Date: 04/10/13 Time: 16:31:49

#### PROJECT INFORMATION

Company: Mundell & Associates Inc.

Client: AIMCO
Project: M01046

Test Well: MMW-P-02 Test Date: 3-29-2013

#### **SOLUTION**

Aquifer Model: <u>Unconfined</u>
Solution Method: Bouwer-Rice

K = 44.42 ft/dayy0 = 363.2 ft

#### **AQUIFER DATA**

Saturated Thickness: 20.13 ft Anisotropy Ratio (Kz/Kr): 1.

#### WELL DATA (MMW-P-02)

Initial Displacement: 1.7 ft

Total Well Penetration Depth: 10.63 ft

Casing Radius: 0.083 ft

Static Water Column Height: 20.13 ft

Screen Length: 10. ft Well Radius: 0.33 ft

#### **AQTESOLV** for Windows

Data Set: T:\2001\M01046 Michigan Meadows Apts\Data\Slug Test Files\Bouwer-Rice 1976\MMW-P-02 OUT (B-R 1976).aqt

Date: 04/10/13 Time: 16:31:07

#### PROJECT INFORMATION

Company: Mundell & Associates Inc.

Client: AIMCO Project: M01046 Test Date: 3-29-2013 Test Well: MMW-P-02

#### **AQUIFER DATA**

Saturated Thickness: 20.13 ft Anisotropy Ratio (Kz/Kr): 1.

#### SLUG TEST WELL DATA

Test Well: MMW-P-02

X Location: 0. ft Y Location: 0. ft

Initial Displacement: 1.7 ft Static Water Column Height: 20.13 ft Casing Radius: 0.083 ft Well Radius: 0.33 ft Well Skin Radius: 0.33 ft

Screen Length: 10. ft
Total Well Penetration Depth: 10.63 ft

No. of Observations: 85

Observation Data					
Time (sec)	Displacement (ft)	Time (sec)	Displacement (ft)	Time (sec)	Displacement (ft)
0.25	-0.003103	8.46	0.05177	45.	0.009301
0.5	-0.007002	9.	0.9833	47.64	0.006901
0.75	-0.005798	9.48	1.714	50.46	0.005091
1.	-0.005666	10.08	1.233	53.46	0.005212
1.25	-0.004948	10.68	0.1468	56.64	0.000319
1.5	-0.00375	11.28	0.01345	60.	0.011
1.75	-0.008705	11.94	0.01313	63.6	0.01269
2.	0.000225	12.66	0.01044	67.2	0.01572
2.25	-0.008119	13.44	0.01325	71.4	0.01255
2.5	-0.005338	14.22	0.004814	75.6	0.01789
2.75	-0.002539	15.06	0.02638	79.8	0.02187
3.	-0.006428	15.96	0.01325	84.6	0.02548
3.25	-0.001491	16.92	-0.002299	90.	0.02415

Time (sec) 3.5 3.75 4. 4.25 4.5 4.75 5. 5.251 5.501 5.751 6.001 6.361 6.721 7.141 7.56	Displacement (ft) -0.001856 -0.00401 -0.002686 0.003576 -0.000771 -0.003307 -0.004133 -0.001491 0.001268 0.00453 -0.000282 -0.000165 0.003206 0.001165 -0.002334	Time (sec) 17.88 18.96 20.1 21.3 22.56 23.88 25.32 26.82 28.38 30.06 31.86 33.72 35.76 37.86 40.08	Displacement (ft) 0.002651 -0.000374 0.00371 -0.001323 -0.001568 0.002651 0.00159 -0.000374 0.00026 0.005091 0.003865 0.006901 0.004016 0.005701 0.007139	Time (sec) 94.8 100.8 106.8 112.8 119.4 126.6 134.4 142.2 150.6 159.6 169.2 178.8 189.6 201.	Displacement (ft) 0.0233 0.02475 0.02114 0.02114 0.02283 0.02764 0.02764 0.02957 0.02728 0.03824 0.04307 0.04993 0.05715 0.06365
7.56 7.98		40.08 42.48		201.	0.00303

#### SOLUTION


Slug Test Aquifer Model: Unconfined Solution Method: Bouwer-Rice In(Re/rw): 2.262

#### **VISUAL ESTIMATION RESULTS**

#### **Estimated Parameters**

Parameter	Estimate	
K	44.42	ft/day
v0	363.2	ft

K = 0.01567 cm/sec  $T = K*b = 894.2 \text{ ft}^2/\text{day} (9.615 \text{ sq. cm/sec})$ 



#### WELL TEST ANALYSIS

Data Set: T:\...\MMW-P-11S IN (RUN 3) (B-R 1976).aqt

Date: 04/10/13 Time: 16:37:34

#### PROJECT INFORMATION

Company: Mundell & Associates Inc.

Client: AIMCO
Project: M01046

Test Well:  $\frac{MMW-P-11S}{3-29-2013}$ 

#### **SOLUTION**

Aquifer Model: <u>Unconfined</u> Solution Method: Bouwer-Rice

K = 32.9 ft/dayy0 = 132.4 ft

#### **AQUIFER DATA**

Saturated Thickness: 16.17 ft

Anisotropy Ratio (Kz/Kr): 1.

#### WELL DATA (MMW-P-11S)

Initial Displacement: 0.5545 ft Static Water Column Height: 16.17 ft

Total Well Penetration Depth: 6.17 ft Screen Length: 6.17 ft Casing Radius: 0.083 ft Well Radius: 0.33 ft

#### **AQTESOLV** for Windows

Data Set: T:\2001\M01046 Michigan Meadows Apts\Data\Slug Test Files\Bouwer-Rice 1976\MMW-P-11S IN (RUN 3) (B-R 1976).aqt

Date: 04/10/13 Time: 16:37:19

#### PROJECT INFORMATION

Company: Mundell & Associates Inc.

Client: AIMCO Project: M01046 Test Date: 3-29-2013 Test Well: MMW-P-11S

#### **AQUIFER DATA**

Saturated Thickness: 16.17 ft Anisotropy Ratio (Kz/Kr): 1.

#### SLUG TEST WELL DATA

Test Well: MMW-P-11S

X Location: 0. ft Y Location: 0, ft

Initial Displacement: 0.5545 ft Static Water Column Height: 16.17 ft Casing Radius: 0.083 ft Well Radius: 0.33 ft Well Skin Radius: 0.33 ft

Screen Length: 6.17 ft
Total Well Penetration Depth: 6.17 ft

No. of Observations: 80

Observation Data					
Time (sec)	Displacement (ft)	Time (sec)	Displacement (ft)	Time (sec)	Displacement (ft)
0.251	0.008993	7.561	0.00637	35.76	0.05973
0.501	0.01561	7.981	0.007456	37.86	0.06129
0.751	0.01092	8.461	0.005047	40.08	0.05602
1.001	0.01176	9.001	0.00948	42.48	0.06264
1.251	0.01079	9.481	0.01056	45.	0.06444
1.501	0.01092	10.08	0.01225	47.64	0.06264
1.751	0.005527	10.68	0.01705	50.46	0.05555
2.001	0.01081	11.28	0.01512	53.46	0.0589
2.251	0.01081	11.94	0.0468	56.64	0.05985
2.501	0.01129	12.66	0.01874	60.	0.05805
2.751	0.008638	13.44	0.05568	63.6	0.06046
3.001	0.01188	14.22	0.5545	67.2	0.06105
3.251	0.00948	15.06	-0.2492	71.4	0.06164

Time (sec) 3.501 3.751 4.001 4.251 4.501 4.751 5.001 5.251 5.501 5.751 6.001 6.361	Displacement (ft) 0.01094 0.00948 0.005408 0.009253 0.008174 0.008401 0.008174 0.007562 0.008044 0.007927 0.01297 0.006848	Time (sec) 15.96 16.92 17.88 18.96 20.1 21.3 22.56 23.88 25.32 26.82 28.38 30.06	Displacement (ft) 0.08352 0.08017 0.2455 0.09971 0.06598 0.08556 0.06504 0.04885 0.06851 0.06191 0.0619	Time (sec) 75.6 79.8 84.6 90. 94.8 100.8 112.8 119.4 126.6 134.4 142.2	Displacement (ft)  0.062  0.06512  0.05613  0.06896  0.06859  0.06945  0.07221  0.07843  0.08493  0.08497  0.08682  0.08814
6.001 6.361 6.721 7.141	0.01297 0.006848 0.00961 0.00576	28.38 30.06 31.86 33.72	0.0619 0.06118 0.05926 0.06649	134.4 142.2 150.6	0.08682 0.08814 0.08561

#### SOLUTION


Slug Test Aquifer Model: Unconfined Solution Method: Bouwer-Rice In(Re/rw): 1.823

#### **VISUAL ESTIMATION RESULTS**

#### **Estimated Parameters**

Parameter	Estimate	
K	32.9	ft/day
y0	132.4	ft

K = 0.01161 cm/sec  $T = K*b = 532. \text{ ft}^2/\text{day } (5.721 \text{ sq. cm/sec})$ 



#### WELL TEST ANALYSIS

Data Set: T:\...\MMW-P-11S OUT (RUN 2) (B-R 1976).aqt

Date: 04/10/13 Time: 16:41:23

#### PROJECT INFORMATION

Company: Mundell & Associates Inc.

Client: AIMCO
Project: M01046

Test Well:  $\frac{MMW-P-11S}{3-29-2013}$ 

#### **SOLUTION**

Aquifer Model: <u>Unconfined</u>
Solution Method: Bouwer-Rice

K = 38.88 ft/dayy0 = 22.55 ft

#### **AQUIFER DATA**

Saturated Thickness: 16.17 ft

Anisotropy Ratio (Kz/Kr): 1.

#### WELL DATA (MMW-P-11S)

Initial Displacement: 1.923 ft Static Water Column Height: 16.17 ft

Total Well Penetration Depth: 6.17 ft Screen Length: 6.17 ft Casing Radius: 0.083 ft Well Radius: 0.33 ft

#### **AQTESOLV** for Windows

Data Set: T:\2001\M01046 Michigan Meadows Apts\Data\Slug Test Files\Bouwer-Rice 1976\MMW-P-11S OUT (RUN 2) (B-R 1976).aqt

Date: 04/10/13 Time: 16:41:39

#### PROJECT INFORMATION

Company: Mundell & Associates Inc.

Client: AIMCO Project: M01046 Test Date: 3-29-2013 Test Well: MMW-P-11S

#### **AQUIFER DATA**

Saturated Thickness: 16.17 ft Anisotropy Ratio (Kz/Kr): 1.

#### SLUG TEST WELL DATA

Test Well: MMW-P-11S

X Location: 0. ft Y Location: 0, ft

Initial Displacement: 1.923 ft Static Water Column Height: 16.17 ft

Casing Radius: 0.083 ft Well Radius: 0.33 ft Well Skin Radius: 0.33 ft

Screen Length: 6.17 ft
Total Well Penetration Depth: 6.17 ft

No. of Observations: 81

Observation Data						
Time (sec)	Displacement (ft)	Time (sec)	Displacement (ft)	Time (sec)	Displacement (ft)	
0.25	-0.01164	7.561	-0.01356	35.76 ´	0.01441	
0.5	-0.01307	7.98	-0.01403	37.86	0.01478	
0.75	-0.01247	8.461	0.7083	40.08	0.01334	
1.	-0.0085	9.	1.923	42.48	0.001193	
1.25	-0.01511	9.48	0.8051	45.17	0.009592	
1.5	-0.01093	10.08	0.3407	47.64	0.009715	
1.75	-0.01285	10.68	0.1751	50.46	0.008645	
2.	-0.0126	11.28	0.1237	53.46	0.01283	
2.25	-0.01248	11.94	0.09599	56.64	0.008275	
2.5	-0.01381	12.66	0.06467	60.	0.00648	
2.75	-0.01163	13.44	0.07033	63.6	0.006368	
3.	-0.0126	14.22	0.0624	67.2	0.009352	
3.25	-0.009962	15.06	0.05027	71.4	0.004325	

<u>Time (sec)</u> 3.5	Displacement (ft) -0.01427	Time (sec) 15.96	Displacement (ft) 0.04872	Time (sec) 75.6	Displacement (ft) 0.00648
3.75	-0.01237	16.92	0.03995	79.8	0.008275
4. 4.25	-0.01104 -0.01151	17.88 18.96	0.03552 0.03252	84.6 90.	0.00948 0.0126
4.5	-0.01525	20.1	0.0366	94.8	0.01559
4.75 5.	-0.01166 -0.01346	21.3 22.56	0.03599 0.03252	100.8 106.8	0.01344 0.009706
5.251	-0.01346	23.88	0.03232	112.8	0.009706
5.501	-0.01321	25.32	0.02687	119.4	0.01248
5.751 6.001	-0.01273 -0.01032	26.82 28.38	0.02485 0.02856	126.6 134.4	0.008645 0.006734
6.361	-0.01094	30.06	0.01944	142.2	0.01334
6.721 7.141	-0.01058 -0.01081	31.86 33.72	0.021 0.01622	150.6 159.6	0.01464 0.01091
1.141	-0.01001	JJ.12	0.01022	153.0	0.01031

#### SOLUTION


Slug Test Aquifer Model: Unconfined Solution Method: Bouwer-Rice In(Re/rw): 1.823

#### **VISUAL ESTIMATION RESULTS**

#### **Estimated Parameters**

Parameter	Estimate	
K	38.88	ft/day
y0	22.55	ft

K = 0.01371 cm/sec  $T = K*b = 628.6 \text{ ft}^2/\text{day} (6.759 \text{ sq. cm/sec})$ 



Casing Radius: 0.083 ft

#### WELL TEST ANALYSIS

Data Set: T:\...\MMW-P-11DR IN (B-R 1976).aqt
Date: 04/10/13 Time: 16:40:24

#### PROJECT INFORMATION

Company: Mundell & Associates Inc.

Client: AIMCO
Project: M01046

Test Well: MMW-P-11DR Test Date: 3-29-2013

#### **SOLUTION**

Aquifer Model: <u>Unconfined</u>
Solution Method: Bouwer-Rice

K = 84.96 ft/dayy0 = 1219.1 ft

#### **AQUIFER DATA**

Saturated Thickness: 16.97 ft Anisotropy Ratio (Kz/Kr): 1.

#### WELL DATA (MMW-P-11DR)

Initial Displacement: 2.452 ft
Total Well Penetration Depth: 13.97 ft
Screen Length: 5. ft

Screen Length: <u>5.</u> ft Well Radius: 0.33 ft

#### **AQTESOLV** for Windows

Data Set: T:\2001\M01046 Michigan Meadows Apts\Data\Slug Test Files\Bouwer-Rice 1976\MMW-P-11DR IN (B-R 1976).aqt

Date: 04/10/13 Time: 16:40:05

#### PROJECT INFORMATION

Company: Mundell & Associates Inc.

Client: AIMCO Project: M01046 Test Date: 3-29-2013 Test Well: MMW-P-11DR

#### **AQUIFER DATA**

Saturated Thickness: 16.97 ft Anisotropy Ratio (Kz/Kr): 1.

#### SLUG TEST WELL DATA

Test Well: MMW-P-11DR

X Location: 0. ft Y Location: 0, ft

Initial Displacement: 2.452 ft Static Water Column Height: 16.97 ft Casing Radius: 0.083 ft Well Radius: 0.33 ft Well Skin Radius: 0.33 ft

Screen Length: 5. ft
Total Well Penetration Depth: 13.97 ft

No. of Observations: 73

Observation Data						
Time (sec) 0.251	Displacement (ft)	Time (sec)	Displacement (ft)	Time (sec)	Displacement (ft)	
0.251	0.01008	6.721	0.004525	28.38	0.002283	
0.501	0.01032	7.141	-0.000123	30.06	-0.001674	
0.751	0.006003	7.561	0.003803	31.86	0.004924	
1.001	0.007665	7.981	0.01243	33.72	-0.000964	
1.251	0.01222	8.461	0.01317	35.76	0.002394	
1.501	0.007183	9.001	0.03848	37.86	-0.003805	
1.751	0.006701	9.481	2.452	40.08	0.001907	
2.001	0.008735	10.08	1.355	42.48	-0.002874	
2.251	0.008967	10.68	0.5223	45.	-0.004052	
2.501	0.006344	11.28	0.1922	47.64	0.01028	
2.751	0.002017	11.94	0.0368	50.46	-0.002394	
3.001	0.007533	12.66	0.02084	53.46	-0.003204	
3.251	0.003585	13.44	0.2302	56.64	-0.007419	

#### **AQTESOLV** for Windows

Time (sec)	Displacement (ft)	Time (sec)	Displacement (ft)	Time (sec)	Displacement (ft)
3.501	0.01053	14.22	0.064	60.	-0.008845
3.751	0.007643	15.06	-0.03358	63.6	-0.005261
4.001 4.251	0.007386	15.96 16.92	0.000705 -0.006727	67.2 71.4	-0.01399 0.01653
4.251 4.501	0.004772 0.007179	17.88	0.01235	71.4 75.6	-0.01652 -0.01482
4.751	0.005241	18.96	0.01233	79.8	-0.01482
5.001	0.005604	20.1	0.06473	84.6	-0.01521
5.251	0.004276	21.3	0.01044	90.	-0.01999
5.501	0.005241	22.56	-0.01221	94.8	-0.02118
5.751	0.001887	23.88	0.0241	100.8	-0.02766
6.001	0.002733	25.32	0.006591		
6.361	0.005479	26.85	0.008368		

#### SOLUTION


Slug Test Aquifer Model: Unconfined Solution Method: Bouwer-Rice In(Re/rw): 0.

#### **VISUAL ESTIMATION RESULTS**

#### **Estimated Parameters**

Parameter	Estimate	
K	84.96	ft/day
y0	1219.1	ft

K = 0.02997 cm/sec  $T = K*b = 1441.7 \text{ ft}^2/\text{day} (15.5 \text{ sq. cm/sec})$ 



#### WELL TEST ANALYSIS

Data Set: T:\...\MMW-P-11DR OUT (B-R 1976).aqt

Date: <u>04/10/13</u> Time: <u>16:38:54</u>

#### PROJECT INFORMATION

Company: Mundell & Associates Inc.

Client: AIMCO
Project: M01046

Test Well: MMW-P-11DR
Test Date: 3-29-2013

#### **SOLUTION**

Aquifer Model: <u>Unconfined</u>
Solution Method: Bouwer-Rice

 $K = \frac{130.3}{132.7}$  ft/day y0 =  $\frac{132.7}{132.7}$  ft

#### **AQUIFER DATA**

Saturated Thickness: 16.97 ft Anisotropy Ratio (Kz/Kr): 1.

#### WELL DATA (MMW-P-11DR)

Initial Displacement: 1.621 ft

Total Well Penetration Depth: 13.97 ft

Casing Radius: 0.083 ft

Static Water Column Height: 16.97 ft

Screen Length: <u>5.</u> ft Well Radius: 0.33 ft

#### **AQTESOLV** for Windows

Data Set: T:\2001\M01046 Michigan Meadows Apts\Data\Slug Test Files\Bouwer-Rice 1976\MMW-P-11DR OUT (B-R 1976).aqt

Date: 04/10/13 Time: 16:38:38

#### PROJECT INFORMATION

Company: Mundell & Associates Inc.

Client: AIMCO Project: M01046 Test Date: 3-29-2013 Test Well: MMW-P-11DR

#### **AQUIFER DATA**

Saturated Thickness: 16.97 ft Anisotropy Ratio (Kz/Kr): 1.

#### SLUG TEST WELL DATA

Test Well: MMW-P-11DR

X Location: 0. ft Y Location: 0, ft

Initial Displacement: 1.621 ft Static Water Column Height: 16.97 ft Casing Radius: 0.083 ft Well Radius: 0.33 ft Well Skin Radius: 0.33 ft

Screen Length: 5. ft
Total Well Penetration Depth: 13.97 ft

No. of Observations: 72

Observation Data						
Time (sec)	Displacement (ft)	Time (sec)	Displacement (ft)	Time (sec)	Displacement (ft)	
0.25	-0.1126	6.36	0.08968	25.32	-0.1171	
0.5	-0.1113	6.72	-0.03156	26.82	-0.1193	
0.75	-0.113	7.14	-0.104	28.38	-0.1194	
1.228	-0.1177	7.56	-0.1364	30.06	-0.118	
1.449	-0.1212	7.98	-0.1402	31.86	-0.119	
1.67	-0.1107	8.461	-0.136	33.72	-0.121	
2.043	-0.1189	9.	-0.1248	35.76	-0.1206	
2.264	-0.1098	9.48	-0.1164	37.86	-0.1205	
2.485	-0.1121	10.08	-0.1135	40.08	-0.1156	
2.705	-0.113	10.68	-0.1129	42.48	-0.1193	
2.926	-0.1124	11.28	-0.1154	45.15	-0.1251	
3.146	-0.1081	11.94	-0.1111	47.64	-0.1298	
3.366	-0.09571	12.66	-0.1183	50.46	-0.1191	

Time (sec) 3.586	Displacement (ft) -0.1118	Time (sec) 13.44	Displacement (ft) -0.116	Time (sec) 53.46	Displacement (ft) -0.1215
3.806	-0.117	14.22	-0.116	56.64	-0.1213
4.026	-0.03699	15.06	-0.1179	60.	-0.1191
4.246	0.6362	15.96	-0.1203	63.6	-0.1167
4.5	1.621	16.92	-0.1158	67.2	-0.1121
4.75	1.165	17.88	-0.1141	71.4	-0.1215
_5	1.061	18.96	-0.1189	75.6	-0.1163
5.25	0.8605	20.1	-0.1164	79.8	-0.1187
<u>5.5</u>	0.645	21.3	-0.1165	84.6	-0.1212
5.75	0.4382	22.56	-0.1168	90.	-0.1245
6.	0.2723	23.88	-0.1178	94.8	-0.1219

#### **SOLUTION**


Slug Test Aquifer Model: Unconfined Solution Method: Bouwer-Rice In(Re/rw): 0.

#### **VISUAL ESTIMATION RESULTS**

#### **Estimated Parameters**

Parameter	Estimate	
K	130.3	ft/day
y0	132.7	ft

K = 0.04598 cm/sec  $T = K*b = 2211.7 \text{ ft}^2/\text{day} (23.78 \text{ sq. cm/sec})$ 



Data Set: T:\...\MMW-P-13S IN (B-R 1976).aqt Date: 04/10/13 Time: 16:50:37

#### PROJECT INFORMATION

Company: Mundell & Associates Inc.

Client: AIMCO
Project: M01046

Test Well:  $\frac{MMW-P-13S}{3-29-2013}$ 

#### **SOLUTION**

Aquifer Model: <u>Unconfined</u>
Solution Method: Bouwer-Rice

K = 57.4 ft/dayy0 = 106.6 ft

# **AQUIFER DATA**

Saturated Thickness: 15.86 ft Anisotropy Ratio (Kz/Kr): 1.

# WELL DATA (MMW-P-13S)

Initial Displacement: 3.002 ft Static Water Column Height: 15.86 ft

Total Well Penetration Depth: 8.86 ft Screen Length: 8.86 ft Casing Radius: 0.083 ft Well Radius: 0.33 ft

Data Set: T:\2001\M01046 Michigan Meadows Apts\Data\Slug Test Files\Bouwer-Rice 1976\MMW-P-13S IN (B-R 1976).agt

Date: 04/10/13 Time: 16:51:01

#### PROJECT INFORMATION

Company: Mundell & Associates Inc.

Client: AIMCO Project: M01046 Test Date: 3-29-2013 Test Well: MMW-P-13S

#### **AQUIFER DATA**

Saturated Thickness: 15.86 ft Anisotropy Ratio (Kz/Kr): 1.

#### SLUG TEST WELL DATA

Test Well: MMW-P-13S

X Location: 0. ft Y Location: 0, ft

Initial Displacement: 3.002 ft Static Water Column Height: 15.86 ft Casing Radius: 0.083 ft Well Radius: 0.33 ft Well Skin Radius: 0.33 ft Screen Length: 8.86 ft
Total Well Penetration Depth: 8.86 ft

Observation Data					
Time (sec)	Displacement (ft)	Time (sec)	Displacement (ft)	Time (sec) 35.76	Displacement (ft)
0.251	0.01421	7.561	-0.1045		0.02697
0.501	0.01444	7.981	0.05142	37.86	0.02817
0.751	0.00813	8.461	0.07351	40.08	0.02685
1.001	0.01241	9.001	0.06409	42.48	0.02162
1.251	0.01107	9.481	0.06313	45.	0.0339
1.501	0.0105	10.08	0.05717	47.64	0.02436
1.751	0.01254	10.68	0.06038	50.46	0.02031
2.001	0.01097	11.28	0.07624	53.46	0.01958
2.251	0.00953	11.94	0.04857	56.64	0.02271
2.501	0.007747	12.66	0.03675	60.	0.01841
2.751	0.008224	13.44	0.05119	63.6	0.02294
3.001	0.01539	14.22	0.05237	67.2	0.02544
3.251	0.01312	15.06	0.05512	71.4	0.02629

Time (sec) 3.501	Displacement (ft) 0.01907	Time (sec) 15.96	Displacement (ft) 0.05188	Time (sec) 75.6	Displacement (ft) 0.02092
3.751	0.02542	16.92	0.04249	79.8	0.0289
4.001	0.02765	17.88	0.04128	84.6	-0.0129
4.251	0.05571	18.96	0.03747	90.	0.02389
4.501	0.03542	20.1	0.03317	94.8	0.02414
4.751	0.7127	21.3	0.03306	100.8	0.01923
5.001	3.002	22.56	0.03235	106.8	0.02416
5.251 5.501	1.953 1.635	23.88 25.32	0.03213 0.0333	112.8 119.4	0.01938 0.01926
5.751	1.364	25.32 26.82	0.0333	126.6	0.01920
6.001	0.9806	28.38	0.0339	134.4	0.01447
6.361	0.1264	30.15	0.02982	142.2	0.01448
6.721	-0.1229	31.86	0.02971		
7.141	0.4501	33.72	0.03518		

# **SOLUTION**


Slug Test Aquifer Model: Unconfined Solution Method: Bouwer-Rice In(Re/rw): 2.151

# **VISUAL ESTIMATION RESULTS**

# **Estimated Parameters**

Parameter	Estimate	
K	57.4	ft/day
y0	106.6	ft

K = 0.02025 cm/sec  $T = K*b = 910.3 \text{ ft}^2/\text{day} (9.788 \text{ sq. cm/sec})$ 



Data Set: T:\...\MMW-P-13S OUT (B-R 1976).aqt
Date: 04/10/13 Time: 16:51:51

#### PROJECT INFORMATION

Company: Mundell & Associates Inc

Client: AIMCO Project: M01046

Test Well: MMW-P-13S Test Date: 3-29-2013

#### **SOLUTION**

Aquifer Model: <u>Unconfined</u>
Solution Method: Bouwer-Rice

K = 99.58 ft/dayy0 = 168.2 ft

# **AQUIFER DATA**

Saturated Thickness: 15.86 ft Anisotropy Ratio (Kz/Kr): 1.

# WELL DATA (MMW-P-13S)

Initial Displacement: 2.835 ft Static Water Column Height: 15.86 ft

Total Well Penetration Depth: 8.86 ft Screen Length: 8.86 ft

Casing Radius: 0.083 ft Well Radius: 0.33 ft

Data Set: T:\2001\M01046 Michigan Meadows Apts\Data\Slug Test Files\Bouwer-Rice 1976\MMW-P-13S OUT (B-R 1976).aqt

Date: 04/10/13 Time: 16:52:08

#### PROJECT INFORMATION

Company: Mundell & Associates Inc

Client: AIMCO Project: M01046 Test Date: 3-29-2013 Test Well: MMW-P-13S

#### **AQUIFER DATA**

Saturated Thickness: 15.86 ft Anisotropy Ratio (Kz/Kr): 1.

#### SLUG TEST WELL DATA

Test Well: MMW-P-13S

X Location: 0. ft Y Location: 0, ft

Initial Displacement: 2.835 ft Static Water Column Height: 15.86 ft Casing Radius: 0.083 ft Well Radius: 0.33 ft Well Skin Radius: 0.33 ft Screen Length: 8.86 ft
Total Well Penetration Depth: 8.86 ft

Observation Data					
Time (sec) 0.251	Displacement (ft)	Time (sec)	Displacement (ft)	Time (sec)	Displacement (ft)
0.251	-0.01421	5.751	0.0942	20.1	-0.006091
0.501	-0.01469	6.001	0.06438	21.3	-0.01398
0.751	-0.01446	6.361	0.04561	22.56	-0.00693
1.001	-0.01313	6.721	0.0352	23.88	-0.01119
1.251	-0.005877	7.141	0.01734	25.32	-0.005276
1.501	-0.01265	7.561	0.0111	26.82	-0.004197
1.751	-0.0123	7.981	0.00515	28.38	-0.01299
2.001	-0.0111	8.461	0.0012	30.06	-0.01071
2.251	-0.01134	9.001	0.00013	31.86	-0.007493
2.501	0.06911	9.481	0.000947	33.72	-0.002418
2.751	0.2622	10.08	-0.001663	35.76	-0.00087
3.001	2.835	10.68	-0.003444	37.86	-0.00397
3.251	2.218	11.28	-0.002493	40.08	0.000209

Time (sec) 3.501 3.751 4.001 4.251 4.501 4.751 5.001	Displacement (ft) 1.983 2.578 0.6254 0.5441 0.4169 0.3226 0.2363 0.1643	Time (sec) 11.94 12.66 13.44 14.22 15.06 15.96 16.92	Displacement (ft) -0.005137 -0.007643 -0.004644 -0.001929 -0.002512 -0.002982 -0.003349	Time (sec) 42.48 45. 47.64 50.46 53.46 66.64 60.	Displacement (ft) -0.005523 -0.004571 -0.00565 -0.002308 -0.007198 -0.008738 -0.005873
5.001	0.2363	16.92	-0.003349	60.	-0.005873
5.251	0.1643	17.88	-0.005877	63.65	-0.0123
5.501	0.1308	18.96	-0.004794	67.2	-0.008614

# SOLUTION


Slug Test Aquifer Model: Unconfined Solution Method: Bouwer-Rice In(Re/rw): 2.151

# **VISUAL ESTIMATION RESULTS**

# **Estimated Parameters**

Parameter	Estimate	
K	99.58	ft/day
ν0	168.2	ft

K = 0.03513 cm/sec  $T = K*b = 1579.3 \text{ ft}^2/\text{day} (16.98 \text{ sq. cm/sec})$ 



Data Set: T:\...\MMW-P-13D IN (B-R 1976).aqt
Date: 04/10/13 Time: 16:47:13

#### PROJECT INFORMATION

Company: Mundell & Associates Inc.

Client: AIMCO Project: M01046

Test Well: MMW-P-13D Test Date: 3-29-2013

#### **SOLUTION**

Aquifer Model: <u>Unconfined</u>
Solution Method: Bouwer-Rice

K = 51.97 ft/dayy0 = 145.9 ft

# **AQUIFER DATA**

Saturated Thickness: 16.1 ft Anisotropy Ratio (Kz/Kr): 1.

# WELL DATA (MMW-P-13D)

Initial Displacement: 1.929 ft
Total Well Penetration Depth: 16.1 ft
Screen Length: 5. ft

Screen Length: <u>5.</u> ft Well Radius: 0.33 ft

Casing Radius: 0.083 ft

Data Set: T:\2001\M01046 Michigan Meadows Apts\Data\Slug Test Files\Bouwer-Rice 1976\MMW-P-13D IN (B-R 1976).agt

Date: 04/10/13 Time: 16:47:40

#### PROJECT INFORMATION

Company: Mundell & Associates Inc.

Client: AIMCO Project: M01046 Test Date: 3-29-2013 Test Well: MMW-P-13D

#### **AQUIFER DATA**

Saturated Thickness: 16.1 ft Anisotropy Ratio (Kz/Kr): 1.

#### SLUG TEST WELL DATA

Test Well: MMW-P-13D

X Location: 0. ft Y Location: 0, ft

Initial Displacement: 1.929 ft Static Water Column Height: 16.1 ft Casing Radius: 0.083 ft Well Radius: 0.33 ft Well Skin Radius: 0.33 ft

Screen Length: 5. ft
Total Well Penetration Depth: 16.1 ft

Observation Data					
Time (sec) 0.251	Displacement (ft)	Time (sec)	Displacement (ft)	Time (sec)	Displacement (ft)
	0.00218	6.721	-0.007077	28.38	0.01162
0.501	-0.000709	7.141	-0.005754	30.06	0.001213
0.751	0.00562	7.561	-0.007907	31.86	0.006362
1.23	-0.000751	7.981	-0.01244	33.72	0.002779
1.451	0.005111	8.461	-0.01052	35.76	0.002541
1.671	8.8E-5	9.001	-0.01244	37.86	0.002779
2.166	0.004127	9.481	-0.01221	40.08	-0.00569
2.387	-5.3E-5	10.08	-0.009325	42.48	-0.01048
2.607	-0.002904	10.68	-0.004195	45.	-0.0082
2.889	-0.007201	11.28	-0.01029	47.64	-0.002605
3.109	-0.006337	11.94	-0.01016	50.46	-0.009869
3.329	-0.007295	12.66	0.005371	53.46	0.04782
3.549	-0.007529	13.44	0.03024	56.64	-0.005241

Time (sec) 3.769 3.989 4.209 4.43 4.65 4.872 5.092 5.312 5.532 5.753 6.001	Displacement (ft) -0.01029 -0.004331 -0.007201 -0.008017 -0.005173 -0.006588 -0.005754 -0.006236 -0.009365 -0.003862 -0.007198	Time (sec) 14.22 15.06 15.96 16.92 17.88 18.96 20.1 21.3 22.56 23.88 25.32	Displacement (ft)  1.929 1.334 1.235 0.7503 0.4228 0.5238 0.2713 0.1302 0.06195 0.04065 0.02418	Time (sec) 60. 63.6 67.2 71.4 75.6 79.8 84.6 90. 94.8 100.8 106.8	Displacement (ft) -0.01213 -0.01358 -0.0113 -0.01441 -0.01405 -0.0206 -0.01573 -0.01504 -0.01933 -0.0204 -0.02194
6.361	-0.007577	26.82	0.01006	. 55.5	0.02.0

# SOLUTION


Slug Test Aquifer Model: Unconfined Solution Method: Bouwer-Rice In(Re/rw): 2.616

# VISUAL ESTIMATION RESULTS

# **Estimated Parameters**

Parameter	Estimate	
K	51.97	ft/day
v0	145.9	ft

K = 0.01833 cm/sec T = K\*b = 836.8 ft²/day (8.997 sq. cm/sec)



Total Well Penetration Depth: 16.1 ft

Casing Radius: 0.083 ft

#### WELL TEST ANALYSIS

Data Set: T:\...\MMW-P-13D OUT (B-R 1976).aqt
Date: 04/10/13 Time: 16:49:18

#### PROJECT INFORMATION

Company: Mundell & Associates Inc.

Client: AIMCO
Project: M01046

Test Well: MMW-P-13D Test Date: 3-29-2013

#### **SOLUTION**

Aquifer Model: <u>Unconfined</u>
Solution Method: Bouwer-Rice

K = 22.11 ft/dayy0 = 4.053 ft

# **AQUIFER DATA**

Saturated Thickness: 16.1 ft Anisotropy Ratio (Kz/Kr): 1.

# WELL DATA (MMW-P-13D)

Initial Displacement: 1.17 ft Static Water Column Height: 16.1 ft

Screen Length: <u>5.</u> ft Well Radius: 0.33 ft

Data Set: T:\2001\M01046 Michigan Meadows Apts\Data\Slug Test Files\Bouwer-Rice 1976\MMW-P-13D OUT (B-R 1976).aqt

Date: 04/10/13 Time: 16:49:35

#### PROJECT INFORMATION

Company: Mundell & Associates Inc.

Client: AIMCO Project: M01046 Test Date: 3-29-2013 Test Well: MMW-P-13D

#### **AQUIFER DATA**

Saturated Thickness: 16.1 ft Anisotropy Ratio (Kz/Kr): 1.

#### SLUG TEST WELL DATA

Test Well: MMW-P-13D

X Location: 0. ft Y Location: 0, ft

Initial Displacement: 1.17 ft

Static Water Column Height: 16.1 ft Casing Radius: 0.083 ft Well Radius: 0.33 ft Well Skin Radius: 0.33 ft

Screen Length: 5. ft
Total Well Penetration Depth: 16.1 ft

Observation Data					
Time (sec)	Displacement (ft)	Time (sec)	Displacement (ft)	Time (sec)	Displacement (ft)
0.251	-0.005615	6.721	0.04432	28.38	0.07543
0.501	-0.005245	7.141	0.07505	30.06	0.05893
0.751	-0.008139	7.561	0.03976	31.86	0.049
1.001	-0.008821	7.981	0.04047	33.72	0.03705
1.251	-0.00739	8.461	1.052	35.76	0.02987
1.501	-0.007973	9.001	1.17	37.86	0.02701
1.751	-0.008335	9.481	1.068	40.08	0.02188
2.001	-0.003191	10.08	0.947	42.48	0.02339
2.251	-0.00129	10.68	0.869	45.	0.01649
2.501	-0.005485	11.28	0.7928	47.64	0.01322
2.751	0.000141	11.94	0.7288	50.46	0.01721
3.001	-0.005941	12.66	0.6572	53.46	0.01672
3.251	-0.005602	13.44	0.5912	56.64	0.01625

Time (sec) 3.501 3.751 4.001 4.251 4.501 4.751 5.001 5.251 5.501 5.751	Displacement (ft) -0.006078 -0.004393 -0.009136 -0.00748 -0.004842 -0.005212 -0.001731 0.008912 0.01263 0.006036	Time (sec) 14.22 15.06 15.96 16.92 17.88 18.96 20.1 21.3 22.56 23.88	Displacement (ft) 0.5295 0.4745 0.4201 0.3698 0.3228 0.2806 0.2369 0.2011 0.1684 0.1399	Time (sec) 60. 63.6 67.2 71.4 75.6 79.8 84.6 90. 94.8 100.8	Displacement (ft) 0.01363 0.019 0.01757 0.02352 0.01851 0.01972 0.01984 0.01984 0.02211 0.02009

# SOLUTION


Slug Test Aquifer Model: Unconfined Solution Method: Bouwer-Rice In(Re/rw): 2.616

# VISUAL ESTIMATION RESULTS

# **Estimated Parameters**

Parameter	Estimate	
K	22.11	ft/day
v0	4.053	ft

K = 0.0078 cm/sec  $T = K*b = 356. \text{ ft}^2/\text{day } (3.828 \text{ sq. cm/sec})$ 



Data Set: T:\...\MMW-P-14S OUT (B-R 1976).aqt
Date: 04/10/13 Time: 16:56:33

#### PROJECT INFORMATION

Company: Mundell & Associates Inc.

Client: AIMCO
Project: M01046

Test Well: MMW-P-14S Test Date: 4-1-2013

#### **SOLUTION**

Aquifer Model: <u>Unconfined</u>
Solution Method: Bouwer-Rice

 $K = \frac{141.1}{2352.1}$  ft/day y0 = 2352.1 ft

# **AQUIFER DATA**

Saturated Thickness: 17.89 ft Anisotropy Ratio (Kz/Kr): 1.

# WELL DATA (MMW-P-14S)

Initial Displacement: 1.482 ft Static Water Column Height: 17.89 ft

Total Well Penetration Depth: 9.89 ft Screen Length: 9.89 ft Casing Radius: 0.083 ft Well Radius: 0.33 ft

Data Set: T:\2001\M01046 Michigan Meadows Apts\Data\Slug Test Files\Bouwer-Rice 1976\MMW-P-14S OUT (B-R 1976).aqt

Date: 04/10/13 Time: 16:56:53

#### PROJECT INFORMATION

Company: Mundell & Associates Inc.

Client: AIMCO Project: M01046 Test Date: 4-1-2013 Test Well: MMW-P-14S

#### **AQUIFER DATA**

Saturated Thickness: 17.89 ft Anisotropy Ratio (Kz/Kr): 1.

#### SLUG TEST WELL DATA

Test Well: MMW-P-14S

X Location: 0. ft Y Location: 0, ft

Initial Displacement: 1.482 ft Static Water Column Height: 17.89 ft Casing Radius: 0.083 ft Well Radius: 0.33 ft Well Skin Radius: 0.33 ft

Screen Length: 9.89 ft
Total Well Penetration Depth: 9.89 ft

Observation Data					
Time (sec)	Displacement (ft)	Time (sec)	Displacement (ft)	Time (sec)	Displacement (ft)
0.251	-0.014	5.751	0.019	20.1	-0.015
0.501	-0.009	6.001	0.014	21.3	-0.023
0.751	-0.015	6.361	0.005	22.6	-0.021
1.001	-0.011	6.721	0.004	23.88	-0.025
1.251	-0.016	7.141	0.001	25.32	-0.026
1.501	-0.012	7.561	-0.007	26.82	-0.024
1.751	-0.013	7.981	-0.002	28.38	-0.022
2.001	-0.011	8.461	-0.01	30.06	-0.025
2.251	-0.008	9.001	-0.011	31.86	-0.021
2.501	-0.011	9.481	-0.012	33.72	-0.025
2.751	-0.01	10.08	-0.013	35.76	-0.023
3.001	-0.011	10.68	-0.012	37.86	-0.025
3.251	0.024	11.28	-0.013	40.08	-0.025

Time (sec) 3.501 3.751 4.001 4.251 4.501 4.751 5.001	Displacement (ft) 0.011 0.515 1.482 1.299 0.604 0.296 0.147	Time (sec) 11.94 12.66 13.44 14.22 15.06 15.96 16.92	Displacement (ft) -0.015 -0.019 -0.018 -0.017 -0.033 -0.034 -0.031	Time (sec) 42.48 45. 47.64 50.46 53.46 56.64 60.	Displacement (ft) -0.024 -0.028 -0.021 -0.021 -0.024 -0.023 -0.028
5.001	0.147	16.92	-0.031	60.	-0.028
5.251	0.074	17.88	-0.005	63.6	-0.024
5.501	0.044	18.96	-0.021	67.2	-0.025

# SOLUTION


Slug Test Aquifer Model: Unconfined Solution Method: Bouwer-Rice In(Re/rw): 2.236

# **VISUAL ESTIMATION RESULTS**

# **Estimated Parameters**

Parameter	Estimate	
K	141.1	ft/day
ν0	2352.1	ft

K = 0.04979 cm/sec  $T = K*b = 2524.9 \text{ ft}^2/\text{day} (27.15 \text{ sq. cm/sec})$ 



Data Set: T:\...\MMW-P-14S-2 IN (B-R 1976).aqt
Date: 04/10/13 Time: 16:57:45

#### PROJECT INFORMATION

Company: Mundell & Associates Inc.

Client: AIMCO
Project: M01046

Test Well: MMW-P-14S Test Date: 4-1-2013

# **SOLUTION**

Aquifer Model: <u>Unconfined</u>
Solution Method: Bouwer-Rice

K = 92.96 ft/dayy0 = 1186. ft

# **AQUIFER DATA**

Saturated Thickness: 17.89 ft Anisotropy Ratio (Kz/Kr): 1.

# WELL DATA (MMW-P-14S)

Initial Displacement: 2.647 ft Static Water Column Height: 17.89 ft

Total Well Penetration Depth: 9.89 ft Screen Length: 9.89 ft Casing Radius: 0.083 ft Well Radius: 0.33 ft

Data Set: T:\2001\M01046 Michigan Meadows Apts\Data\Slug Test Files\Bouwer-Rice 1976\MMW-P-14S-2 IN (B-R 1976).aqt

Date: 04/10/13 Time: 16:58:09

#### PROJECT INFORMATION

Company: Mundell & Associates Inc.

Client: AIMCO Project: M01046 Test Date: 4-1-2013 Test Well: MMW-P-14S

#### **AQUIFER DATA**

Saturated Thickness: 17.89 ft Anisotropy Ratio (Kz/Kr): 1.

#### SLUG TEST WELL DATA

Test Well: MMW-P-14S

X Location: 0. ft Y Location: 0. ft

Initial Displacement: 2.647 ft Static Water Column Height: 17.89 ft Casing Radius: 0.083 ft Well Radius: 0.33 ft Well Skin Radius: 0.33 ft

Screen Length: 9.89 ft
Total Well Penetration Depth: 9.89 ft

Observation Data					
Time (sec)	Displacement (ft)	Time (sec)	Displacement (ft)	Time (sec)	Displacement (ft)
0.251	0.009	6.721	0.089	28.38	0.055
0.501	0.01	7.141	0.086	30.06	0.051
0.751	0.009	7.561	0.084	31.86	0.047
1.001	0.011	7.981	0.085	33.72	0.048
1.251	0.005	8.461	0.077	35.76	0.044
1.501	0.008	9.	0.072	37.86	0.046
1.751	0.006	9.48	0.072	40.08	0.046
2.001	0.008	10.08	0.064	42.48	0.047
2.251	0.011	10.69	0.064	45.	0.041
2.501	0.009	11.28	0.062	47.64	0.049
2.751	0.003	11.94	0.066	50.46	0.044
3.001	0.008	12.66	0.055	53.46	0.049
3.251	0.009	13.44	0.064	56.64	0.047

Time (sec) 3.501 3.751 4.001 4.251 4.501 4.751	Displacement (ft) 0.004 0.01 0.031 0.054 2.647 2.255	Time (sec) 14.22 15.06 15.96 16.92 17.88 18.96	Displacement (ft) 0.06 0.062 0.053 0.054 0.051 0.048	Time (sec) 60. 63.6 67.2 71.4 75.6 79.8	Displacement (ft) 0.048 0.047 0.044 0.042 0.043 0.048
5.001 5.251 5.501 5.751 6.001 6.361	0.245 0.061 0.122 0.054 0.062 0.082	20.1 21.3 22.65 23.88 25.32 26.82	0.051 0.057 0.057 0.056 0.048 0.05	84.6 90. 94.8 100.8	0.045 0.047 0.048 0.046

# SOLUTION


Slug Test Aquifer Model: Unconfined Solution Method: Bouwer-Rice In(Re/rw): 2.236

# **VISUAL ESTIMATION RESULTS**

# **Estimated Parameters**

Parameter	Estimate	
K	92.96	ft/day
y0	1186.	ft

K = 0.03279 cm/sec  $T = K*b = 1663.1 \text{ ft}^2/\text{day} (17.88 \text{ sq. cm/sec})$ 



Data Set: T:\...\MMW-P-14D IN (B-R 1976).aqt Date: 04/10/13 Time: 16:53:52

#### PROJECT INFORMATION

Company: Mundell & Associates Inc.

Client: AIMCO
Project: M01046

Test Well: MMW-P-14D Test Date: 4-1-2013

# **SOLUTION**

Aquifer Model: <u>Unconfined</u>
Solution Method: Bouwer-Rice

 $K = \frac{67.13}{104.9}$  ft/day

Static Water Column Height: 17.61 ft

# **AQUIFER DATA**

Saturated Thickness: 17.61 ft Anisotropy Ratio (Kz/Kr): 1.

# WELL DATA (MMW-P-14D)

Initial Displacement: 2.061 ft

Total Well Penetration Depth: 15.61 ft Screen Length: 5. ft

Casing Radius: 0.083 ft Well Radius: 0.33 ft

Data Set: T:\2001\M01046 Michigan Meadows Apts\Data\Slug Test Files\Bouwer-Rice 1976\MMW-P-14D IN (B-R 1976).agt

Date: 04/10/13 Time: 16:54:11

#### PROJECT INFORMATION

Company: Mundell & Associates Inc.

Client: AIMCO Project: M01046 Test Date: 4-1-2013 Test Well: MMW-P-14D

#### **AQUIFER DATA**

Saturated Thickness: 17.61 ft Anisotropy Ratio (Kz/Kr): 1.

#### SLUG TEST WELL DATA

Test Well: MMW-P-14D

X Location: 0. ft Y Location: 0. ft

Initial Displacement: 2.061 ft Static Water Column Height: 17.61 ft Casing Radius: 0.083 ft Well Radius: 0.33 ft Well Skin Radius: 0.33 ft

Screen Length: 5. ft
Total Well Penetration Depth: 15.61 ft

Observation Data					
Time (sec)	Displacement (ft)	Time (sec)	Displacement (ft)	Time (sec)	Displacement (ft)
0.251	0.098	9.001	1.195	50.46	0.126
0.729	0.1	9.481	0.305	53.46	0.127
0.95	0.097	10.08	0.354	56.64	0.126
1.171	0.096	10.68	0.209	60.	0.128
1.662	0.099	11.28	0.19	63.74	0.136
1.883	0.099	11.94	0.174	67.2	0.13
2.106	0.091	12.66	0.148	71.4	0.126
2.591	0.098	13.44	0.14	75.6	0.137
2.812	0.098	14.22	0.134	79.8	0.129
3.032	0.091	15.06	0.133	84.6	0.129
3.255	0.09	15.96	0.13	90.	0.132
3.475	0.085	16.92	0.133	94.8	0.13
3.696	0.084	17.88	0.131	100.8	0.131

Time (sec) 3.917 4.137 4.358 4.578 4.798 5.02 5.24 5.46 5.681 5.902 6.122 6.36 6.721 7.14	Displacement (ft) 0.09 0.088 0.086 0.085 0.081 0.084 0.09 0.09 0.086 0.084 0.089 0.087 0.089 0.092	Time (sec) 18.96 20.1 21.32 22.56 23.88 25.32 26.82 28.38 30.06 31.86 33.72 35.76 37.86 40.08	Displacement (ft)  0.13  0.13  0.14  0.124  0.128  0.137  0.129  0.128  0.128  0.128  0.127  0.129  0.132  0.132  0.131	Time (sec) 106.8 112.8 119.4 126.6 134.4 142.2 150.6 159.6 169.2 178.8 189.6 201. 213. 225.6	Displacement (ft)  0.128  0.128  0.13  0.127  0.129  0.131  0.129  0.128  0.131  0.13  0.13  0.13  0.13  0.13  0.132  0.13
6.721	0.089	37.86	0.132	213.	0.132

# SOLUTION


Slug Test Aquifer Model: Unconfined Solution Method: Bouwer-Rice In(Re/rw): 2.199

# **VISUAL ESTIMATION RESULTS**

# **Estimated Parameters**

Parameter	Estimate	
K	67.13	ft/day
ν0	104.9	ft

K = 0.02368 cm/sec  $T = K*b = 1182.2 \text{ ft}^2/\text{day} (12.71 \text{ sq. cm/sec})$ 



Data Set: T:\...\MMW-P-14D OUT (B-R 1976).aqt
Date: 04/10/13 Time: 16:55:19

#### PROJECT INFORMATION

Company: Mundell & Associates Inc.

Client: AIMCO
Project: M01046

Test Well: MMW-P-14D Test Date: 4-1-2013

#### **SOLUTION**

Aquifer Model: <u>Unconfined</u> Solution Method: Bouwer-Rice

K = 84.4 ft/dayy0 = 54.51 ft

# **AQUIFER DATA**

Saturated Thickness: 17.61 ft Anisotropy Ratio (Kz/Kr): 1.

# WELL DATA (MMW-P-14D)

Initial Displacement: 3.008 ft

Total Well Penetration Depth: 15.61 ft

Casing Radius: 0.083 ft

Static Water Column Height: 17.61 ft

Screen Length: <u>5.</u> ft Well Radius: 0.33 ft

Data Set: T:\2001\M01046 Michigan Meadows Apts\Data\Slug Test Files\Bouwer-Rice 1976\MMW-P-14D OUT (B-R 1976).aqt

Date: 04/10/13 Time: 16:55:37

#### PROJECT INFORMATION

Company: Mundell & Associates Inc.

Client: AIMCO Project: M01046 Test Date: 4-1-2013 Test Well: MMW-P-14D

#### **AQUIFER DATA**

Saturated Thickness: 17.61 ft Anisotropy Ratio (Kz/Kr): 1.

#### SLUG TEST WELL DATA

Test Well: MMW-P-14D

X Location: 0. ft Y Location: 0, ft

Initial Displacement: 3.008 ft Static Water Column Height: 17.61 ft Casing Radius: 0.083 ft Well Radius: 0.33 ft Well Skin Radius: 0.33 ft

Screen Length: 5. ft
Total Well Penetration Depth: 15.61 ft

Observation Data					
Time (sec)	Displacement (ft)	Time (sec)	Displacement (ft)	Time (sec)	Displacement (ft)
0.251	-0.01	6.721	0.898	28.38	0.004
0.501	-0.007	7.141	0.518	30.06	0.011
0.751	-0.008	7.561	0.302	31.86	0.009
1.001	-0.011	7.981	0.179	33.72	0.009
1.251	-0.011	8.461	0.099	35.76	0.008
1.501	-0.011	9.001	0.04	37.86	0.008
1.751	-0.01	9.481	0.017	40.08	0.004
2.001	-0.009	10.08	0.01	42.48	0.005
2.251	-0.016	10.68	0.011	45.	0.01
2.501	-0.012	11.28	0.01	47.64	0.005
2.751	-0.01	11.94	0.008	50.46	0.008
3.001	-0.008	12.66	0.011	53.46	0.006
3.251	-0.009	13.44	0.015	56.64	0.004

Time (sec) 3.501 3.751 4.001 4.251 4.501 4.751 5.001 5.251 5.751 6.001	Displacement (ft) -0.009 -0.009 -0.008 -0.011 -0.008 -0.004 -0.008 -0.006 1.5 3.008	Time (sec) 14.22 15.06 15.96 16.92 17.88 18.96 20.1 21.3 22.56 23.88 25.32	Displacement (ft) 0.015 0.007 0.013 0.006 0.005 -0.01 0.012 0.011 0.012 0.011 0.002	Time (sec) 60. 63.6 67.2 71.4 75.6 79.8 84.6 90. 94.8 100.8	Displacement (ft) 0.01 0.012 0.007 0.01 0.01 0.006 0.008 0.013 0.009 0.001
6.001 6.361	3.008 1.489	25.36 25.32 26.82	0.002 0.001	100.6	0.001

# SOLUTION


Slug Test Aquifer Model: Unconfined Solution Method: Bouwer-Rice In(Re/rw): 2.199

# **VISUAL ESTIMATION RESULTS**

# **Estimated Parameters**

Parameter	Estimate	
K	84.4	ft/day
y0	54.51	ft

K = 0.02977 cm/sec T = K\*b = 1486.2 ft²/day (15.98 sq. cm/sec)



Data Set: T:\...\OW 10 ft\_S = 0.1\_ Rate=3 GPM\_Recovery at 10 hrs

Date: 04/10/13

Time: 17:05:36

# PROJECT INFORMATION

Company: Mundell & Associates Inc.

Client: AIMCO

# **SOLUTION**

Aquifer Model: <u>Unconfined</u> Solution Method: Theis

$$T = 1400$$
. ft<sup>2</sup>/day

 $S = \overline{0.1}$ 

 $Kz/Kr = \overline{1.}$ b = 20. ft


# WELL DATA

Pumping Wells

Observation Wells

i amping wone		
Well Name	X (ft)	Y (ft)
PW	0	0

Well Name	X (ft)	Y (ft)
□ PW	0	0
□ OW	10	0



Data Set: T:\...\OW 10 ft\_S = 0.1\_ Rate=3 GPM\_Recovery at 10 hrs

Date: 04/10/13

Time: 17:06:04

# PROJECT INFORMATION

Company: Mundell & Associates Inc.

Client: AIMCO

# **SOLUTION**

Aquifer Model: <u>Unconfined</u> Solution Method: Theis

$$T = 1400$$
. ft<sup>2</sup>/day

 $S = \overline{0.1}$ 

 $Kz/Kr = \overline{1}$ 

b =  $\overline{20}$ . ft

# WELL DATA

Pumping Wells

**Observation Wells** 

i amping wone		
Well Name	X (ft)	Y (ft)
PW	0	0

Well Name	X (ft)	Y (ft)
□ PW	0	0
□ OW	10	0

Data Set: T:\2001\M01046 Michigan Meadows Apts\VC in Residential Wells Allison Issue\Weston Jan 30 2013 Report EPA\MUNDELL Response Files

Date: 04/10/13 Time: 17:00:18

#### PROJECT INFORMATION

Company: Mundell & Associates Inc. Client: AIMCO

#### **AQUIFER DATA**

Saturated Thickness: 20. ft Anisotropy Ratio (Kz/Kr): 1.

#### PUMPING WELL DATA

No. of pumping wells: 1

Pumping Well No. 1: PW

X Location: 0. ft Y Location: 0. ft

Casing Radius: 0.1 ft Well Radius: 0.25 ft

Fully Penetrating Well

No. of pumping periods: 2

Time (min) 0.

**Pumping Period Data** Rate (gal/min)

Time (min) 60Ò.

Rate (gal/min) 0.

1

# **OBSERVATION WELL DATA**

No. of observation wells: 2

Observation Well No. 1: PW

X Location: 0. ft Y Location: 0. ft

Radial distance from PW: 0. ft

Fully Penetrating Well

# Observation Well No. 2: OW

X Location: 10. ft Y Location: 0. ft

Radial distance from PW: 10. ft

Fully Penetrating Well No. of Observations: 0

#### SOLUTION

Pumping Test Aquifer Model: Unconfined Solution Method: Theis


# VISUAL ESTIMATION RESULTS

# **Estimated Parameters**

Parameter Parameter	<b>Estimate</b>	4.O ( )
l	1400.	ft <sup>2</sup> /day
S	0.1	•
Kz/Kr	1.	
b	20.	ft

K = T/b = 70. ft/day (0.02469 cm/sec) Ss = S/b = 0.005 1/ft

2



Data Set: T:\...\OW 10 ft\_S = 0.3\_ Rate=3 GPM\_Recovery at 10 hrs

Date: 04/10/13 Time: 17:06:26

# PROJECT INFORMATION

Company: Mundell & Associates Inc.

Client: AIMCO

# **SOLUTION**

Aquifer Model: <u>Unconfined</u> Solution Method: Theis

$$T = 1400$$
. ft<sup>2</sup>/day

S = 0.3

Kz/Kr = 1.

b =  $\overline{\underline{20}}$ . ft


# WELL DATA

Pumping Wells

**Observation Wells** 

i amping trong		
Well Name	X (ft)	Y (ft)
PW	0	0

Well Name	X (ft)	Y (ft)
□ PW	0	0
□ OW	10	0



Data Set: T:\...\OW 10 ft\_S = 0.3\_ Rate=3 GPM\_Recovery at 10 hrs

Date: 04/10/13

Time: 17:06:43

#### PROJECT INFORMATION

Company: Mundell & Associates Inc.

Client: AIMCO

# **SOLUTION**

Aquifer Model: <u>Unconfined</u> Solution Method: Theis

$$T = 1400$$
. ft<sup>2</sup>/day

$$S = \overline{0.3}$$

$$Kz/Kr = 1.$$

b = 
$$\overline{\underline{20}}$$
. ft

# WELL DATA

Pumping Wells

**Observation Wells** 

i amping wone		
Well Name	X (ft)	Y (ft)
PW	0	0

Well Name	X (ft)	Y (ft)
□ PW	0	0
□ OW	10	0

Data Set: T:\2001\M01046 Michigan Meadows Apts\VC in Residential Wells\_Allison Issue\Weston Jan 30 2013 Report EPA\MUNDELL Response Files

Date: 04/10/13 Time: 16:59:22

#### PROJECT INFORMATION

Company: Mundell & Associates Inc. Client: AIMCO

#### **AQUIFER DATA**

Saturated Thickness: 20. ft Anisotropy Ratio (Kz/Kr): 1.

#### PUMPING WELL DATA

No. of pumping wells: 1

Pumping Well No. 1: PW

X Location: 0. ft Y Location: 0. ft

Casing Radius: 0.1 ft Well Radius: 0.25 ft

Fully Penetrating Well

No. of pumping periods: 2

Time (min) 0.

**Pumping Period Data** Rate (gal/min)

Time (min) 60Ò.

Rate (gal/min) 0.

# **OBSERVATION WELL DATA**

No. of observation wells: 2

Observation Well No. 1: PW

X Location: 0. ft Y Location: 0. ft

Radial distance from PW: 0. ft

Fully Penetrating Well

# Observation Well No. 2: OW

X Location: 10. ft Y Location: 0. ft

Radial distance from PW: 10. ft

Fully Penetrating Well No. of Observations: 0

#### SOLUTION

Pumping Test Aquifer Model: Unconfined Solution Method: Theis

# VISUAL ESTIMATION RESULTS

# **Estimated Parameters**

Parameter Parameter	Estimate	. 2
	1400.	ft <sup>2</sup> /day
S	0.3	•
Kz/Kr	1.	
b	20.	ft

K = T/b = 70. ft/day (0.02469 cm/sec) Ss = S/b = 0.015 1/ft

2

# APPENDIX D SUSCEPTIBLE AREA EVALUATION LETTERS



# INDIANA DEPARTMENT OF ENVIRONMENTAL MANAGEMENT

We make Indiana a cleaner, healthier place to live.

Frank O'Bannon Governor

Lori F. Kaplan Commissioner

100 North Senate Avenue P.O. Box 6015 Indianapolis, Indiana 46206-6015 (317) 232-8603 (800) 451-6027 www.in.gov/idem

November 5, 2003

Leena Lothe Mundell & Associates, Inc. 429 East Vermont Street, Suite 200 Indianapolis, IN 46202

> RE: Wellhead Protection Area Proximity Determination

> > 3800 West Michigan Street Indianapolis, IN 46222

Dear Ms. Lothe:

Upon review of the above referenced site, it has been determined that the site is not within a Wellhead Protection Area.

If you have any additional questions, please feel free to contact me at the address above or at (317) 308-3281.

Sincerely,

James Sullivan, Chief **Ground Water Section** Drinking Water Branch Office of Water Quality





# INDIANA DEPARTMENT OF ENVIRONMENTAL MANAGEMENT

We make Indiana a cleaner, healthier place to live.

Frank O'Bannon Governor

Lori F. Kaplan Commissioner

100 North Senate Avenue P.O. Box 6015 Indianapolis, Indiana 46206-6015 (317) 232-8603 (800) 451-6027 www.in.gov/idem

November 5, 2003

Leena Lothe Mundell & Associates, Inc. 429 East Vermont Street, Suite 200 Indianapolis, IN 46202

> RE: Wellhead Protection Area Proximity Determination

> > 3801-3823 West Michigan Street

Indianapolis, IN 46222

Dear Ms. Lothe:

Upon review of the above referenced site, it has been determined that the site is not within a Wellhead Protection Area.

If you have any additional questions, please feel free to contact me at the address above or at (317) 308-3281.

Sincerely,

James Sullivan, Chief **Ground Water Section** Drinking Water Branch Office of Water Quality



# MUNDELL & ASSOCIATES, INC.

429 East Vermont Street, Suite 200, Indianapolis, Indiana 46202-3688 Phone: 317-630-9060, Fax: 317-630-9065, email: info@MundellAssociates.com

January 18, 2005

Mr. Michael Litwin 620 South Walker Street Bloomington, IN 47403

Re: Request for a letter summarizing plant and animal species within the Site area Michigan Meadows Apartments & Michigan Plaza 3800-3823 West Michigan Street Indianapolis, Indiana

Dear Mr. Litwin:

Mundell & Associates, Inc. is interested in getting the following information pertaining to our above referenced Site.

- Current plant and animal species in the area
- Endangered, threatened species within the area

# **Background**

The above referenced Site is located in a mixed residential/commercial and industrial area on the southwest side of Indianapolis. The Michigan Meadows Apartments consist of 23 multi-story apartment buildings. The Michigan Plaza consists of a single story, 'L' shaped commercial building with a number of retail and office tenants and asphalt-paved parking lots. The Site is in the 'State Cleanup Program' and has been under investigation in order to evaluate the off-site environmental impacts of the former GM AGT Plant 10, located north of the Michigan Meadows property. MUNDELL & ASSOCIATES, INC. (MUNDELL) is proceeding with the further site characterization of the above-referenced site.

We would greatly appreciate the requested info sent to us in a letter format. We tried putting in a request on November 18, 2005 since we needed the letter the week of January 23<sup>rd</sup>, 2006. We would greatly appreciate if we could receive the letter by next week. In order to expedite the process, could you email me the letter (maybe a PDF file) at <a href="mailto:llothe@mundellassociates.com">llothe@mundellassociates.com</a>? Please let me know (317-630-9060) if you have questions.

Sincerely,

MUNDELL & ASSOCIATES, INC.

Leena A. Lothe

Staff Environmental Engineer



# United States Department of the Interior Fish and Wildlife Service

Bloomington Field Office (ES) 620 South Walker Street Bloomington, IN 47403-2121 Phone: (812) 334-4261 Fax: (812) 334-4273



January 24, 2006

Ms. Leena Lothe Mundell and Associates, Inc. 429 East Vermont Street, Suite 200 Indianapolis, Indiana 46202-3688

Dear Ms. Lothe:

This is in response to your letter dated January 18, 2006, requesting information regarding the potential occurrence of critical habitat and/or Federally endangered and threatened species for the Michigan Meadows Apartments and Michigan Plaza in Indianapolis, Marion County, Indiana. The site is located in Township 15 North, Range 3 East, Section 5 of the Indianapolis West Quadrangle.

These comments have been prepared under the authority of the Fish and Wildlife Coordination Act (16 U.S.C. 661 et. seq.) and are consistent with the intent of the National Environmental Policy Act of 1969, the Endangered Species Act of 1973, as amended, and the U.S. Fish and Wildlife Service's Mitigation Policy.

Any Covenant Not To Sue (CNTS) for natural resource damages granted by the State of Indiana under its Voluntary Remediation Program (VRP) would not represent nor perhaps encompass the position of the federal natural resource trustees under Section 122(j) of the Comprehensive Environmental Response, Compensation and Liability Act of 1980 (CERCLA) as amended. This letter does not represent formal review of this remediation project by the Department of the Interior (DOI) and therefore, this in no way should be construed to represent a position as to whether or not a CNTS for natural resource damages to federal trust resources would be appropriate.

# THREATENED AND ENDANGERED SPECIES

The area described in your letter is within the range of the Federally endangered Indiana bat (Myotis sodalis) and the Federally threatened bald eagle (Haliaeetus leucocephalus).

The Indiana bat uses woodlands during the summer when maternity colonies utilize trees with loose bark for roosting. These bats forage primarily over wooded stream corridors, although they have been collected in grazed woodlots, mature deciduous forests, and pastures with trees. A survey done in 1993 by our office found Indiana bats in the northeast section of Marion County. In addition, the Indiana bat is known to occur in the eastern portion of adjacent Hendricks County.

There are fairly recent wintering records for the bald eagle in Marion County, as well as new nesting records in the southern part of the county. A large portion of the West Fork of the White River in Morgan County is considered a primary wintering area for eagles in Indiana. Eagles nest in close proximity to lakes, rivers, or reservoirs. They construct their nests near habitat ecotones, such as lakeshores, rivers, and timber management areas (clearcuts or selective cuts). Tolerance of human activity during the nesting season has been variable, but, ideally, human disturbance of eagles should be avoided. The bald eagle's food base from the watershed includes carrion, waterfowl, and especially fish.

#### OTHER SPECIES OF CONCERN

In addition to the above mentioned species, the Kirtland's snake (Clonophis kirtlandii) is also potentially found within or near the area of interest. The snake is not afforded legal protection under the authorities of the Endangered Species Act (as amended); however, the FWS encourages consideration of the species in project planning because there is general concern among resource agencies for its status.

Contamination from this site may migrate to nearby wetlands, Little Eagle Creek, or other areas of ecological significance. Pathways of migration may include leachate/ground water, surface water, and sediment. Under conditions that allow certain contaminants to accumulate in waterways, aquatic organisms can bioaccumulate these elements; consequently, elevated or toxic concentrations may be reached. We recommend that sampling and monitoring efforts address the potential for off-site migration of any possible contaminants.

The National Wetland Inventory (NWI) map indicates that there may be riverine wetlands (associated with Little Eagle Creek) within and adjacent to the area of interest. Water and other habitat resources of wetlands are attractive to numerous wildlife species, including bats, snakes, and birds. In particular, migratory birds such as wood ducks (Aix sponsa), mallards (Anas platyrhynchos), and tree swallows (Tachycineta bicolor) will utilize open-water wetlands and are subject to potential impacts from contaminants. We recommend that project plans be designed to avoid impacts to the wetland habitat, particularly regarding contamination.

Based on the occurrence of wetlands adjacent to the site, certain activities may require a permit under Section 404 of the Clean Water Act. This process is administered by the U.S. Army Corps of Engineers. The Corps' address is:

U.S. Army Corps of Engineers Louisville District P.O. Box 59 Louisville, Kentucky 40201

The information provided does not include concerns for other wildlife resources. Therefore, the we recommend that you also contact the Indiana Department of Natural Resources, Division of Nature Preserves, and Division of Fish and Wildlife concerning possible State-listed species and other resource concerns. Their addresses are:

Indiana Department of Natural Resources Division of Nature Preserves 402 West Washington, Rm W267 Indianapolis, Indiana 46204

Indiana Department of Natural Resources Division of Fish & Wildlife 402 West Washington, Rm W273 Indianapolis, Indiana 46204


In the event that federally listed species are found within the project area or determined to be adversely affected by project plans, further coordination may be required under provisions of the Endangered Species Act of 1973, as amended.

We appreciate the opportunity to comment at this early stage of project planning. If we can be of further assistance please contact Robin McWilliams-Munson of my staff at (812) 334-4261 ext. 207.


Sincerely yours,

Scott Pruitt,

cc: Katie Smith, Division of Fish and Wildlife, IDNR, Indianapolis, IN Jim Smith, IDEM, Indianapolis, IN IDEM, Office of Land Quality, VRP, Indianapolis, IN







#### NO WELL ZONES

#### ZONE 1

AKA: South Emerson

Water main extension project financed by IC 8-1-32 and completed in 1998-1999.

#### ZONE 2

MCHD designated this zone due the identified groundwater quality concerns from current or former industrial activities such as:

- 1. Marathon Bulk site AKA Speedway Terminal (1300 Olin Ave)-On IDEM's Commissioner's List-Site # 0000101
- 2. Allison Plant 10 (700 Olin)-Ground water samples shows TCE above MCL, off-site private well show BDL for VOC. Entered IDEM VRP in January 2000.
- 3. Union Carbide- (1500 Poloco)-EPA preliminary assessment (1984) concludes potential groundwater contamination from historical use of four, unlined acid pits dating back to the 1930's. State agencies determine current use of lime sludge lagoons do not pose an environmental threat (approximately 1989-1990's).
- 4. Leaking underground storage tanks within the zone (as per MCHD files)

MCHD believes public water mains are available within this zone.

#### ZONE 3

AKA: Frog Hollow or Richland Reliable)

Water main extension project financed by IC 8-1-32 and completed in 1998-1999.

#### ZONE 4

MCHD designated this zone due to identified of groundwater quality concerns from current or former industrial activities such as:

- 1. Known TCE contamination in the 16<sup>th</sup> Street and Martin Luther King, Jr. Street area: AKA Parker North, Parker South, Universal Sign, Star Service Station. A 1997 study conducted by the City of Indianapolis in anticipation of the Dr. Martin Luther King Re-development project, revealed TCE with on-site and off-site sources. Reports of several UST's containing kerosene, regular, and unleaded at Star Service Station. Tanks were of unknown age and condition. Report of a 7000 gallon spill (1994). Property was re-developed under brownfield program to locate the NCAA warehouse.
- 2. United Parcel Service-700 W 16<sup>th</sup> ST-LUST #198911019
- 3. Republic Services (829/832 Langsdale)-AKA: Langsdale Recycling, Circle City Recycling, SMI Recycling-LUST # 9307532
- 4. Citizen's Gas & Coke MGP (800 Langsdale)-

FROM	TO	PRE DIR	Street Name
3400	4300	_	VERMONT ST
300	400		EXETER DR
301			BERWICK PL
1000			POLCO ST
1	1100	N	HOLT RD
3700			ELTZROTH ST
500	1600	N	LIVINGSTON AVE
300	1600	N	TIBBS AVE
500	1600	N	ROCHESTER AVE
3400	3600		GARDEN AVE
300	1600	N	EXETER AVE
200	1600	N	BERWICK AVE
3400	4300	W	NORTH ST
3500	3700		WILCOX ST
3400	4300	W	MICHIGAN ST
3400	3600	W	NEW YORK ST
300	1600	N	ALTON AVE
300	400		ALTON DR
400	1200	N	RYBOLT AVE
500	700	N	LYONS AVE
400	500		ARTHUR AVE
400	1000		GRANDE AVE
3400	4300		COSSELL RD
0	1600		OLIN AVE
500	600		TOMLINSON DR
400	1600	N	SOMERSET AVE
3400	3800	W	14TH ST
3400	3800	W	12TH ST
3500	3600	W	15TH ST
3400			10TH ST
3400			16TH ST
3600			WALNUT ST
900			MC CLURE ST
500			LUETT AVE
3600	3800	W	11TH ST